
Volume 2, Number 1, 2012



Volume 2, Number 1, 2012

ISSN: 2276 - 8165

Editorial Board

Dr. Akubue Jideofor Anselm Department of Architecture, University of Nigeria,

Enugu Campus, Enugu State, Nigeria.

Dr. B. B. Sarma Department of Department of Architecture, University of Khulna, Bangladesh.

Dr. Martin Kuete Department of Geography and History, University of Dschang,

Dschang, Cameroon.

Dr. Elizabeth Pigou-Dennis Department of Architecture, University of Technology, Kingston, Jamaica.

Dr. James Olusola Adefila Department of Geography, Ahmadu Bello University, Zaria,

Kaduna State, Nigeria.

Dr. S. O. Asiama Department of Architecture and Regional Planning,

Kwame Nkrumah University of Science and Technology, Kumasi, Ghana.

Dr. Hilary I. Eze Centre for Environmental Management and Control, University of

Nigeria, Enugu Campus Enugu State, Nigeria.

Dr. A. I. Nguma Department of Builling, Abia State University, Uturu, Abia State, Nigeria.

Dr. L. Gumbe Department of Environmental and Bio-Systems Engineering

University of Nairobi, P. O. Box 30197, Nairobi, Kenya.

Dr. Helene Mbouno Department of Geography, University of Yaounade I, Yauounde, Cameroon.

Dr. P. K. Acheampong Department of Geography and Tourism, University of Cape Coast, Ghana.

Dr. W. F. Hill Department of Architecture and Building Science,

University of Malawi, Zomba, Malawi.

Dr. Stanley M. Shitote Department of Civil and Structural Engineering, Moi University, Eldoret, Kenya.

Dr. Nderiecho Emmanuel Neba Department of Geography, University of Bemenda, North West Region, Cameroon.

Dr. Richard Westmaas Department of Architecture, University of Guyana, Georgetown, Guyana.

Dr. Edwin Mintoff
Department of Architecture and Urban Design, University of Malta, Maida, Malta.

Dr. B. M. Kiggundu Department of Civil Engineering, Makerere University, Kampala, Uganda.

Dr. Eno Okoko Department of Urban and Regional Planning,

Federal University of Technology, Akure, Ondo State, Nigeria.

Dr. Balgah Sounders Nguh South West Region University of Buea, Buea, Cameroon.

All submission of manuscripts should be made to our e-mail: catrjournal@yahoo.com. For more details contact: The Managing Editor, CATR Academic Journals, Centre for Advance Training and Research, MPYRAA, Tiko, Buea, South West Region, Cameroon.

Volume 2, Number 1, 2012 ISSN: 2276 – 8165

EDITORIAL BORD

Dr. Akubuc Jideofor Anselm

Dr. B. B. Sarma

Dr. Martin Kuete

Dr. Elizabeth Pigou-Dennis

Dr. James Olusola Adefila

Dr. S. O. Asiama

Dr. S. O. Asiama

Dr. Hilary I. Eze

Dr. A. I. Nguma

Dr. L. Gumbe

Dr. Helene Mbouno

Dr. P. K. Acheampong

Dr. W. F. Hill

Dr. Stanley M. Shitote

Dr. Nderiecho E. Neba

Dr. Richard Westmaas

Dr. Edwin Mintoff

Dr. B. M. Kiggundu

Dr. Eno Okoko

Dr. Balgah Sounders Nguh

Copyright@centre for AdvanceD Training and Research

Published by centre for Advanced Training and Research in association with MPYRAA Tiko, Buea, South West Region, Cameroon.

All right reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, Electronic, Mechanical, Photocopying, Recording or otherwise without the prior written permission of the proprietor of the copyright. Also, where part of this journal is adapted, credit must be given to the author(s) and original source and the sense must not be distorted.

The journal is an academic journal published quarterly. Subscription rate per issue issue for individuals is US\$20 (Foreign Price) and 6,000 FCFA (Domestic. Subscription rate per issue for libraries is US\$30 and 7,500 FCFA (Domestic).

CENTRE FOR ADVANCED TRAINING AND RESEARCH

Volume 2, Number 1, 2012

Published by Published by cer No. 80 Commercial Avenue, 7	ntre for Advanced Trainir Fiko, Buea, South West F	ng and Research in as Region, Cameroon	ssociation with MPYR	AA
First Published 2011				
Copyright© Centre for Advance	cement Training and Res	earch 2012		
				1
		1		
All right reserved. No part of the means without the written pern	his Journal may be produ- nission of centre for adva	ced or transmitted in ncement Training an	any form or by any d Research	
nternational Journal of Inno catrjournal@yahoo.com. If you ditor at the address below: MPYRAA, Tiko, Buea, South W	u have additional questic centre for Advanced	on, please feel free	to contact the Mana	ging

tre for Advance Training and Research	
and Research	
,	Volume 2, Number 1, 2012 ntre for Advance Training and Research

Cop	syright©2013 Centre for Advance Training and Research IS	SN: 2276-8165
Table	e of Contents	Pages
1.	Urban Sustainability, Community Initiatives and Informal Settlements Upgradi Olusola Oladapo Makinde and Ilesanmi, A.O.	ng. 1-12
2.	Demographic Analysis in Housing Programme in Nigeria. Amao Funmilayo Lanrewaju	13-23
3.	An Assessment of Physico-Chemical and Bacteriological Elements Prevelent in Bore Hole Water in Njaba LGA of Imo State, Nigeria. Digha, Opaminola N., Micheal Alozie and Lawson, Kingsley	24-31
4.	The Determinants of the Rate of Housing Deterioration in High Density and Slum Areas of Nigerian Cities with Particular Reference to Enugu City B.O. Uwadiegwu	32-37
5.	Carbon Capture and Storage (CCS): A Preliminary Review of Geological Storage Potential and its Risk in the Benue through of Nigeria. I. Yusuf; N.G. Obaje and S.H. Waziri	38-49
6.	Disposal of Sewage and its Effects on Built Environmental [A Case Study of Bulunkutu-Tsallake, Maiduguri, Borno State, Nigeria] Ndawoyo A. Tada	50-56
7.	CAD: A Necessary Inclusion in Architectural Curriculum in Tertiary Institution Iwuagwu Ben Ugochukwu; Eme-Anele Ngozi	. 57-61
8.	The Role of Makera High Way Development in Spatial Integration of Settlemer Akhadelor M.O. and Musa I. J.	nts. 62-67
9.	Gender Mainstreaming and Women Employment for Sustainable Economic Development in Nigeria. Zakariah, T. Tanimu and Englama, Esther	68-73
7.	An Assessment of Nature Tourism and Recreational Features of Kamuku Nation Park	nal 74-89
8.	Geographic Information System (GIS): A Panacea for Effective Land Administrated Physical Planning in Nasarawa State. Ebuga, Emmanuel Attah; Adamu, Musa Dangana and Nathaniel Ibrahim	ration 90-96
9.	Poverty and Community Initiative in Urban Informal Settlements in the Development World	97-105
10.	Potentials of Luffa (L. cylindrical) for Cement-Bonded Particleboards Production Ibidapo, A. B.; Aina, K.S.; Ajayi, B. and Adelusi, E.A.	on. 106-111
11.	Residual Strength of Concrete Exposed to Acidic Aggressive	112-117

Olowofoyeku, Adeoye Moses and Olowofoyeku, Olukemi Oyefunke

)2.	An Assessment of the Disparity in Urban Housing Quality in Keffi, Nasarawa State, Nigeria Garba Inuwa Kuta, Ahmed Sadauki Abubakar, Muhammed Mairo and Dalhatu Musa Tijjani	118-135
13.	Gully Erosion Re-Visited (A Contemporary Look at an Old Problem) Efiong-Fuller, Emmanuel O.	136-146
14.	Motorcycle (Okada) Transport as a Veritable Means of Public Transport in Bida, Niger State, Nigeria. Kudu Dangana; Mohammed Ahmed Emigilati; Garba Inuwa Kuta; Z.A.T. Suleyman and Hassan Aishatu Bello	147-155
15.	Procurement in the Construction Industry: "An Integral Element in Project Delivery". Mohammed Lawal Yahaya and Hamman Adama Ibrahim	156-162
16.	Space Technology Application for Disaster Management in Nigeria. S.I. Ohamobi	163-170
17.	Effect of Cement Re-Bagging in the Market on Concrete and Sancrete Block Quality Yukubu Ukwe-Nya Sunday	171-178

International Journal of Innovations in Environmental Science and Technology, Volume 2, Number 1, 2012

Copyright 2012 Centre for Advance Training and Research ISSN: 2276-8165

AN ASSESSMENT OF THE DISPARITY IN URBAN HOUSING QUALITY IN KEFFI,
NASARAWA STATE, NIGERIA

Garba Inuwa Kuta, Ahmed Sadauki Abubakar, Muhammed Mairo and Dalhatu Musa Tijjani Department of Geography Federal University of Technology, Minna, Niger State, Nigeria

ABSTRACT

Provision of housing as part of residential environment including the physical structure has been beneficial to man as shelter. Housing has contributed to an ensured good living of all inhabitants of different classes. This research seeks to assess the Disparity in Urban Housing Quality in Keffi, Nasarawa State. In the study, a combination of secondary and primary data were collected from the study area. The secondary data were collected from the Keffi Local Government archives. The primary data collection was basically through the administration of questionnaire on socio-economic status of the residents of Keffi town. The procedure of data analysis was a multi-stage sampling process where the study area was divided into three zones: low density, medium density, and high density areas based on building density and location of the area. Based on the findings derived from the survey, Keffi was found to be a relatively sparse populated urban area. The housing quality in the area was generally poor due to poor quality of building materials used and lack of adequate drainage and waste collection system. There was no significant difference in quality of houses of the high, medium, and low density areas. Practicable recommendations were made such as the need for massive building programme, and improvement on the access of people to quality building materials at reasonable cost.

INTRODUCTION

From earlier studies on housing and associated problems since shelter comes next after food and clothing in order of importance as one of the basic necessities of life (Mabogunje, 1973).

Urban Planning (Cataness, 1979) defined Housing in its most basic sense "as shelter", but in the modern world it serves more needs than only protecting people from the environmental hazards, it also provides spaces for a range of activities like cooking, eating, recreation, sleeping, etc. It provides a location that determines relative access to schools, jobs, parks, retail areas and other amenities. It provides a measure of relative status, as persons are judged by the quality and location of their housing. The Oxford Advanced Learner Dictionary (2009) of the Current English defined housing as "accommodation in houses" while the New Universal Library Encyclopaedia (2009) defined housing as the provision of houses, flat, hostels, and other forms of shelter and living spaces.

Viewing the above three definitions, we can see similarity in perspective. This is to say the definition of housing is the same worldwide. It is associated with provision of shelter and houses.

Housing is recognized as areas of house and is also increasingly considered to be a matter of public as well as private concern (Universal Library, 1969). This stand, coupled with the new slogan has been the source of hope for the low-income urban workers. However, low income housing programme in most cases has benefitted the wrong people, who are the top supposedly civil servants. It is common nowadays to find expensive cars parked in the garages of the low-income houses. However, where most facilities are provided such houses are seen to be private houses owned by organization and advertised to be let.

The problem of housing quality can be attributed to a combination of social, economic, demographic and technological factors. An example of this can be illustrated or seen in the present situation. There has been evidence that urban dwellings are surrounded by deplorable urban landscape with elementary amenities. This situation is getting worse due to land acquisition in some urban areas, and rapid development. In fact, undeveloped plots within the built-up areas of most cities are commonly used as conveniences. The kind of housing quality required varies with sizes and types of family, income, taste, change in family cycle and changes in the pattern of family living.

The distance of houses to each other and other buildings as well as facilities can have an impact on the amount of light, air, noise and odour in the houses and through which it affects physical and mental health. The quality of housing that has been achieved through the automation of equipment, improvements in

plumbing, heating, cooking, lighting and food storage and preparation equipment always made housing more sanitary, healthy and comfortable that greatly reduced the labour of running a house (FMW&H, 2001). The problem of urban land in some parts of the country has less effect in terms of housing quality, but that instrument and lack of development control. However, zoning in Nigeria is not regarded as a legal powerful land development control within the urban limit. Zoning and sub-division regulations are two


A house is not a house if it does not guarantee the minimum of privacy, protection and access to essential facilities no matter its degree of aesthetic quality. Housing therefore is not only about the shell or in other words "the quality of housing reflects the status of the person in the family and in the local community" (Rod, 1977).

Housing problems in most urban areas relate not only in the inadequacy of the number of housing programmes, and it has also not paid adequate attention to quality and other aspects of housing needs. The focus of our housing programmes, particularly the low income housing has not adopted the broad interpretation of housing needs. In Nigeria, the hard fact concerning housing quality has never been taken seriously by urban development policy decision (Aina, 1990). In 1976, the Federal Ministry of National Planning commissioned a firm to conduct a comprehensive study on urban housing needs in Nigeria's urban centers, thus, the need for housing study in Keffi, Nasarawa State in Nigeria.


Historical Description and Location of the Study Area (Keffi Town)

Keffi town, the headquarters of Keffi Local Government Area, was founded in the year 1802 by a Fulani cattle rearer named Mallam Abdu Zanga who came from Yan-Tumaki under former Dutsen-Ma Local Government of Katsina State. According to sources, it was during one of the Abdu Zanga's annual herds grazing from Yan-Tumaki that he decided to settle in this area and encouraged a number of Fulani cattle rearers to unite under his leadership. On Monday, 30th September, 1902, a letter was written from the Governor Lord Lugard to the then Emir of Keffi, Mallam Ibrahim Barde which contained the following conditions that real power was to lie henceforth with the British. The Emirs were required to obey all the laws of the Protectorate, especially laws against slave raiding and importation of liquor, to give the resident every assistance in the performance of his duties and to be guided by his advice in the establishment and procedure of native courts, tribute assessment and other matters as well as to obey the High Commissioner to the utmost in all matters whatsoever.

Keffi Emirate is known for its resistance against British incursion, particularly the role played by one Magaji Dan Yamusa I who saw the advent of British as an extension of British hegemony over Keffi Emirate and infiltration of western cultures on the Keffi Community. For this reason, therefore, brief skirmishes ensued between the British colonial masters and Magaji Dan Yamusa along with the Keffi Native Force. In the process. Captain Maloney the British resident to Keffi was killed and Magaji Dan Yamusa fled to the protection of Northern Emirs (Aliyu) Emir of Kano who was later on deposed by the British for honouring Magaji Dan Yamusa I. Some of the early inhabitants of the area were Gade, Yeskwa, Koro, Mada, Eggon, Gbgayi, Gwadara, Afo and host of others. Present Karu and Kokona Local Government Areas were carved out of the former Keffi Local Government Area in the years 1992 and 1996 respectively.



Map of Nigeria showing the Location of Keffi Figure 1:



Map of Keffi, Nasarawa State, Nigeria Figure 2:

LOCATION

Keffi Local Government which was created in 1976 remained one of the oldest councils in Nigeria (figure 1). It shares common borders with Karu and Kokona Local Governments in the southeast and north respectively (figure 2), occupying an area of about 3,019 square kilometres. According to the 2006 National Papulation Census, Keffi had a total population of 85,000 people.

MAJOR TOWNS

With the creation of Karu and Kokona Local Government Areas out of the former Keffi Local Government Area, places such as Keffi town itself, Jigwada, Gauta, Ang. Lambu, Yarkadde and Ang. Jaba are still within the vicinity of Keffi Local Government Area.

Keffi Local Government is having twelve (12) wards as follow: Tudun Kofa, Gangaren Tudu, Yara, Goriya, Iya I, Iya II, Ang. Rimi, Liman Abaji, Yelwa, Kofar Hausa, Sabon Gari, and Jigwada.

METHODOLOGY

Two major sources of data were employed for this research and these include the primary source and the secondary source. The primary source is in the form of prepared questionnaires administered to the sampled population by the researchers. The secondary sources used were in the form of journals, other research works, pamphlets, workshops and conference papers and other relevant literature.

SAMPLING PROCEDURES

The procedure adopted in this study was a multistage sampling process. The study area was divided into three zones namely low density, medium density, and high density area based on building density and location of the area. Listing of enumeration at the area and listing of building obtained during the 1991 Census exercise were used as a sampling frame. A total number of 15 enumeration areas were selected randomly, five enumeration areas in each zone. Finally, houses to be interviewed were selected randomly from the 1991 Census list of buildings approximately 10% of the total number of houses in each of the zones selected using systematic random sampling.

The numbers of houses selected in each of the zones were 100, 90, and 82, for high, medium and low densities, respectively. Research assistants were recruited and trained on how to administer questionnaires to the respondents. A standard questionnaire was used to collect information from respondents. Two types of questionnaires were prepared.

The first questionnaire covers a comprehensive question on housing conditions in terms of the basic facilities and quality of building materials. Questions were asked on the type of problems the occupants are facing in their houses. The second questionnaire deals with factors that determine the low housing quality production. Questions were asked on the types and sources of building financing and materials used. The target audience of the first questionnaire was the head of each selected houses, while the target audience of the second questionnaire were the landlords.

DATA ANALYSIS

Various statistical techniques were used for the analysis. The mean, mode and percentages were among those used. The study also used Figures and percentages in the discussion of result.

RESULTS

The analyses of the data collected from the sampled population of target audience of the questionnaires administered, include the following:

International Journal of Innovations in Environmental Science and Technology, Volume 2, Number 1, 2012
RESULTS OF THE ACCESSIBILITY TO THE RESIDENTIAL AREAS




Figure 3: Accessibility to the Residential Areas

The accessibilities to buildings are only by footpath and motorists as shown in Figure 1. Their percentage distributions in the High density, Medium density and Low density areas are also shown in this Figure. Keffi, like many other towns in Nasarawa State, is an unplanned city. The most striking feature of the city is the poor layout of the existing roads. As a result of the poorly defined street system in the town, the existing buildings are extremely crammed in space and inter-street vehicle traffic is almost impossible, most especially some areas like Akwanga road and Tsohon Kasuwa streets where the only access to buildings is through footpath. About 58% of the buildings in this study area have access road through footpath and only 42% are accessible through motorable roads (Plates III & VI). The condition of the road network is not encouraging either with the exception of few roads and the expressway which provides access to the town from the west and south respectively, most of the roads are in poor condition. As it is expected, accessibility in the low-density area is better than the high-density area. The percentage of buildings accessible by motorable road is 65 percent compared to only 24 in the high density area.

RESULTS OF THE PHYSICAL CONDITIONS OF THE BUILDINGS




Figure 4: Physical Conditions of the Buildings

The conditions of the floors, walls and roofs are the physical conditions of the buildings as shown in Figure 4. It also shows the percentage distributions in the High density, Medium density and Low density areas.

With regards to the physical condition of the building, most houses in the study area are quite recently built (within the past 10 years) and they are still in good state only few are in bad condition either (cracking or dilapidated) houses in low density areas are slightly in a better condition than those in high density areas.

RESULTS OF AGES OF THE BUILDINGS





Figure 5: Age of the Buildings

The ages of buildings shown in Figure 5 above are in the interval of 0-5 years, 5-10 years and above 10 years. Each of the percentages distribution of ages of the buildings in High density, Medium density and Low density areas are also shown in the Figure. Apart from the age of the building with 31% built 10 years and 37% less than 5 years, it shows that new buildings are springing up giving a relatively good physical condition of buildings in Keffi which is related to the fact that most of the houses (53.3%) are owned by the occupants see (Figure 6).

RESULTS OF BUILDINGS OWNERSHIP



Buildings Ownership Figure 6:

The building ownership includes those Owned by the occupants, Rented, Privates, Government and other buildings. Figure 6 shows these building ownerships in the High density, Medium density and Low density areas each with their percentage distributions. It is expected that maintenance by owner is higher than by tenants, with 72% ownership in the high density areas and just 39% in the low density areas.





Figure 7: Quality of Building Materials

The material of buildings include Walls: which are the mud, cement or burnt bricks; Windows: which are wood, metals, glasses or combinations; Ceilings: which are of wooding product, asbestos or combinations; and Doors: which are wood, metals or combinations. The percentage distribution in High density, Medium density and Low density areas are shown in Figure 7 above. It is apparent from the findings of this study (Figure 7) that low quality of building materials is widely used with the exception of the material for ceiling in which asbestos (48.9%) is commonly used in low, medium and high density areas, while other building materials for wall, doors, and windows are of low quality. However, cement blocks are equally important accounted for about (45.2%) of the total sampled. The use of cement blocks is more apparent in the low-density area than in the high-density area. Wood is the common material used for windows and doors. There is significant difference in the quality of materials for windows and doors between the low and high-density areas.



The sources of water supply include taps, streams and boreholes supplies. Figure 8 also shows the percentage distribution of water supply in High density, Medium density and Low density areas of Keffi Local Government Council, Nasarawa State. The survey revealed that there are not many changes in the provision of housing facilities in the study area. In most cases, majority of the urban residents rely on public pipe borne water supply and others have to share as their houses do not have internal water tap. However, it was observed that, there was no residential area that has less than 40 percent (Figure 8) of its houses supplied with pipe-borne water. The reason here could be the introduction of water rate, which might have discouraged people who could not pay for the rate, instead they prefer public pipe-borne water supply or wells (Plate II).






Figure 9: Sources of Power Supply
The sources of power supply include kerosene lamps, generators and electricity supply as shown in Figure 9.
The Figure also shows the percentage distribution of water supply in High density, Medium density and Low density areas of Keffi Local Government Council, Nasarawa State. Although Keffi is still experiencing frequent power interruption, most of the houses in Keffi rely heavily on electricity as source of power. frequent power interruption, most of the houses in Keffi rely heavily on electricity as source of power. Similarly, the supply of electricity had become epileptic in most houses in the study area. About 70% of Similarly, the study area have electricity (Figure 9). However, 60% of the sampled houses have electricity supply because the electricity is supplied from the national grid.

RESULTS OF PROVISION OF TOILET FACILITIES




Figure 10: Provision of Toilet Facilities

International Journal of Innovations in Environmental Science and Technology, Volume 2, Number 1, 2012

The toilet facilities are the nearby bush, pit latrine and water closet whose percentage distributions in the High density, Medium density and Low density are shown in Figure 10. The situation with regards to the provision of toilet facilities is less encouraging. Only about one quarter (25.4%) of the houses in the latrines is common in the high and medium density areas. It is however, to be noted that even in the low-density area, there are still found houses which neither have pit neither latrines nor water system facilities. This implies that the quality of houses in Keffi with respect to the provision of toilet facilities is still very poor (Figure 10).




Figure 11: Basic Facilities outside the Building

High Density

The parking facilities were shown in Figure 11 which include the Garage, Open Space and Not Available. Their respective percentage distributions in the High density, Medium density and Low density are shown in this Figure. Among the various facilities in the study areas which are grossly inadequate and inefficient are the drainage system and waste collection system. It is clear from the findings of the study that has exceptions even in the town as a whole. Many road surfaces and building foundations have been partially washed away due to menacing effect of uncontrolled and unchannelled storm-water which has seriously affected the quality and durability of the concerned roads and building and in addition causing major flooding and public health problems such streets like Karofi Street (Plate I).

■ Medium Density

■ Low Density

An observation of the study area shows that most of the residential houses have no proper parking facilities or spaces due to unplanned nature of the study area. However, almost half of the houses in the sampled or spaces due to unplanned nature of the study area. However, almost half of the houses in the sampled or spaces have no garage provision, they still have an open space which can be used as parking facilities. Only areas have no garage provision, they still have an open space which can be used as parking facilities. Only 20% of the houses do not have parking facilities at all with worse case in the high density areas (Figure 11).




Figure 12: Provision of Drainage System

The Open drainage, Covered drainage and None drainage are the drainage systems in Keffi Local Government as shown in Figure 12. It also shows the percentage distributions of the drainage systems in the High density, Medium density and Low density areas. Roads within the town especially those that provide access to the inner part of the town remained dilapidated and many of them are found to have been damaged by erosion due to inadequate drainage facilities and the little that remain are in most cases partially blocked by fences in some residential buildings. It is however surprising in Figure 12 that the percentages of houses with open drainage in the low density area (40.24%) is higher than those in the high and medium density respectively. The reason that could be advanced for this is because the topography of Zango, Angwan Waje are undulating with the result that there is no arrangement for the provisions of covered drainage system to enhance or channel the flood about 33.1% of the study area has no drainages. The low density area has some defined open drainages that are unattended to as such it gets blocked by fallen dead leaves (Plate V).




Figure 13: Waste Collection Systems
Figure 13 shows the methods of collection of waste water which includes collection by Private, collection by Figure 13 shows the methods of collection Government and Disposal by Self. It also shows the percentage distributions of these methods of collection Government and Disposal by Self. It also shows the percentage distributions of these methods of collection of waste water in the High density, Medium density and Low density areas. Majority of the residents in of waste water in the High density, Medium density and Low density areas. (see Figure 12). Generally, Keffi area "make private arrangements for the disposal of household waste" (see Figure 12). Generally, Keffi area "make private arrangements for the disposal of household waste" (see Figure 12). Generally, Keffi area "make private arrangements for the disposal of household waste" (see Figure 12). Generally, Keffi area "make private arrangements for the disposal of household waste" (see Figure 12). Generally, Keffi area "make private arrangements in the low-density areas enjoy waste collection service from their local government in the town is very low. There their counterparts in the low-density areas. In general, the level of sanitation in the town is very low. There their counterparts in the low-density areas. In general, the level of sanitation in the town is very low. There their counterparts in the low-density areas enjoy waste collection will also be very low. Most of the residents such the number of houses with frequency of waste collection will also be very low. Most of the residents such the number of houses with frequency of waste collection will also be very low. Most of the residents such the reported that refuse collection does not exist at all in their environment, and even where it existed, the reported that refuse collection does not exist at all in their environment, and even where it existed, the reported that refuse collection does not exist at all in their environment, and even where it existed th

127

International Journal of Innovations in Environmental Science and Technology, Volume 2, Number 1, 2012

Results of Frequencies of Waste Collection





Figure 14: Frequency of Waste Collection

The frequencies of waste collection are twice a week, once a week, twice and once a month as shown in Figure 14. The percentages of these frequencies in the High density, Medium density and Low density areas are also shown in this Figure. Figure 14 shows that the frequency of waste collection is more in the high-density areas. The percentage of houses with frequency of waste collection of once a week is 16% in high-density areas as contrasted to only 3.6% in the low-density areas. Similarly, the percentage of houses with frequency of waste collection of once a month is 39% in the high-density areas as compared to 59% in the low-density areas.






Figure 15: Sources of Finance

The source of finance includes personal savings, bank loans, private loans and others. Their percentage distributions in the High density, Medium density and Low density areas as shown in Figure 15. The result of this survey shows that (70.9%) over two-thirds of the total sample depend on their personal savings (Figure 15). Source of funding through bank loans is very low in the high density area (4%). The reason that could be attributed to this is on the grounds of interest and finance. It was however also found out that

An Assessment of the Disparity in Urban Housing Quality in Keffi, Nasarawa State, Nigeria some of the residents preferred to live in the houses where their great-grandfathers lived in order to uphold tradition.





Figure 16: Types of Labour

The types of labours in the High density, Medium density and Low density areas are the skilled labour, unskilled labour and personal labour. Their personal distributions along these areas are as shown in Figure 16. In terms of the labour used in the construction of building, Figure 16 shows that most people no longer prefer skilled labour to build houses, instead they use unskilled workers. The cursory observation of the houses sampled in the periphery of the town indicates that unskilled workers were prominent. At least, 56.3% of the total sample depends on unskilled labour compared to 26.42% from the total sample, while only 18.08% from the total sample built their houses by themselves.






Figure 17: Sources of Building Materials

Figure 17 shows the sources of building materials which include those within the Locality, within the State, outside the Locality and outside the Country. Their percentage distributions are also shown in this Figure. With the result of this study (Figure 17), it is glaring that majority of the people (47.9%) prefer materials obtained locally. Only 2.94% of the houses surveyed used imported building materials. This could be due to the high cost of imported building materials. Most houses in the high-density area (60% of them) and

International Journal of Innovations in Environmental Science and Technology, Volume 2, Number 1, 2012

53.3% in the medium density (Plate IV) used materials which can be "obtained from Keffi vicinity as compared to only 29.3% in the low density areas which used mostly materials obtained outside Keffi. This explains why the quality of houses in the high-density area is lower in quality than those houses in the low-density areas.




Figure 18: Literacy Level

The rate of literacy level in High density, Medium density and Low density areas are expressed in percentage distributions as shown in Figure 18. These literacy levels are the primary schools, secondary schools, tertiary institutions and non-formal level which are also shown in the Figure. The result of the study reveals that the literacy level (Figure 18) is below average most especially at the high density area which has 45% primary schools and only 10% are at tertiary levels also at the low density area tertiary institutions is only 21.2%. A lot of public schools are evenly sited in the study area and the development of private schools is concentrated in the medium and low density areas.





Figure 19: Income Level
The income level includes less than \$1000 per month, \$1000-\$12500 per month, \$12500-\$16000 per month,
The income level includes less than \$1000 per month, \$1000-\$12500 per month, \$1000-\$12500 per month,
The income level includes less than \$1000 per month, \$1000-\$12500 per month, \$1000-\$12500 per month,
The income level includes less than \$1000 per month, \$1000-\$12500 per month, \$1000-\$12

is also a major factor that determines the type of facilities that individual can afford to provide for his needs. The result from Figure 19 shows that 40% of the residents in the sampled areas in high density areas earn about \$\frac{1000}{month}\$ with an employment up to 15% only 10% carns above \$\frac{16000}{month}\$. Being a local council with very little source of revenue, one could vividly see why the quality of houses is generally low.






Figure 20: Comparison of Quality of Housing in Different Types of Residential Areas

The indices include housing materials, facilities within the building, facilities outside the building and sanitary facilities as shown in Figure 20. It also shows the percentage distributions of these indices in the High density, Medium density and Low density areas. In previous sections, the qualities of housing in terms of building materials, facilities within and outside the building as well as sanitary conditions have been discussed. However, to have a general overview of the quality of housing between various types of residential areas, the qualities of material and facilities have to be taken into consideration. To achieve this objective, four indices of housing quality have been constructed which can serve as measurement of housing quality. The four indices are: Index of quality of housing material, Index of facilities within the housing, Index of facilities outside the building, and Index of sanitary facilities.

Each of these indexes is a composite index, which was constructed by adding values assigned arbitrarily according to its quality. Figure 20 shows the percent distribution of houses according to various indices of housing quality and types of residential areas. It is clear from the Figure that in general, the quality of houses in terms of their building materials and facilities are still poor. However, it is encouraging to note that about 30 to 40% of houses can be considered to have medium quality of materials and facilities. It is also apparent that there is no significant difference in the quality of houses between various types of residential areas (Figure 17).

Plates 1 to 6 here




Plate I: Drainage Littered with Refuse at Karofi; An Area Classified as High Density




Plate II: A Community Well and Pipe-borne Water at Emir's Palace; An Area Classified as High Density




Plate III: An Untarred Motorable Access at NTA Junction; An Area Classified as Medium Density




Plate IV: An Ongoing Blockwork Building at Angwan Waje; An Area Classified as Medium Density




Plate V: Drainage Littered with Dry Leaves at GRA; Plate VI: Tarred Motorable Access at GRA; An Area Classified as Low Density An Area Classified as Low Density

CONCLUSION

Based on the findings from the survey and what has been discussed earlier, we can now know that Keffi is relatively sparsely populated urban area. The housing quality in the study area is generally poor. Generally, the findings conform with the findings of other studies to other selected Nigeria urban towns; Onibokun (1990), Sada (1975), and Prothero (1965) that Iow quality of building materials is widely used.

- Poor quality of building facilities is available with most houses enjoying the provision of electricity and using pipe-borne water as their source of water supply. Bathrooms and toilets also have poor facilities.
- Lack of adequate drainage and waste collection system in most of the areas. arrangement is made for most disposal of household waste. This is not very effective.
- The study revealed that there was no significant difference in quality of houses of the High, Medium and Low-density areas.
- The major contributing factor to the low housing quality includes difficulty in obtaining loan. The use of unskilled labour as well as cheap quality materials.

RECOMMENDATIONS

For the fact that housing involves the consumption of neighbourhood services, the following recommendations are important:

- People complain of high cost of building materials and its maintenance; government should improve on the access of people to building materials at reasonable cost. encouragement of local production of building materials, sale depots in all Local Government Areas to be sold at Government-controlled prices to members of the public.
- The policy of encouraging the construction of new buildings should be adequately omplemented by a policy of encouraging people to renovate their houses and rehabilitate their neighbourhood.
- neignbourness.

 It may be advisable to reduce the cost of water cost reticulation as a deliberate policy. The use of central septic tanks and effective sewage disposal may be a factor in the reduction of of central separate disposals and attendant exposures to epidemic diseases, as the ancillary structures needed for solid waste disposal and consideration to the cost of the system.
- There is the need for a massive building programme. While the Government should not directly build houses, it should have the responsibility to take necessary steps to encourage individuals and groups who wish to undertake the dwelling unit's development.
- Government should assist in providing finance and technical skilled manpower, for the construction of the drainage pattern.

International Journal of Innovations in Environmental Science and Technology, Volume 2, Number 1, 2412

All compounds in the residential areas should be serviced by private collection of refuse waste hence feasible legislation be introduced to provide for this and charges made wither as part of a rate able system or in some other form. While vehicular accessibility is a problem in public areas such as market places, etc. the present method of communal bulk bin container-collection from accessible location on properly-constructed concrete platforms should be continued. A number of vehicles are required in order to maintain the desirable standard and more open spaces communal bin collection.

REFERENCES

- Abiodun, J.O. (1985) (edit), Urban and Regional Planning Problems in Nigeria, University of Ife Press, E.T.D. Ile-Ife.
- Abiodun, J.O. (1985), The Provision of Housing and Urban Environment Problems in Nigeria, University of Ife Press E.T.D. Ile-Ife.
- Aina, T.A. (1990), "The Urban Poor and the Commercialisation of Land in Nigeria". Baker, J. (ed.). Small Town Africa: Studies in Rural-Urban Interaction. Uppsala, The Scandinavian Institute of African Studies.
- Daramola, A. (2004). Planning Policies and Affordable Housing in Nigeria An Analysis of the Abuja Master-Plan Scheme and the Re-certificate of Occupancy Syndrome, Paper Presented at the Housing Studies Association Conference, Belfast, UK, 9-10 September, 2004.
- Daramola, A. (2005b), Global Climatic Change. Environmental Resource and Pastoral Management in Nigeria, Paper Presented at IHDP National Conference, Department of Urban and Regional Planning, University of Ibadan, Nigeria, 2-3 March, 2005.
- Daramola, A., Wole, A., Bridgette, E., Ogbiye, S. (2005), Public-Private Partnership in Housing Delivery in Nigeria, 'Urbanisation in Africa', African Union of Architects, Abuja, Nigeria.
- Encyclopaedia (2009), The New Universal Library Encyclopaedia.
- Federal Ministry of Works and Housing (2001), Publication in Policy News, Journal June 4, 2001.
- Mabogunje, A.L. (1973), Toward an Urban Policy in Nigeria, Nigeria Journal of Economic and Social Studies, Vol. 16, No. 1.
- National Population Commission, NPC (2006), National Population Census in Nigeria.
- Onibukun, R. (1990), Urban Housing in Nigeria (NISER, Ibadan).
- Onokerhoraye, A.G. (1977), The Spatial Pattern Residential District in Benin, Nigeria. Urban Study, Vol. Oxford Dictionary (2009), The Oxford Advanced Learners Current English Dictionary.
- Raji, O. (2008), Public and Private Developers as Agents in Urban Housing Delivery in Sub-Saharan Africa. The Situation in Lagos State, Humanity of Social Sciences Journal, Vol. 3, No. 2, pp.143-
- Rod, B. (1977), Self-Help Housing: A New Imperialist Strategy? A Critique of the Turner School, Antipode, Vol. 9, Issue 2, pp. 52-59.
- Sada. P.O. (1975), Urban Housing and the spatial pattern of modernization in Benin City. The Nigeria Geographical Journal Vol. 18 No 1.
- Sule, R.A. (1988), A Synopsis on Urban development on planning. Third national development plan present position and problems.

An Assessment of the Disparity in Urban Housing Quality in Keffi, Nasarawa State, Nigeria Zubairu, M. (2001.), Restructuring Institution to "Jump-start" the Housing Delivery Process - in Guardian Newspaper 23rd April, 2001.

CEN-2012-373/J O. Noah/centrejournal@yahoo.com/10/10/2012/.FRB/4 9 2012