

# Bibliography

- Abdel-Maksoud, E., Elmogy, M., & Al-Awadi, R. (2015). Brain tumor segmentation based on a hybrid clustering technique. *Egyptian Informatics Journal*, 16(1), 71–81.
- Abragam, A. (1961). *The principles of nuclear magnetism*. Clarendon Press.
- Abragam, A. (1996). Nuclear ferromagnetism and antiferromagnetism. In D. M. Grant & R. K. Harris (Eds.), *The encyclopaedia of nuclear magnetic resonance*. Wiley.
- Abramowitz, M., & Stegun, I. A. (Eds.). (1964). *Handbook of mathematical functions with formulas, graphs, and mathematical tables* (Vol. 55). US Government Printing Office.
- Acosta-Martínez, J., López-Haldón, J. E., Gutiérrez-Carretero, E., Díaz-Carrasco, I., Hajam, T. S., & Ordóñez Fernández, A. (2013). Radial and circumferential strain as markers of fibrosis in an experimental model of myocardial infarction. *Revista Española de Cardiología*, 66(6), 508–509.
- Aggarwal, R., & Kaur, A. (2014). Efficient analysis of brain tumor detection and identification using different algorithms. *International Journal of Engineering Sciences & Research Technology*, 3(65), 606–610.
- Ai, L., & Vafai, K. (2006). A coupling model for macromolecule transport in a stenosed arterial wall. *International Journal of Heat and Mass Transfer*, 49(9), 1568–1591.
- Aime, S., Baranyai, Z., Gianolio, E., & Terreno, E. (2007). Paramagnetic contrast agents. In M. J. M. Modo & J. W. M. Bulte (Eds.), *Molecular and cellular MR imaging* (pp. 1–9). CRC Press - Taylor & Francis Group.
- Aime, S., Botta, M., & Terreno, E. (2005). Gd (III) – Based contrast agents for MRI. *Advances in Inorganic Chemistry*, 57, 173–227.
- Aime, S., Barge, A., Delli Castelli, D., Fedeli, F., Mortillaro, A., Nielsen, F. U., & Terreno, E. (2002). Paramagnetic lanthanide (III) complexes as pH-sensitive chemical exchange saturation transfer (CEST) contrast agents for MRI applications. *Magnetic Resonance in Medicine*, 47(4), 639–648.
- Aime, S., Botta, M., Fasano, M., Crich, S. G., & Terreno, E. (1996). Gd (III) complexes as contrast agents for magnetic resonance imaging: a proton relaxation enhancement study of the interaction with human serum albumin. *JBIC Journal of Biological Inorganic Chemistry*, 1(4), 312–319.
- Akram, M. U., & Usman, A. (2011, July). Computer aided system for brain tumor detection and segmentation. In *International Conference on Computer Networks and Information Technology* (pp. 299–302). IEEE.

- Allen, T. M., & Cullis, P. R. (2004). Drug delivery systems: Entering the mainstream. *Science*, *303*(5665), 1818–1822.
- Alsop, D. C., & Detre, J. A. (1998). Multisection cerebral blood flow MR imaging with continuous arterial spin labeling. *Radiology*, *208*(2), 410–416.
- Ambily, P. K., James, S. P., & Mohan, R. R. (2015). Brain tumor detection using image fusion and neural network. *International Journal of Engineering Research and General Science*, *3*(2), 1383–1388.
- Anderson, A. W., & Gore, J. C. (1994). Analysis and correction of motion artifacts in diffusion weighted imaging. *Magnetic Resonance in Medicine*, *32*(3), 379–387.
- Andrews, D. W., Scott, C. B., Sperduto, P. W., Flanders, A. E., Gaspar, L. E., Schell, M. C., Werner-Wasik, M., Demas, W., Ryu, J., Bahary, J. P., & Souhami, L. (2004). Whole brain radiation therapy with or without stereotactic radiosurgery boost for patients with one to three brain metastases: Phase III results of the RTOG 9508 randomised trial. *The Lancet*, *363*(9422), 1665–1672.
- Andrews, L. C. (1992). *Special functions of mathematics for engineers* (2nd ed.). McGraw-Hill.
- Angoth, V., Dwith, C. Y. N., & Singh, A. (2013). A novel wavelet based image fusion for brain tumor detection. *International Journal of Computer Vision and Signal Processing*, *2*(1), 1–7.
- Anitha, V., & Murugavalli, S. (2016). Brain tumour classification using two-tier classifier with adaptive segmentation technique. *IET Computer Vision*, *10*(1), 9–17.
- Antoine, X., Bao, W., & Besse, C. (2013). Computational methods for the dynamics of the nonlinear Schrödinger/Gross–Pitaevskii equations. *Computer Physics Communications*, *184*(12), 2621–2633.
- Aoki, I., Naruse, S., & Tanaka, C. (2004). Manganese-enhanced magnetic resonance imaging (MEMRI) of brain activity and applications to early detection of brain ischemia. *NMR in Biomedicine*, *17*(8), 569–580.
- Archana, S., & Elangovan, K. (2014). Survey of classification techniques in data mining. *International Journal of Computer Science and Mobile Applications*, *2*(2), 65–71.
- Artemov, D. (2003). Molecular magnetic resonance imaging with targeted contrast agents. *Journal of Cellular Biochemistry*, *90*, 518–524.
- Aruldas, G. (2009). *Quantum mechanics*. PHI learning private limited.
- Atalar, E., & McVeigh, E. R. (1994). Optimization of tag thickness for measuring position with magnetic resonance imaging. *IEEE Transactions on Medical Imaging*, *13*(1), 152–160.
- Auchter, R. M., Lamond, J. P., Alexander, E., III, Buatti, J. M., Chappell, R., Friedman, W. A., Kinsella, T. J., Levin, A. B., Noyes, W. R., Schultz, C. J., & Loeffler, J. S. (1996). A multiinstitutional outcome and prognostic factor analysis of radiosurgery for resectable single brain metastasis. *International Journal of Radiation Oncology, Biology, Physics*, *35*(1), 27–35.
- Awojoyogbe, B. O., & Dada, M. O. (2018). Computational design of an RF controlled theranostic model for evaluation of tissue biothermal response. *Journal of Medical and Biological Engineering*, *38*(6), 993–1013.
- Awojoyogbe, B. O., Dada, M. O., Onwu, S. O., Ige, T. A., & Akinwande, N. I. (2016a). Computational diffusion magnetic resonance imaging based on time-dependent Bloch NMR flow equation and Bessel functions. *Journal of Medical Systems*, *40*(4), 106.
- Awojoyogbe, O., & Dada, M. (2011a). Basis for the application of analytical models of the Bloch NMR flow equations for functional magnetic resonance imaging (fMRI): A review. *Recent Patents on Medical Imaging*, *1*(1), 33–67.
- Awojoyogbe, O. B. (1997). *Studies on the application of nuclear magnetic resonance (NMR, MRI) in the estimation of human blood flow rates*. Unpublished doctoral dissertation. Federal University of Technology, Minna, Nigeria.
- Awojoyogbe, O. B. (2002). A mathematical model of the Bloch NMR equations for quantitative analysis of blood flow in blood vessels with changing cross-section—I. *Physica A: Statistical Mechanics and its Applications*, *303*(1–2), 163–175.

- Awojoyogbe, O. B. (2003). A mathematical model of Bloch NMR equations for quantitative analysis of blood flow in blood vessels of changing cross-section—PART II. *Physica A: Statistical Mechanics and its Applications*, 323, 534–550.
- Awojoyogbe, O. B. (2004). Analytical solution of the time-dependent Bloch NMR flow equations: A translational mechanical analysis. *Physica A: Statistical Mechanics and its Applications*, 339 (3–4), 437–460.
- Awojoyogbe, O. B. (2007). A quantum mechanical model of the Bloch NMR flow equations for electron dynamics in fluids at the molecular level. *Physica Scripta*, 75(6), 788–794.
- Awojoyogbe, O. B., & Boubaker, K. (2009). A solution to Bloch NMR flow equations for the analysis of hemodynamic functions of blood flow system using m-Boubaker polynomials. *Current Applied Physics*, 9(1), 278–283.
- Awojoyogbe, O. B., & Dada, M. (2011b). The dynamics of NMR - Diffusion equation for the analysis of hemodynamic and metabolic changes in biological tissue. In E. T. Berg (Ed.), *Fluid transport: Theory, dynamics and applications* (pp. 183–217). Nova Science Publication.
- Awojoyogbe, O. B., Dada, M., Faromika, O. P., Moses, O. F., & Fuwape, I. A. (2009). Polynomial solutions of Bloch NMR flow equations for classical and quantum mechanical analysis of fluid flow in porous media. *Open Magnetic Resonance Journal*, 2, 46–56.
- Awojoyogbe, O. B., Dada, M., & Folorunsho, O. M. (2008). Mathematical analysis of adiabatic model of Bloch NMR flow equations for functional magnetic resonance imaging. In *Proceedings of the first International Seminar on Theoretical Physics & National Development* (pp. 177–201).
- Awojoyogbe, O. B., & Dada, O. M. (2013). Mathematical design of a magnetic resonance imaging sequence based on Bloch NMR flow equations and Bessel functions. *Chinese Journal of Magnetic Resonance Imaging*, 4(5).
- Awojoyogbe, O. B., Dada, O. M., & Faromika, O. P. (2016b). Development of magnetic resonance imaging method for computational neuro-oncology. *Journal of Neurology & Neurophysiology*, 7(Suppl), 4.
- Awojoyogbe, O. B., Dada, O. M., Faromika, O. P., & Dada, O. E. (2011a). Mathematical concept of the Bloch flow equations for general magnetic resonance imaging: A review. *Concepts in Magnetic Resonance Part A*, 38A(3), 85–101.
- Awojoyogbe, O. B., Faromika, O. P., Dada, M., Boubaker, K., & Ojambati, O. S. (2011b). Mathematical models of real geometrical factors in restricted blood vessels for the analysis of CAD (coronary artery diseases) using Legendre, Boubaker and Bessel polynomials. *Journal of Medical Systems*, 35(6), 1513–1520.
- Awojoyogbe, O. B., Faromika, O. P., Folorunsho, O. M., Dada, M., Fuwape, I. A., & Boubaker, K. (2010). Mathematical model of the Bloch NMR flow equations for the analysis of fluid flow in restricted geometries using the Boubaker polynomials expansion scheme. *Current Applied Physics*, 10, 289–293.
- Axel, L., & Dougherty, L. (1989a). Heart wall motion: Improved method of spatial modulation of magnetisation for MR imaging. *Radiology*, 172(2), 349–350.
- Axel, L., & Dougherty, L. (1989b). MR imaging of motion with spatial modulation of magnetisation. *Radiology*, 171(3), 841–845.
- Ayala-Peacock, D. N., Peiffer, A. M., Lucas, J. T., Isom, S., Kuremsky, J. G., Urbanic, J. J., Bourland, J. D., Laxton, A. W., Tatter, S. B., Shaw, E. G., & Chan, M. D. (2014). A nomogram for predicting distant brain failure in patients treated with gamma knife stereotactic radiosurgery without whole brain radiotherapy. *Neuro-Oncology*, 16(9), 1283–1288.
- Azhari, E. E. M., Hatta, M. M., Htike, Z. Z., & Win, S. L. (2014). Glioblastoma multiforme identification from medical imaging using computer vision. *International Journal of Soft Computing, Mathematics and Control*, 3(2), 1–12.
- Badve, C., Yu, A., Dastmalchian, S., Rogers, M., Ma, D., Jiang, Y., Margevicius, S., Borgelt, B., Gelber, R., Kramer, S., Brady, L. W., Chang, C. H., Davis, L. W., Perez, C. A., & Hendrickson, F. R. (1980). The palliation of brain metastases: Final results of the first two studies by the

- Radiation Therapy Oncology Group. *International Journal of Radiation Oncology, Biology, Physics*, 6(1), 1–9.
- Badve, C., Yu, A., Dastmalchian, S., Rogers, M., Ma, D., Jiang, Y., Margevicius, S., Pahwa, S., Lu, Z., Schluchter, M., & Sunshine, J. (2017). MR fingerprinting of adult brain tumors: Initial experience. *American Journal of Neuroradiology*, 38(3), 492–499.
- Baer, T., Gore, J. C., Boyce, S., & Nye, P. W. (1987). Application of MRI to the analysis of speech production. *Magnetic Resonance Imaging*, 5(1), 1–7.
- Bailey, W. J., & Ulrich, R. (2004). Molecular profiling approaches for identifying novel biomarkers. *Expert Opinion in Drug Safety*, 3, 137–151.
- Balamurugan, R., & Saranya, S. (2014). Enhanced nonlocal mean filter for MRI denoising with Rician noise. *International Journal of Emerging Technology and Advanced Engineering*, 4(5), 256–261.
- Balashubramanian, G., Chan, I. Y., Kolesov, R., Al-Hmoud, M., Tisler, J., Shin, C., Kim, C., Wojcik, A., Hemmer, P. R., Krueger, A., Hanke, T., Leitenstorfer, A., Bratschitsch, R., Jezek, F., & Wrachtrup, J. (2008). Nanoscale imaging magnetometry with diamond spins under ambient conditions. *Nature*, 455(7213), 648–651.
- Bammer, R., Skare, S., Newbould, R., Liu, C., Thijs, V., Ropele, S., Clayton, D. B., Krueger, G., Moseley, M. E., & Glover, G. H. (2005). Foundations of advanced magnetic resonance imaging. *NeuroRx*, 2(2), 167–196.
- Bao, W. (2007). The nonlinear Schrödinger equation and applications in Bose-Einstein condensation and plasma physics. *Dynamics in Models of Coarsening, Coagulation, Condensation and Quantization*, 9, 141–239.
- Bao, W., Tang, Q., & Xu, Z. (2013). Numerical methods and comparison for computing dark and bright solitons in the nonlinear Schrödinger equation. *Journal of Computational Physics*, 235, 423–445.
- Barnholtz-Sloan, J. S., Sloan, A. E., Davis, F. G., Vignea, F. D., Lai, P., & Sawaya, R. E. (2004). Incidence proportions of brain metastases in patients diagnosed (1973 to 2001) in the Metropolitan Detroit Cancer Surveillance System. *Journal of Clinical Oncology*, 22(14), 2865–2872.
- Barrie, P. J. (1995). NMR applications to porous solids. *Annual Reports on NMR Spectroscopy*, 30, 37–96.
- Basser, P. J. (2008). Diffusion and diffusion tensor MR imaging: Fundamentals. In *Magnetic Resonance Imaging of the Brain and Spine* (pp. 1752–1767).
- Basser, P. J., & Jones, D. K. (2002). Diffusion-tensor MRI: Theory, experimental design and data analysis – A technical review. *NMR in Biomedicine*, 15, 456–467.
- Basser, P. J., Mattiello, J., & LeBihan, D. (1994). Estimation of the effective self-diffusion tensor from the NMR spin echo. *Journal of Magnetic Resonance. Series B*, 103(3), 247–254.
- Batchelor, G. K. (1967). *An introduction to fluid dynamics*. Cambridge University Press.
- Bax, A. (1981). *Two-dimensional nuclear magnetic resonance in liquids*. (Doctoral dissertation, TU Delft, Delft University of Technology).
- Becherer, A., Karanikas, G., Szabó, M., Zettinig, G., Asenbaum, S., Marosi, C., Henk, C., Wunderbaldinger, P., Czech, T., Wadsak, W., & Kletter, K. (2003). Brain tumour imaging with PET: A comparison between [18F] fluorodopa and [11C] methionine. *European Journal of Nuclear Medicine and Molecular Imaging*, 30(11), 1561–1567.
- Beer, A. J., & Schwaiger, M. (2011). PET imaging of  $\alpha\beta$  expression in cancer patients. In K. Shah (Ed.), *Molecular imaging: Methods and protocols* (pp. 183–200). Humana Press.
- Belliveau, J. W., Kennedy, D. N., McKinsty, R. C., Buchbinder, B. R., Weisskoff, R. M., Cohen, M. S., Vevea, J. M., Brady, T. J., & Rosen, B. R. (1991). Functional mapping of the human visual cortex by magnetic resonance imaging. *Science*, 254(5032), 716–719.
- Benoit, M. (2010). Force spectroscopy on cells. In K. D. Sattler (Ed.), *Handbook of nanophysics: Nanomedicine and nanorobotics*. CRC Press.
- Berg-Sorenson, K., Castin, Y., Bonderup, E., & Molmer, K. (1992). Momentum diffusion of atoms moving in laser fields. *Journal of Physics B: Atomic, Molecular and Optical Physics*, 25(20), 4195.

- Bernasconi, A., Bernasconi, N., Caramanos, Z., Reutens, D. C., Andermann, F., Dubeau, F., Tampieri, D., Pike, B. G., & Arnold, D. L. (2000). T2 relaxometry can lateralize mesial temporal lobe epilepsy in patients with normal MRI. *Neuroimage*, *12*(6), 739–746.
- Berry, C. C. (2009). Progress in functionalisation of magnetic nanoparticles for applications in biomedicine. *Journal of Physics D: Applied Physics*, *42*(22), 224003.
- Bhosale, P., Lalge, P., Dhandekar, A., Gaykar, P., & Pate, P. (2017). Brain tumor automated detection and segmentation. *International Journal of Innovative Research in Science, Engineering and Technology*, *1*(2), 1–8.
- Bjornerud, A., & Johansson, L. (2004). The utility of superparamagnetic contrast agents in MRI: Theoretical consideration and applications in the cardiovascular system. *NMR in Biomedicine*, *17*, 465–477.
- Blanchet, K. D. (2010). Redefining personalized medicine in the postgenomic era: Developing bladder cancer therapeutics with proteomics. *BJU International*, *105*(2), i–iii.
- Blinic, R., & Zeks, B. (1974). *Soft modes in ferroelectrics and antiferroelectrics*. North Holland.
- Block, K. T., Uecker, M., & Frahm, J. (2009). Model-based iterative reconstruction for radial fast spin-echo MRI. *IEEE Transactions on Medical Imaging*, *28*(11), 1759–1769.
- Boisseau, P., & Loubaton, B. (2011). Nanomedicine, nanotechnology in medicine. *Comptes Rendus Physique*, *12*(7), 620–636.
- Bolger, A. F., Heiberg, E., Karlsson, M., Wigstrom, L., Engvall, J., Sigfridsson, A., Ebbens, T., Kvitting, J. E., Carlhall, C. J., & Wranne, B. (2007). Transit of blood flow through the human left ventricle mapped by cardiovascular magnetic resonance. *Journal of Cardiovascular Magnetic Resonance*, *9*, 741–747.
- Bonnemain, B. (1998). Superparamagnetic agents in magnetic resonance imaging: Physicochemical characteristics and clinical applications. A review. *Journal of Drug Targeting*, *6*, 167–174.
- Borgonovi, F., Gorshkov, V. N., & Tsifrinovich, V. I. I. (2006). *Magnetic resonance force microscopy and a single-spin measurement*. World Scientific.
- Borole, V. Y., Nimbhore, S. S., & Kawthekar, D. S. S. (2015). Image processing techniques for brain tumor detection: A review. *International Journal of Emerging Trends & Technology in Computer Science*, *4*(5), 2.
- Botnar, R., Scheidegger, M. B., & Boesiger, P. (1996). Quantification of blood flow patterns in human vessels by magnetic resonance imaging. *Technology and Health Care*, *4*, 97–112.
- Bottomley, P. A., Foster, T. H., Argersinger, R. E., & Pfeifer, L. M. (1984). A review of normal tissue NMR relaxation times and relaxation mechanisms from 1 to 100 MHz: Dependence on tissue type, NMR frequency, temperature, species, excision, and age. *Medical Physics*, *11*, 425–448.
- Bracewell, R. N. (1986). *The Fourier transform and its applications* (2nd ed., pp. 40–42). McGraw-Hill Publishing Company.
- Bransden, B. H., & Joachain, C. J. (2000). *Quantum mechanics* (2nd ed.). Pearson Education.
- Brix, G., Kolem, H., Nitz, W. R., Bock, M., Huppertz, A., Zech, C. J., & Dietrich, O. (2008). Basics of magnetic resonance imaging and magnetic resonance spectroscopy. In *Magnetic resonance tomography* (pp. 3–167). Springer.
- Brix, G., Seebass, M., Hellwig, G., & Griebel, J. (2002). Estimation of heat transfer and temperature rise in partial-body regions during MR procedures: An analytical approach with respect to safety considerations. *Magnetic Resonance Imaging*, *20*, 65–76.
- Bryant, D. J., Payne, J. A., Firmin, D. N., & Longmore, D. B. (1984). Measurement of flow with NMR imaging using a gradient pulse and phase difference technique. *Journal of Computer Assisted Tomography*, *8*(4), 588–593.
- Buckley, D. L., & Parker, G. J. (2005). Measuring contrast agent concentration in T1-weighted dynamic contrast-enhanced MRI. In *Dynamic contrast-enhanced magnetic resonance imaging in oncology* (pp. 69–79). Springer.
- Buckner, J. C., Brown, P. D., O'Neill, B. P., Meyer, F. B., Wetmore, C. J., & Uhm, J. H. (2007, October). Central nervous system tumors. *Mayo Clinic Proceedings*, *82*(10), 1271–1286.

- Bulte, J. W., Brooks, R. A., Moskowitz, B. M., Bryant, L. H., & Frank, J. A. (1999). Relaxometry and magnetometry of the MR contrast agent MION-46L. *Magnetic Resonance in Medicine*, 42, 379–384.
- Bulte, J. W., Vymazal, J., Brooks, R. A., Pierpaoli, C., & Frank, J. A. (1993). Frequency dependence of MR relaxation times II. Iron oxides. *Journal of Magnetic Resonance Imaging*, 3, 641–648.
- Bulte, J. W. M., & Kraitchman, D. L. (2004). Iron oxide MR contrast agents for molecular and cellular imaging. *NMR in Biomedicine*, 17, 484–499.
- Burkhardt, C. E., & Leventhal, J. J. (2008). *Foundations of quantum physics*. Springer-Verlag.
- Cabal, C., Darias, D., González, E., & Musacchio, A. (2013). Theranostics and molecular imaging: New concepts and technologies for drug development. *Biotechnologia Aplicada*, 30(3), 172.
- Cacheris, W. P., Quay, S. C., & Rocklage, S. M. (1990). The relationship between thermodynamics and the toxicity of gadolinium complexes. *Magnetic Resonance Imaging*, 8(4), 467–481.
- Cairncross, J. G., Kim, J. H., & Posner, J. B. (1980). Radiation therapy for brain metastases. *Annals of Neurology: Official Journal of the American Neurological Association and the Child Neurology Society*, 7(6), 529–541.
- Calamante, F., Gadian, D. G., & Connelly, A. (2002). Quantification of perfusion using bolus tracking magnetic resonance imaging in stroke: Assumptions, limitations, and potential implications for clinical use. *Stroke*, 33(4), 1146–1151.
- Callaghan, P. T. (1994). *Principles of nuclear magnetic resonance microscopy*. Oxford United Kingdom: Oxford University Press.
- Calvo, B. F., & Semelka, R. C. (1999). Beyond anatomy: MR imaging as a molecular diagnostic tool. *Surgical Oncology Clinics of North America*, 8(1), 171–183.
- Camazine, S. (2003). *Self-organization in biological systems*. Princeton University Press.
- Caravan, P. (2007). Physicochemical principles of MR contrast agents. In M. J. M. Modo & J. W. M. Bulte (Eds.), *Molecular and cellular MR imaging* (pp. 1–9). CRC Press - Taylor & Francis Group.
- Caravan, P., Comuzzi, C., Crooks, W., McMurry, T. J., Choppin, G. R., & Woulfe, S. R. (2001). Thermodynamic stability and kinetic inertness of MS-325, a new blood pool agent for magnetic resonance imaging. *Inorganic Chemistry*, 40, 2170–2176.
- Caravan, P., Ellison, J. J., McMurry, T. J., & Lauffer, R. B. (1999). Gadolinium (III) chelates as MRI contrast agents: Structure, dynamics, and applications. *Chemical Reviews*, 99, 2293–2352.
- Castelli, D. D., Gianolio, E., & Aime, S. (2011). MRI contrast agents: State of the art and new trends. In E. Alessio (Ed.), *Bioinorganic medicinal chemistry* (pp. 223–251). Wiley-VCH Verlag GmbH & Co. KGaA.
- Cha, S., Lupo, J. M., Chen, M. H., Lamborn, K. R., McDermott, M. W., Berger, M. S., Nelson, S. J., & Dillon, W. P. (2007). Differentiation of glioblastoma multiforme and single brain metastasis by peak height and percentage of signal intensity recovery derived from dynamic susceptibility-weighted contrast-enhanced perfusion MR imaging. *American Journal of Neuroradiology*, 28(6), 1078–1084.
- Chandra, G. R., & Rao, K. R. H. (2016). Tumor detection in brain using genetic algorithm. *Procedia Computer Science*, 79, 449–457.
- Chang, D. C., Hazlewood, C. F., Nichols, B. L., & Rorschach, H. E. (1972). Spin echo studies on cellular water. *Nature*, 235(5334), 170–171.
- Chang, D. C., Rorschach, H. E., Nichols, B. L., & Hazlewood, C. F. (1973). Implications of diffusion coefficient measurements for the structure of cellular water. *Annals of the New York Academy of Sciences*, 204, 434–443.
- Chang, S., & Minogin, V. (2002). Density-matrix approach to dynamics of multilevel atoms in laser fields. *Physics Reports*, 365(2), 65–143.
- Charles, R. N., Norman, L. S., Robert, J. D., & David, A. R. (2005). *The human nervous system: Structure and function* (6th ed.). Humana Press. [www.teamrads.com/Cases/Neuroanatomy/MRI](http://www.teamrads.com/Cases/Neuroanatomy/MRI)
- Chatham, J. C., & Blackband, S. J. (2001). Nuclear magnetic resonance spectroscopy and imaging in animal research. *ILAR Journal*, 42(3), 189–208.

- Chen, C., & Xu, L. X. (2002). Tissue temperature oscillations in an isolated pig kidney during surface heating. *Annals of Biomedical Engineering*, *30*, 1162–1171.
- Chen, M., Li, Y., Yang, M., Chen, X., Chen, Y., Yang, F., Lu, S., Yao, S., Zhou, T., Liu, J., & Wu, J. Y. (2016). A new method for quantifying mitochondrial axonal transport. *Protein & Cell*, *7* (11), 804–819.
- Chen, S. H., Broccio, M., Liu, Y., Fratini, E., & Baglioni, P. (2007). The two-Yukawa model and its applications: The cases of charged proteins and copolymer micellar solutions. *Applied Crystallography*, *40*(s1), s321–s326.
- Chen, Y. (2013). Macroscopic quantum mechanics: Theory and experimental concepts of optomechanics. *Journal of Physics B: Atomic, Molecular and Optical Physics*, *46*(10), 104001.
- Chiagozie, O. G., & Nwaji, O. G. (2012). Radio frequency identification (RFID) based attendance system with automatic door unit. *Academic Research International*, *2*(2), 168.
- Chopra, R., Wachsmuth, J., Burtnyk, M., Haider, M. A., & Bronskill, M. J. (2006). Analysis of factors important for transurethral ultrasound prostate heating using MR temperature feedback. *Physics in Medicine and Biology*, *51*, 827–844.
- Chu, C. H., Sarangadharan, I., Regmi, A., Chen, Y. W., Hsu, C. P., Chang, W. H., Lee, G. Y., Chyi, J. I., Chen, C. C., Shiesh, S. C., & Lee, G. B. (2017). Beyond the Debye length in high ionic strength solution: Direct protein detection with field-effect transistors (FETs) in human serum. *Scientific Reports*, *7*(1), 1–15.
- Chu, W. C. W., Lam, W. W. M., & Metreweli, C. (2000). Incidence of adverse events after IV injection of MR contrast agents in a Chinese population: A comparison between gadopentetate and gadodiamide. *Acta Radiologica*, *41*(6), 662–666.
- Ciuciu, P., Poline, J. B., Marrelec, G., Idier, J., Pallier, C., & Benali, H. (2003). Unsupervised robust nonparametric estimation of the hemodynamic response function for any fMRI experiment. *IEEE Transactions on Medical Imaging*, *22*(10), 1235–1251.
- Clare, S. (1997). *Functional magnetic resonance imaging: Methods and applications*. Unpublished doctoral dissertation. The University of Nottingham, Nottingham, United Kingdom.
- Clarke, J. L., & Chang, S. (2009). Pseudoprogression and pseudoresponse: Challenges in brain tumor imaging. *Current Neurology and Neuroscience Reports*, *9*(3), 241–246.
- Clement, O., Siauve, N., Lewin, M., de Kerviler, E., Cuenod, C. A., & Frija, G. (1998). Contrast agents in magnetic resonance imaging of the liver: Present and future. *Biomedicine and Pharmacotherapy*, *52*, 51–58.
- Cline, H. E., Dumoulin, C. L., Hart, H. R., Lorensen, W. E., & Ludke, S. (1987). 3D reconstruction of the brain from magnetic resonance images using a connectivity algorithm. *Magnetic Resonance Imaging*, *5*(5), 345–352.
- Cohen, B., Dafni, H., Meir, G., & Neeman, M. (2004). Ferritin as novel MR-reporter for molecular imaging of gene expression. *Proceedings of the International Society of Magnetic Resonance in Medicine*, *11*, 1707.
- Cohen, M. S., & Bookheimer, S. Y. (1994). Localization of brain function using magnetic resonance imaging. *Trends in Neurosciences*, *17*(7), 268–277.
- Cohen-Tannoudji, C., Diu, B., & Laloe, F. (1977). *Quantum mechanics* (Vol. 1). Wiley.
- Cohen-Tannoudji, C., Dupont-Roc, J., & Grynberg, G. (1998). *Atom-photon interactions: Basic processes and applications* (2nd ed.). Wiley-VCH Verlag GmbH and Co..
- Conti, P. S. (1995). Introduction to imaging brain tumor metabolism with positron emission tomography (PET). *Cancer Investigation*, *13*, 244–259.
- Cooper, R. L., Chang, D. B., Young, A. C., Martin, C. J., & Ancker-Johnson, B. (1974). Restricted diffusion in biophysical systems: Experiment. *Biophysical Journal*, *14*(3), 161.
- Cowan, B. P. (1997). *Nuclear magnetic resonance and relaxation* (1st ed.). Cambridge University Press.
- Cristini, V., Frieboes, H. B., Li, X., Lowengrub, J. S., Macklin, P., Sanga, S., Wise, S. M., & Zheng, X. (2008). Nonlinear modelling and simulation of tumor growth. In N. Bellomo, M. Caplain, & E. De Angelis (Eds.), *Selected topics in cancer modelling: Genesis, evolution, immune competition and simulation* (pp. 1–69). Birkhäuser.

- Cui, B., Zhang, S., Chen, L., Yu, J., Widhopf, G. F., Fecteau, J. F., Rassenti, L. Z., & Kipps, T. J. (2013). Targeting ROR1 inhibits epithelial–mesenchymal transition and metastasis. *Cancer Research*, 73(12), 3649–3660.
- Cuyt, A. A., Petersen, V., Verdonk, B., Waadeland, H., & Jones, W. B. (2008). *Handbook of continued fractions for special functions*. Springer Science & Business Media.
- Czernin, J., & Phelps, M. E. (2002). Positron emission tomography scanning: Current and future applications. *Annual Review of Medicine*, 53, 89–112.
- Dada, M., Awojoyogbe, O. B., Boubaker, K., & Ojambati, O. S. (2010). BPES analyses of a new diffusion-advection equation for fluid flow in blood vessels under different bio-physico-geometrical conditions. *Journal of Biophysics and Structural Biology*, 2(3), 28–34.
- Dada, M., Awojoyogbe, O. B., Moses, O. F., Ojambati, O. S., & De, D. K. (2009). A mathematical analysis of stenosis geometry, NMR magnetizations and signals based on the Bloch NMR flow equations, Bessel and Boubaker polynomial expansions. *Journal of Biological Physics and Chemistry*, 9(3), 101–106.
- Dada, M. O., Jayeoba, B., Awojoyogbe, B. O., Uno, U. E., & Awe, O. E. (2017). Mathematical development and computational analysis of harmonic phase-magnetic resonance imaging (HARP-MRI) based on Bloch nuclear magnetic resonance (NMR) diffusion model for myocardial motion. *Journal of Medical Systems*, 41(10), 168.
- Dada, O. M., & Awojoyogbe, O. B. (2015). Analytical solutions to Bloch NMR flow equation in porous system: Future and emerging magnetic resonance computational imaging for medical and biomedical engineering. *Recent Patents and Topics on Imaging*, 5(1), 31–43.
- Dada, O. M., Awojoyogbe, O. B., Adesola, O. A., & Boubaker, K. (2013a). Magnetic resonance imaging derived flow parameters for the analysis of cardiovascular diseases and drug development. *Magnetic Resonance Insights*, 6, 83–93.
- Dada, O. M., Awojoyogbe, O. B., Baroni, S., & Aweda, M. A. (2013b). *Application of Bloch NMR equation and Pennes bioheat equation to theranostics*. Paper presented at the World Molecular Imaging Congress, Savannah, Georgia, USA, 18–21 September 2013.
- Dada, O. M., Awojoyogbe, O. B., & Ukoha, A. C. (2015). A computational analysis for quantitative evaluation of petrol-physical properties of rock fluids based on Bloch NMR diffusion model for porous media. *Journal of Petroleum Science and Engineering*, 127, 137–147.
- Dada, O. M., Baroni, S., & Awojoyogbe, O. B. (2014). Computational model of Bloch flow equation for in-vivo assessment of contrast agents. *Journal of Cardiovascular Magnetic Resonance*, 16(Suppl 1), O93.
- Dahab, D. A., Ghoniemy, S. S., & Selim, G. M. (2012). Automated brain tumor detection and identification using image processing and probabilistic neural network techniques. *International Journal of Image Processing and Visual Communication*, 1(2), 1–8.
- Dahlem, M. A., & Müller, S. C. (2004). Reaction-diffusion waves in neuronal tissue and the window of cortical excitability. *Annalen der Physik*, 13(7–8), 442–449.
- Damadian, R. (1971). Tumor detection by nuclear magnetic resonance. *Science*, 171(3976), 1151.
- Damadian, R., Goldsmith, M., & Minkoff, L. (1977). NMR in cancer: XVI. FONAR image of the live human body. *Physiological Chemistry and Physics*, 9(1), 97–100.
- Damodharan, S., & Raghavan, D. (2015). Combining tissue segmentation and neural network for brain tumor detection. *International Arab Journal of Information Technology*, 12(1), 42–52.
- Dastjerdi, A. V., & Buyya, R. (2016). Fog computing: Helping the internet of things realize its potential. *Computer*, 49(8), 112–116.
- Dawson, J., & Lauterbur, P. C. (2008). Magnetic resonance imaging. *Scholarpedia*, 3(7), 3381. revision #123947.
- De Marsily, G. (1986). *Quantitative hydrogeology: Groundwater hydrology for engineers*. Academic Press.
- De Vries, A., Moonen, R., Yildirim, M., Langereis, S., Lamerichs, R., Pikkemaat, J. A., Baroni, S., Terreno, E., Nicolay, K., Strijkers, G. J., & Grüll, H. (2014). Relaxometric studies of gadolinium-functionalized perfluorocarbon nanoparticles for MR imaging. *Contrast Media & Molecular Imaging*, 9(1), 83–91.



- Degen, C. L., Poggio, M., Mamin, H. J., Rettner, C. T., & Rugar, D. (2009). Nanoscale magnetic resonance imaging. *Proceedings of the National Academy of Sciences of the United States of America*, 106(5), 1313–1317.
- Delikatny, E. J., & Poptani, H. (2005). MR techniques for in vivo molecular and cellular imaging. *Radiologic Clinics*, 43, 205–220.
- Demir, H., & Süngü, İ. Ç. (2009). Numerical solution of a class of nonlinear Emden-Fowler equations by using differential transform method. *Cankaya University Journal of Science and Engineering*, 12(2), 75.
- Denney, T. S. (1997, June). Identification of myocardial tags in tagged MR images without prior knowledge of myocardial contours. In *Biennial International Conference on Information Processing in Medical Imaging* (pp. 327–340). Springer.
- Detre, J. A., & Wang, J. (2002). Technical aspects and utility of fMRI using BOLD and ASL. *Clinical Neurophysiology*, 113(5), 621–634.
- Devkota, B. H., & Imberger, J. (2009). Lagrangian modelling of advection-diffusion transport in open channel flow. *Water Resources Research*, 45(12), W12406.
- Dickerson, B. C., & Sperling, R. A. (2005). Neuroimaging biomarkers for clinical trials of disease-modifying therapies in Alzheimer's disease. *NeuroRx*, 2(2), 348–360.
- Dietel, M., & Sers, C. (2006). Personalized medicine and development of targeted therapies: The upcoming challenge for diagnostic molecular pathology. A review. *Virchows Archiv*, 448(6), 744–755.
- Divya, A., Raj, S. N., & Ramesh, S. (2020). A review of MRI Brain tumor noise removal, segmentation, and classification. *Journal of Critical Reviews*, 7(12), 2072–2081.
- Dixit, S., Kini, M. R., Patil, M. D., & Chaitra, S. (2016). Brain tumor detection from clinical CT and MRI using wavelet based image fusion technique. *PARIPEX-Indian Journal of Research*, 5(6), 284–286.
- Dobre, M. C., Ugurbil, K., & Marjanska, M. (2007). Determination of blood longitudinal relaxation time ( $T_1$ ) at high magnetic field strengths. *Magnetic Resonance Imaging*, 25, 733–735.
- Donahue, K. M., Weisskoff, R. M., & Burstein, D. (1997). Water diffusion and exchange as they influence contrast enhancement. *Journal of Magnetic Resonance Imaging*, 7, 102–110.
- Dumas, S., Jacques, V., Sun, W. C., Troughton, J. S., Welch, J. T., Chasse, J. M., Schmitt-Willich, H., & Caravan, P. (2010). High relaxivity MRI contrast agents Part I: Impact of single donor atom substitution on relaxivity of serum albumin-bound gadolinium complexes. *Investigative Radiology*, 45(10), 600.
- Eberly, J. H., & Stroud, C. R. (2006). Coherent transients. In G. W. F. Drake (Ed.), *Springer handbooks of atomic, molecular, and optical physics* (pp. 1065–1076). Springer Science.
- Edvardsen, T., Rosen, B. D., Pan, L., Jerosch-Herold, M., Lai, S., Hundley, W. G., Sinha, S., Kronmal, R. A., Bluemke, D. A., & Lima, J. A. (2006). Regional diastolic dysfunction in individuals with left ventricular hypertrophy measured by tagged magnetic resonance imaging—The Multi-Ethnic Study of Atherosclerosis (MESA). *American Heart Journal*, 151(1), 109–114.
- Edwards, J. P., Gerber, U., Schubert, C., Trejo, M. A., & Weber, A. (2017). The Yukawa potential: Ground state energy and critical screening. *Progress of Theoretical and Experimental Physics*, 2017(8), 083A01.
- Eisberg, R., & Resnick, R. (1985). *Quantum physics of atoms, molecules, solids, nuclei, and particles*. John Wiley and Sons.
- El-Dahshan, E. S. A., Mohsen, H. M., Revett, K., & Salem, A. B. M. (2014). Computer-aided diagnosis of human brain tumor through MRI: A survey and a new algorithm. *Expert Systems with Applications*, 41(11), 5526–5545.
- Engler, N., Ostermann, A., Niimura, N., & Parak, F. G. (2003). Hydrogen atoms in proteins: Positions and dynamics. *Proceedings of the National Academy of Sciences*, 100(18), 10243–10248.
- Ernst, R. R., Bodenhausen, G., & Wokaun, A. (1987). *Principles of nuclear magnetic resonance in one and two dimensions* (Vol. 14). Clarendon Press.

- Falk, J. (2008). Epigenetics & Sequencing-Gene Expression Systems' Second International Meeting. Chromatin methylation to disease biology & theranostics. *IDrugs: The Investigational Drugs Journal*, 11(9), 650.
- Falk, M. H., & Issels, R. D. (2001). Hyperthermia in oncology. *International Journal of Hyperthermia*, 17(1), 1–18.
- Farouki, R. T., & Hamaguchi, S. (1994). Thermodynamics of strongly-coupled Yukawa systems near the one-component-plasma limit. II. Molecular dynamics simulations. *The Journal of Chemical Physics*, 101(11), 9885–9893.
- Farraher, S. W., Jara, H., Chang, K. J., Ozonoff, A., & Soto, J. A. (2006). Differentiation of hepatocellular carcinoma and hepatic metastasis from cysts and hemangiomas with calculated T2 relaxation times and the T1/T2 relaxation times ratio. *Journal of Magnetic Resonance Imaging: An Official Journal of the International Society for Magnetic Resonance in Medicine*, 24(6), 1333–1341.
- Ferlay, J. S. H. R., Shin, H. R., Bray, F., Forman, D., Mathers, C., & Parkin, D. M. (2010). *Cancer incidence and mortality worldwide*. International Agency for Research on Cancer.
- Field, J. H. (2004). Relationship of quantum mechanics to classical electromagnetism and classical relativistic mechanics. *European Journal of Physics*, 25(3), 385.
- Firouzi, F., Rahmani, A. M., Mankodiya, K., Badaroglu, M., Merrett, G. V., Wong, P., & Farahani, B. (2018). Internet-of-Things and big data for smarter healthcare: From device to architecture, applications and analytics. *Future Generation Computer Systems*, 78, 583–586.
- Flickinger, J. C., Kondziolka, D., Lunsford, L. D., Coffey, R. J., Goodman, M. L., Shaw, E. G., Hudgins, W. R., Weiner, R., Harsh, G. R., IV, Sneed, P. K., & Larson, D. A. (1994). A multi-institutional experience with stereotactic radiosurgery for solitary brain metastasis. *International Journal of Radiation Oncology, Biology, Physics*, 28(4), 797–802.
- Fox, B. D., Cheung, V. J., Patel, A. J., Suki, D., & Rao, G. (2011). Epidemiology of metastatic brain tumors. *Neurosurgery Clinics*, 22(1), 1–6.
- Frank, J. A., Anderson, S. A., & Arbab, A. S. (2007). Methods for labelling nonphagocytic cells with MR contrast agents. In M. J. M. Modo & J. W. M. Bulte (Eds.), *Molecular and cellular MR imaging* (pp. 295–324). CRC Press - Taylor & Francis Group.
- Frauenfelder, H., Sligar, S. G., & Wolynes, P. G. (1991). The energy landscapes and motions of proteins. *Science*, 254(5038), 1598–1603.
- Freitas, R. A., Jr. (2005). What is nanomedicine? *Nanomedicine: Nanotechnology, Biology and Medicine*, 1(1), 2–9.
- Fritsche, L., & Haugk, M. (2003). A new look at the derivation of the Schrödinger equation from Newtonian mechanics. *Annalen der Physik*, 12(6), 371–402.
- Frost, J. J. (2003). Molecular imaging of the brain: A historical perspective. *Neuroimaging Clinics*, 13, 653–658.
- Furlani, E. P. (2010). Nanoscale magnetic biotransport. In K. D. Sattler (Ed.), *Handbook of nanophysics: Nanomedicine and nanorobotics* (pp. 10-1–10-19). CRC Press - Taylor & Francis Group.
- Fusco, A., & Fedele, M. (2007). Roles of HMGA proteins in cancer. *Nature Reviews Cancer*, 7(12), 899–910.
- Gamper, U., Boesiger, P., & Kozerke, S. (2008). Compressed sensing in dynamic MRI. *Magnetic Resonance in Medicine*, 59(2), 365–373.
- Garavelli, S. L., & Oliveira, F. A. (1991). Analytical solution for a Yukawa-type potential. *Physical Review Letters*, 66(10), 1310.
- Gawad, C. (2005). Towards molecular medicine: A case for a biological periodic table. *American Journal of Pharmacogenomics*, 5, 207–211.
- Geraldes, C. F., & Laurent, S. (2009). Classification and basic properties of contrast agents for magnetic resonance imaging. *Contrast Media & Molecular Imaging*, 4, 1–23.
- Geurts, P., Ernst, D., & Wehenkel, L. (2006). Extremely randomized trees. *Machine Learning*, 63(1), 3–42.

- Ghare, S., Gaikwad, N., Kulkarni, N., & Nerkar, M. (2015). Detection of possibility of brain tumor using image segmentation. *International Journal of Innovative Research in Computer and Communication Engineering*, 3(4), 2701–2704.
- Gheysens, O., & Gambhir, S. S. (2005). Studying molecular and cellular processes in the intact organism. *Progress in Drug Research*, 62, 117–150.
- Gibby, W. A. (2005). Basic principles of magnetic resonance imaging. *Neurosurgery Clinics of North America*, 16(1), 1–64.
- Gibson, R. E., Burns, H. D., Hamill, T. G., Eng, W. S., Francis, B. E., & Ryan, C. (2000). Non-invasive radiotracer imaging as a tool for drug development. *Current Pharmaceutical Design*, 6, 973–989.
- Giese, A., Bjerkvig, R., Berens, M. E., & Westphal, M. (2003). Cost of migration: Invasion of malignant gliomas and implications for treatment. *Journal of Clinical Oncology*, 21(8), 1624–1636.
- Glaser, R. (2012). *Biophysics: An introduction* (p. 233). Springer Science & Business Media.
- Goose, J. E., & Sansom, M. S. (2013). Reduced lateral mobility of lipids and proteins in crowded membranes. *PLoS Computational Biology*, 9(4), e1003033.
- Gordillo, N., Montseny, E., & Sobrevilla, P. (2013). State of the art survey on MRI brain tumor segmentation. *Magnetic Resonance Imaging*, 31(8), 1426–1438.
- Gries, H. (2002). Extracellular MRI contrast agents based on gadolinium. *Topics in Current Chemistry*, 221, 1–24.
- Griffiths, D. (2019). *Quantum physics* (3rd ed.). Cambridge University Press.
- Griffiths, H. J. (1986). Manual of clinical magnetic resonance imaging. *Radiology*, 160(1), 226–226.
- Grolemund, G. (2014). *Hands-on programming with R: Write your own functions and simulations*. O'Reilly Media, Inc..
- Grotz, B., Beck, J., Neumann, P., Naydenov, B., Reuter, R., Reinhard, F., Jelezko, F., Wrachtrup, J., Schweinfurth, D., Sarkar, B., & Hemmer, P. (2011). Sensing external spins with nitrogen-vacancy diamond. *New Journal of Physics*, 13, 055004.
- Gruber, M. L., & Buster, W. P. (2004). Temozolomide in combination with irinotecan for treatment of recurrent malignant glioma. *American Journal of Clinical Oncology*, 27(1), 33–38.
- Gubbi, J., Buyya, R., Marusic, S., & Palaniswami, M. (2013). Internet of Things (IoT): A vision, architectural elements, and future directions. *Future Generation Computer Systems*, 29(7), 1645–1660.
- Guccione, S., Li, K. C., & Bednarski, M. D. (2003). Molecular imaging and therapy directed at the neovasculature in pathologies. How imaging can be incorporated into vascular-targeted delivery systems to generate active therapeutic agents. *IEEE Engineering in Medicine and Biology Magazine: The Quarterly Magazine of the Engineering in Medicine & Biology Society*, 23(5), 50–56.
- Guimaraes, M. D., Schuch, A., Hochegger, B., Gross, J. L., Chojniak, R., & Marchiori, E. (2014). Functional magnetic resonance imaging in oncology: State of the art. *Radiologia Brasileira*, 47(2), 101–111.
- Gupta, A., Stait-Gardner, T., Ghadirian, B., Price, W. S., Dada, O. M., & Awojoyogbe, O. B. (2014). *Theory, dynamics and applications of magnetic resonance imaging-I*. Science PG.
- Guttman, M. A., Prince, J. L., & McVeigh, E. R. (1994). Tag and contour detection in tagged MR images of the left ventricle. *IEEE Transactions on Medical Imaging*, 13(1), 74–88.
- Haacke, E. M., Brown, R. W., Thompson, M. R., & Venkatesan, R. (1999). *Magnetic resonance imaging: Physical principles and sequence design* (pp. 39–40). A John Wiley and Sons.
- Haacke, E. M., Lin, W., & Li, D. (2000). Whole body magnetic resonance angiography. In I. R. Young (Ed.), *Methods in biomedical magnetic resonance imaging and spectroscopy* (pp. 488–500). John Wiley & Sons.
- Haacke, E. M., Xu, Y., Cheng, Y. C. N., & Reichenbach, J. R. (2004). Susceptibility weighted imaging (SWI). *Magnetic Resonance in Medicine*, 52(3), 612–618.

- Hahn, E. L. (1980). Heritage of the Bloch equations in quantum optics. In *Felix Bloch Festschrift* (p. 75).
- Halldin, C., Gulyas, B., Langer, O., & Farde, L. (2001). Brain radioligands--State of the art and new trends. *The Quarterly Journal of Nuclear Medicine and Molecular Imaging*, 45(2), 139.
- Handore, S., & Kokare, D. (2015, January). Performance analysis of various methods of tumour detection. In *2015 International Conference on Pervasive Computing (ICPC)* (pp. 1–4). IEEE.
- Handore, S. S. V., & Patil, P. M. (2010). Brain tumor segmentation from MRI using GLCM. *International Journal of Emerging Technologies in Engineering*, 2(4), 591–595.
- Hanson, L. G. (2008). Is quantum mechanics necessary for understanding magnetic resonance? *Concepts in Magnetic Resonance Part A*, 32(5), 329–340.
- Hanusch, K. U., Janssen, C. H., Billheimer, D., Jenkins, I., Spurgeon, E., Lowry, C. A., & Raison, C. L. (2013). Whole-body hyperthermia for the treatment of major depression: Associations with thermoregulatory cooling. *The American Journal of Psychiatry*, 170(7), 802.
- Haralick, R. M., Shanmugam, K., & Dinstein, I. H. (1973). Textural features for image classification. *IEEE Transactions on Systems, Man, and Cybernetics*, SMC-3(6), 610–621.
- Hardy, P., & Henkelman, R. M. (1991). On the transverse relaxation rate enhancement induced by diffusion of spins through inhomogeneous fields. *Magnetic Resonance in Medicine*, 17(2), 348–356.
- Harris, R. K. (1986). *Nuclear magnetic resonance spectroscopy*. John Wiley and Sons.
- Hartung, M. P., Grist, T. M., & François, C. J. (2011). Magnetic resonance angiography: Current status and future directions. *Journal of Cardiovascular Magnetic Resonance*, 13(1), 19.
- Havaei, M., Davy, A., Warde-Farley, D., Biard, A., Courville, A., Bengio, Y., Pal, C., Jodoin, P. M., & Larochelle, H. (2017). Brain tumor segmentation with deep neural networks. *Medical Image Analysis*, 35, 18–31.
- Hazlewood, C. F., Chang, D. C., Nichols, B. L., & Woessner, D. E. (1974). Nuclear magnetic resonance transverse relaxation times of water protons in skeletal muscle. *Biophysical Journal*, 14(8), 583.
- Hazlewood, U. F., Rorschach, H. E., & Lin, C. (1991). Diffusion of water in tissues and MRI. *Magnetic Resonance in Medicine*, 19(2), 214–216.
- Heckl, S., Pipkorn, R., Nägele, T., Vogel, U., Küker, W., & Voight, K. (2004). Molecular imaging: Bridging the gap between neuroradiology and neurohistology. *Histology and Histopathology*, 19(2), 651–668.
- Heiken, J. P., Weyman, P. J., Lee, J. K., Balfe, D. M., Picus, D., Brunt, E. M., & Flye, M. W. (1989). Detection of focal hepatic masses: Prospective evaluation with CT, delayed CT, CT during arterial portography, and MR imaging. *Radiology*, 171(1), 47–51.
- Hemmer, P. (2013). Toward molecular-scale MRI. *Science*, 339(6119), 529–530.
- Hendrick, R. E. (2007). *Breast MRI: Fundamentals and technical aspects*. Springer Science & Business Media.
- Henson, J. W., Ulmer, S., & Harris, G. J. (2008). Brain tumor imaging in clinical trials. *American Journal of Neuroradiology*, 29(3), 419–424.
- Hernando, C. G., Esteban, L., Cañas, T., Van den Brule, E., & Pastrana, M. (2010). The role of magnetic resonance imaging in oncology. *Clinical and Translational Oncology*, 12(9), 606–613.
- Herschman, H. R. (2003). Molecular imaging: Looking at problems, seeing solutions. *Science*, 302(5645), 605–608.
- Heyn, C., Ronald, J. A., Mackenzie, L. T., MacDonald, I. C., Chambers, A. F., Rutt, B. K., & Foster, P. J. (2006). In vivo magnetic resonance imaging of single cells in mouse brain with optical validation. *Magnetic Resonance in Medicine*, 55(1), 23–29.
- Heywang-Köbrunner, S. H., & Oellinger, H. (1996). Breast MRI. In D. M. Grant & R. K. Harris (Eds.), *The encyclopaedia of nuclear magnetic resonance*. Wiley.
- Higgins, L. J., & Pomper, M. G. (2011, February). The evolution of imaging in cancer: Current state and future challenges. *Seminars in Oncology*, 38(1), 3–15.

- Hinshaw, W. S., & Lent, A. H. (1983). An introduction to NMR imaging: From the Bloch equation to the imaging equation. *Proceedings of the IEEE*, 71(3), 338–350.
- Histed, S. N., Lindenberg, M. L., Mena, E., Turkbey, B., Choyke, P. L., & Kurdziel, K. A. (2012). Review of functional/anatomic imaging in oncology. *Nuclear Medicine Communications*, 33(4), 349.
- Hoefnagels, F. W., Lagerwaard, F. J., Sanchez, E., Haasbeek, C. J., Knol, D. L., Slotman, B. J., & Vandertop, W. P. (2009). Radiological progression of cerebral metastases after radiosurgery: Assessment of perfusion MRI for differentiating between necrosis and recurrence. *Journal of Neurology*, 256(6), 878.
- Hoh, C. K., Schiepers, C., Seltzer, M. A., Gambhir, S. S., Silverman, D. H., Czernin, J., Maddahi, J., & Phelps, M. E. (1997, April). PET in oncology: Will it replace the other modalities? *Seminars in Nuclear Medicine*, 27(2), 94–106.
- Hoit, B. D. (2011). Strain and strain rate echocardiography and coronary artery disease. *Circulation. Cardiovascular Imaging*, 4(2), 179–190.
- Hopf, F. A., Meystre, P., Scully, M. O., & Louisell, W. H. (1976). Strong-signal theory of a free-electron laser. *Physical Review Letters*, 37(20), 1342.
- Hosmer, D. W., Jr., Lemeshow, S., & Sturdivant, R. X. (2013). *Applied logistic regression*. John Wiley & Sons.
- Hu, H., Wen, Y., Chua, T. S., & Li, X. (2014). Toward scalable systems for big data analytics: A technology tutorial. *IEEE Access*, 2, 652–687.
- Huang, C., Graff, C. G., Clarkson, E. W., Bilgin, A., & Altbach, M. I. (2012). T2 mapping from highly undersampled data by reconstruction of principal component coefficient maps using compressed sensing. *Magnetic Resonance in Medicine*, 67(5), 1355–1366.
- İşın, A., Direkoğlu, C., & Şah, M. (2016). Review of MRI-based brain tumor image segmentation using deep learning methods. *Procedia Computer Science*, 102, 317–324.
- Insin, E. M., Elmore, C. S., Nilsson, G. N., Thompson, R. A., & Weidolf, L. (2012). Use of radiolabeled compounds in drug metabolism and pharmacokinetic studies. *Chemical Research in Toxicology*, 25(3), 532–542.
- Jackson, G. D., Connelly, A., Duncan, J. S., Grünewald, R. A., & Gadian, D. G. (1993). Detection of hippocampal pathology in intractable partial epilepsy: Increased sensitivity with quantitative magnetic resonance T2 relaxometry. *Neurology*, 43(9), 1793–1793.
- Jacobs, A. H., Kracht, L. W., Gossmann, A., Rüger, M. A., Thomas, A. V., Thiel, A., & Herholz, K. (2005). Imaging in neurooncology. *NeuroRx*, 2(2), 333–347.
- Jacobs, R. E., & Cherry, S. R. (2001). Complementary emerging techniques: High-resolution PET and MRI. *Current Opinion in Neurobiology*, 11(5), 621–629.
- Jacques, V., Dumas, S., Sun, W. C., Troughton, J. S., Greenfield, M. T., & Caravan, P. (2010). High relaxivity MRI contrast agents part 2: Optimization of inner-and second-sphere relaxivity. *Investigative Radiology*, 45(10), 613.
- Jager, P. L., de Korte, M. A., Lub-de Hooge, M. N., Van Waarde, A., Koopmans, K. P., Perik, P. J., & De Vries, E. G. (2005). Molecular imaging: What can be used today. *Cancer Imaging*, 5 (Spec No A), S27–S32.
- Jain, K. K. (2008). Nanomedicine: Application of nanobiotechnology in medical practice. *Medical Principles and Practice*, 17(2), 89–101.
- Jasanoff, A. (2005). Functional MRI using molecular imaging agents. *Trends in Neurosciences*, 28(3), 120–126.
- Jayaraman, M., Vellingiri, K., & Guo, Y. (2019). Neutrosophic set in medical image denoising. In *Neutrosophic set in medical image analysis* (pp. 77–100). Academic Press.
- Jellison, B. J., Field, A. S., Medow, J., Lazar, M., Salamat, M. S., & Alexander, A. L. (2004). Diffusion tensor imaging of cerebral white matter: A pictorial review of physics, fiber tract anatomy, and tumor imaging patterns. *American Journal of Neuroradiology*, 25(3), 356–369.
- Jiang, S., Gnanasammandhan, M. K., & Zhang, Y. (2010). Optical imaging-guided cancer therapy with fluorescent nanoparticles. *Journal of the Royal Society Interface*, 7(42), 3–18.

- Jiang, S. C., Ma, N., Li, H. J., & Zhang, X. X. (2002). Effects of thermal properties and geometrical dimensions on skin burn injuries. *Burns*, 28(8), 713–717.
- Jorgensen, W. L. (2004). The many roles of computation in drug discovery. *Science*, 303(5665), 1813–1818.
- Joseph, R. P., Singh, C. S., & Manikandan, M. (2014). Brain tumor MRI image segmentation and detection in image processing. *International Journal of Research in Engineering and Technology*, 3(1), 1–5.
- Jung, C. W., & Jacobs, P. (1995). Physical and chemical properties of superparamagnetic iron oxide MR contrast agents: Ferumoxides, ferumoxtran, ferumoxsil. *Magnetic Resonance Imaging*, 13(5), 661–674.
- Kalaiselvi, T., Nagaraja, P., & Sriramakrishnan, P. (2016). A simple image processing approach to abnormal slices detection from MRI tumor volumes. *International Journal of Multimedia & Its Applications*, 8(1), 55–64.
- Kaplan, W. (1991). *Advanced calculus* (pp. 189–191). Addison-Wesley.
- Kapoor, L., & Thakur, S. (2017, January). A survey on brain tumor detection using image processing techniques. In *2017 7th International Conference on Cloud Computing, Data Science & Engineering-Confluence* (pp. 582–585). IEEE.
- Kegeles, L. S., & Mann, J. J. (1997). In vivo imaging of neurotransmitter systems using radiolabeled receptor ligands. *Neuropsychopharmacology*, 17(5), 293–307.
- Khalifa, N. E. M., Taha, M. H. N., Hassaniien, A. E., & Mohamed, H. N. E. T. (2019). Deep iris: Deep learning for gender classification through iris patterns. *Acta Informatica Medica*, 27(2), 96.
- Khalil, H. K., & Grizzle, J. W. (1996). *Nonlinear systems* (Vol. 3). Prentice hall.
- Khanafar, K., & Vafai, K. (2006). The role of porous media in biomedical engineering as related to magnetic resonance imaging and drug delivery. *Heat and Mass Transfer*, 42(10), 939–953.
- Kiessling, F., Boese, J., Corvinus, C., Ederle, J. R., Zuna, I., Schoenberg, S. O., Brix, G., Schmähl, A., Tuengerthal, S., Herth, F., Kauczor, H. U., & Essig, M. (2004). Perfusion CT in patients with advanced bronchial carcinomas: A novel chance for characterization and treatment monitoring. *European Radiology*, 14(7), 1226–1233.
- Kim, T. K., Choi, B. I., Han, J. K., Jang, H. J., & Han, M. C. (1997). Optimal MR protocol for hepatic hemangiomas: Comparison of conventional spin-echo sequences with T2-weighted turbo spin-echo and serial gradient-echo (FLASH) sequences with gadolinium enhancement. *Acta Radiologica*, 38(4), 565–571.
- Kimmich, R., & Anardo, E. (2004). Field-cycling NMR relaxometry. *Progress in Nuclear Magnetic Resonance Spectroscopy*, 44(3), 257–320.
- Kinoshita, M., Goto, T., Okita, Y., Kagawa, N., Kishima, H., Hashimoto, N., & Yoshimine, T. (2010). Diffusion tensor-based tumor infiltration index cannot discriminate vasogenic edema from tumor-infiltrated edema. *Journal of Neuro-Oncology*, 96(3), 409–415.
- Kirik, D., Breyse, N., Björklund, T., Besret, L., & Hantraye, P. (2005). Imaging in cell-based therapy for neurodegenerative diseases. *European Journal of Nuclear Medicine and Molecular Imaging*, 32(2), S417–S434.
- Krabbe, K., Gideon, P., Wagn, P., Hansen, U., Thomsen, C., & Madsen, F. (1997). MR diffusion imaging of human intracranial tumours. *Neuroradiology*, 39(7), 483–489.
- Kreyszig, E. (1996). *Advanced engineering mathematics*. John Wiley and Sons.
- Kuffler, S. W., & Potter, D. D. (1964). Glia in the leech central nervous system: Physiological properties and neuron-glia relationship. *Journal of Neurophysiology*, 27(2), 290–320.
- Kundu, P. K., & Cohen, I. M. (2004). *Fluid mechanics*. Elsevier Academic Press.
- Kwoc, L. (1998). Localized MR spectroscopy: Basic principles. *Neuroimaging Clinics of North America*, 8(4), 713–731.
- Kwong, K. K., Belliveau, J. W., Chesler, D. A., Goldberg, I. E., Weisskoff, R. M., Poncelet, B. P., Kennedy, D. N., Hoppel, B. E., Cohen, M. S., & Turner, R. (1992). Dynamic magnetic resonance imaging of human brain activity during primary sensory stimulation. *Proceedings of the National Academy of Sciences*, 89(12), 5675–5679.

- Laddha, M., & Ladhake, S. A. (2014). Brain tumor detection using morphological and watershed operators. *International Journal of Application or Innovation in Engineering and Management*, 3(3), 383–387.
- Lakshmi, S. V. S. S., & Kavila, S. D. (2018). Machine learning for credit card fraud detection system. *International Journal of Applied Engineering Research*, 13(24), 16819–16824.
- Laub, G. (2000). Time-of-flight method of MRA. In I. R. Young (Ed.), *Methods in biomedical magnetic resonance imaging and spectroscopy* (pp. 500–504). John Wiley & Sons.
- Laurent, S., Forge, D., Port, M., Roch, A., Robic, C., Vander Elst, L., & Muller, R. N. (2008). Magnetic iron oxide nanoparticles: Synthesis, stabilization, vectorization, physicochemical characterizations, and biological applications. *Chemical Reviews*, 108(6), 2064–2110.
- Lauterbur, P. C. (1979). Medical imaging by nuclear magnetic resonance zeugmatography. *IEEE Transactions on Nuclear Science*, 26(2), 2807–2811.
- Le Bihan, D., & Iima, M. (2015). Diffusion magnetic resonance imaging: What water tells us about biological tissues. *PLoS Biology*, 13(7), e1002203.
- Le Bihan, D., Mangin, J. F., Poupon, C., Clark, C. A., Pappata, S., Molko, N., & Chabriat, H. (2001). Diffusion tensor imaging: Concepts and applications. *Journal of Magnetic Resonance Imaging*, 13(4), 534–546.
- Le Bihan, D., Urayama, S. I., Aso, T., Hanakawa, T., & Fukuyama, H. (2006). Direct and fast detection of neuronal activation in the human brain with diffusion MRI. *Proceedings of the National Academy of Sciences*, 103(21), 8263–8268.
- Lee, M. H., Smyser, C. D., & Shimony, J. S. (2013). Resting-state fMRI: A review of methods and clinical applications. *American Journal of Neuroradiology*, 34(10), 1866–1872.
- Lee, S. P., Silva, A. C., Ugurbil, K., & Kim, S. G. (1999). Diffusion-weighted spin-echo fMRI at 9.4T: Microvascular/tissue contribution to BOLD signal changes. *Magnetic Resonance in Medicine*, 42(5), 919–928.
- Leggett, A. J. (1980). Macroscopic quantum systems and the quantum theory of measurement. *Progress of Theoretical Physics Supplement*, 69, 80–100.
- Lévesque, M. F., Nakasato, N., Vinters, H. V., & Babb, T. L. (1991). Surgical treatment of limbic epilepsy associated with extrahippocampal lesions: The problem of dual pathology. *Journal of Neurosurgery*, 75(3), 364–370.
- Levin, C. S. (2005). Primer on molecular imaging technology. *European Journal of Nuclear Medicine and Molecular Imaging*, 32(2), S325–S345.
- Li, A., Wong, C. S., Wong, M. K., Lee, C. M., & Au Yeung, M. C. (2006). Acute adverse reactions to magnetic resonance contrast media–gadolinium chelates. *The British Journal of Radiology*, 79(941), 368–371.
- Li, W. H., Parigi, G., Fragai, M., Luchinat, C., & Meade, T. J. (2002). Mechanistic studies of a calcium-dependent MRI contrast agent. *Inorganic Chemistry*, 41(15), 4018–4024.
- Li, X., Li, L., Lu, H., Chen, D., & Liang, Z. (2003, May). Inhomogeneity correction for magnetic resonance images with fuzzy C-mean algorithm. In *Medical Imaging 2003: Image Processing* (Vol. 5032, pp. 995–1005). International Society for Optics and Photonics.
- Liang, Z. P., & Lauterbur, P. C. (2000). *Principles of magnetic resonance imaging*. SPIE Optical Engineering Press.
- Libby, P. (1995). Molecular bases of the acute coronary syndromes. *Circulation*, 91(11), 2844–2850.
- Lieb, J. P., & Babb, T. L. (1986). Interhemispheric propagation time of human hippocampal seizures: II. Relationship to pathology and cell density. *Epilepsia*, 27(3), 294–300.
- Liotta, L. A., Luchini, A., Petricoin, E. F., & Espina, V. (2015). *Hydrogel nanoparticle based immunoassay* (No. 9,012,240). George Mason Research Foundation.
- Liu, E. H., Saidel, G. M., & Harasaki, H. (2003). Model analysis of tissue responses to transient and chronic heating. *Annals of Biomedical Engineering*, 31(8), 1007–1014.
- Liu, X., Kim, C. N., Yang, J., Jemerson, R., & Wang, X. (1996). Induction of apoptotic program in cell-free extracts: Requirement for dATP and cytochrome c. *Cell*, 86(1), 147–157.

- Liu, Y., Chen, W. R., & Chen, S. H. (2005). Cluster formation in two-Yukawa fluids. *The Journal of Chemical Physics*, 122(4), 044507.
- Lodish, H. F. (2004). *Molecular cell biology*. W. H. Freeman & Company.
- Logothetis, N. K., Pauls, J., Augath, M., Trinath, T., & Oeltermann, A. (2001). Neurophysiological investigation of the basis of the fMRI signal. *Nature*, 412(6843), 150.
- Loman, A., Gregor, I., Stutz, C., Mund, M., & Enderlein, J. (2010). Measuring rotational diffusion of macromolecules by fluorescence correlation spectroscopy. *Photochemical & Photobiological Sciences*, 9(5), 627–636.
- Lon, W. J., Ananta, N. J. S., Balaji, S., & Bennett, H. K. (2010). *Carbon nanotube based magnetic resonance imaging contrast agents*. WO2010017546.
- Lorusso, V., Pascolo, L., Ferneti, C., Anelli, P. L., Uggeri, F., & Tiribelli, C. (2005). Magnetic resonance contrast agents: From the bench to the patient. *Current Pharmaceutical Design*, 11(31), 4079–4098.
- Louie, A. Y., Hüber, M. M., Ahrens, E. T., Rothbacher, U., Moats, R., Jacobs, R. E., Fraser, S. E., & Meade, T. J. (2000). In vivo visualization of gene expression using magnetic resonance imaging. *Nature Biotechnology*, 18(3), 321–325.
- Louis, D. N., Ohgaki, H., Wiestler, O. D., Cavenee, W. K., Burger, P. C., Jouvet, A., Scheithauer, B. W., & Kleihues, P. (2007). The 2007 WHO classification of tumours of the central nervous system. *Acta Neuropathologica*, 114(2), 97–109.
- Low, M. P. (2004). Activated MR contrast agents. *Current Pharmaceutical Biotechnology*, 5(6), 519–528.
- Lu, H., Nagae-Poetscher, L. M., Golay, X., Lin, D., Pomper, M., & van Zijl, P. (2005). Routine clinical brain MRI sequences for use at 3.0 Tesla. *Journal of Magnetic Resonance Imaging*, 22(1), 13–22.
- Lustig, M., Donoho, D., & Pauly, J. M. (2007). Sparse MRI: The application of compressed sensing for rapid MR imaging. *Magnetic Resonance in Medicine*, 58(6), 1182–1195.
- Lustig, M., Donoho, D. L., Santos, J. M., & Pauly, J. M. (2008). Compressed sensing MRI. *IEEE Signal Processing Magazine*, 25(2), 72–82.
- Ma, C., Wang, X., & Varghese, T. (2016). Segmental analysis of cardiac short-axis views using Lagrangian radial and circumferential strain. *Ultrasonic Imaging*, 38(6), 363–383.
- Ma, D., Gulani, V., Seiberlich, N., Liu, K., Sunshine, J. L., Duerk, J. L., & Griswold, M. A. (2013). Magnetic resonance fingerprinting. *Nature*, 495(7440), 187–192.
- Macdonald, D. R., Cascino, T. L., Schold, S. C., Jr., & Cairncross, J. G. (1990). Response criteria for phase II studies of supratentorial malignant glioma. *Journal of Clinical Oncology*, 8(7), 1277–1280.
- Mackay, C. E., Webb, J. A., Eldridge, P. R., Chadwick, D. W., Whitehouse, G. H., & Roberts, N. (2000). Quantitative magnetic resonance imaging in consecutive patients evaluated for surgical treatment of temporal lobe epilepsy. *Magnetic Resonance Imaging*, 18(10), 1187–1199.
- Mahoney, B. P., Raghunand, N., Baggett, B., & Gillies, R. J. (2003). Tumor acidity, ion trapping and chemotherapeutics: I. Acid pH affects the distribution of chemotherapeutic agents in vitro. *Biochemical Pharmacology*, 66(7), 1207–1218.
- Mallikarjuna, E. (2015). Brain tumor detection using segmentation based object labeling algorithm. *Journal of Computation in Biosciences and Engineering*, 3(2), 1–3.
- Mamin, H. J., Kim, M., Sherwood, M. H., Rettner, C. T., Ohno, K., Awschalom, D. D., & Rugar, D. (2013). Nanoscale nuclear magnetic resonance with a nitrogen-vacancy spin sensor. *Science*, 339(6119), 557–560.
- Marieb, E. N., & Hoehn, K. (2013). *The cardiovascular system: Blood vessels*. *Human anatomy & physiology* (p. 712). Pearson.
- Marsden, P. K., Strul, D., Keevil, S. F., Williams, S. C., & Cash, D. (2002). Simultaneous PET and NMR. *The British Journal of Radiology*, 75(Suppl. 9), S53–S59.
- Martell, A. E., & Motekaitis, R. J. (1992). *Determination and use of stability constants*. VCH Publishers.



- Martínez, M. C., & de la Torre, J. G. (1987). Brownian dynamics simulation of restricted rotational diffusion. *Biophysical Journal*, *52*(2), 303–310.
- Martins, A. N., Johnston, J. S., Henry, J. M., Stoffel, T. J., & Di Chiro, G. (1977). Delayed radiation necrosis of the brain. *Journal of Neurosurgery*, *47*(3), 336–345.
- Massoud, T. F., & Gambhir, S. S. (2003). Molecular imaging in living subjects: Seeing fundamental biological processes in a new light. *Genes & Development*, *17*(5), 545–580.
- Maurer, P. C., Kucsko, G., Latta, C., Jiang, L., Yao, N. Y., Bennett, S. D., Pastawski, F., Hunger, D., Chisholm, N., Markham, M., Twitchen, D. J., Cirac, J. I., & Lukin, M. D. (2012). Room-temperature quantum bit memory exceeding one second. *Science*, *336*(6086), 1283–1286.
- Maze, J. R., Stanwix, P. L., Hodges, J. S., Hong, S., Taylor, J. M., Cappellaro, P., Jiang, L., Gurudev Dutt, M. V., Togan, E., Zibrov, A. S., Yacoby, A., Walsworth, R. L., & Lukin, M. D. (2008). Nanoscale magnetic sensing with an individual electronic spin in diamond. *Nature*, *455* (7213), 644–647.
- Mehrabian, H., Desmond, K. L., Soliman, H., Sahgal, A., & Stanisz, G. J. (2017). Differentiation between radiation necrosis and tumor progression using chemical exchange saturation transfer. *Clinical Cancer Research*, *23*(14), 3667–3675.
- Mehrotra, R., & Ansari, M. A. (2020). Feature extraction for brain tumour analysis and classification: A review. *International Journal of Digital Signals and Smart Systems*, *4*(1–3), 199–218.
- Menze, B. H., Jakab, A., Bauer, S., Kalpathy-Cramer, J., Farahani, K., Kirby, J., et al. (2014). The multimodal brain tumor image segmentation benchmark (BRATS). *IEEE Transactions on Medical Imaging*, *34*(10), 1993–2024.
- Merzbacher, E. (1998). *Quantum mechanics*. John Wiley & Sons.
- Messiah, A. (1999). *Quantum mechanics: Two volumes bound as one*. Dover. (Two vol. bound as one, unabridged reprint ed.).
- Metcalf, H. J., & Straten, P. (2007). *Laser cooling and trapping of neutral atoms*. Wiley-VCH Verlag GmbH & Co. KGaA.
- Meyer, M. A. (2008). Malignant gliomas in adults. *The New England Journal of Medicine*, *359*(17), 1850.
- Meystre, P. (2006). Light-matter interaction. In G. W. F. Drake (Ed.), *Springer handbooks of atomic, molecular, and optical physics* (pp. 997–1007). Springer Science.
- Mitchell, D. G., & Stark, D. D. (1992). *Hepatobiliary MRI: A text-atlas at mid and high field*. Mosby Inc..
- Modo, M., Hoehn, M., & Bulte, J. W. (2005). Cellular MR imaging. *Molecular Imaging*, *4*(3), 143–164.
- Modo, M. J. M., & Bulte, J. W. M. (2007). What is molecular and cellular imaging. In M. J. M. Modo & J. W. M. Bulte (Eds.), *Molecular and cellular MR imaging* (pp. 1–9). CRC Press-Taylor & Francis Group.
- Moghimi, S. M., Hunter, A. C., & Murray, J. C. (2005). Nanomedicine: Current status and future prospects. *The FASEB Journal*, *19*(3), 311–330.
- Mohanty, S. (2012). Optically-actuated translational and rotational motion at the microscale for microfluidic manipulation and characterization. *Lab on a Chip*, *12*(19), 3624–3636.
- Mohanty, S. K., Sharma, M., Panicker, M. M., & Gupta, P. K. (2005). Controlled induction, enhancement, and guidance of neuronal growth cones by use of line optical tweezers. *Optics Letters*, *30*(19), 2596–2598.
- Mohanty, S. K., Uppal, A., & Gupta, P. K. (2004). Self-rotation of red blood cells in optical tweezers: Prospects for high throughput malaria diagnosis. *Biotechnology Letters*, *26*(12), 971–974.
- Mohanty, S. K., Uppal, A., & Gupta, P. K. (2008). Optofluidic stretching of RBCs using single optical tweezers. *Journal of Biophotonics*, *1*(6), 522–525.
- Moore, A., Weissleder, R., & Bogdanov, A. (1997). Uptake of dextran-coated monocrystalline iron oxides in tumor cells and macrophages. *Journal of Magnetic Resonance Imaging*, *7*(6), 1140–1145.

- Moore, C. C., McVeigh, E. R., & Zerhouni, E. A. (1999). Noninvasive measurement of three-dimensional myocardial deformation with tagged magnetic resonance imaging during graded local ischemia. *Journal of Cardiovascular Magnetic Resonance*, 1(3), 207–222.
- Moratal, D., Brummer, M. E., Martí-Bonmatí, L., & Vallés-Lluch, A. (2006). NMR imaging. In *Wiley encyclopedia of biomedical engineering*.
- Mori, S., & Barker, P. B. (1999). Diffusion magnetic resonance imaging: Its principle and applications. *The Anatomical Record*, 257(3), 102–109.
- Mori, S., & Tournier, J. D. (2013). *Introduction to diffusion tensor imaging: And higher order models*. Academic Press.
- Moroz, P., Jones, S. K., & Gray, B. N. (2001). Status of hyperthermia in the treatment of advanced liver cancer. *Journal of Surgical Oncology*, 77(4), 259–269.
- Morrisett, J., Vick, W., Sharma, R., Lawrie, G., Reardon, M., Ezell, E., Schwartz, J., & Gorenstein, D. (2003). Discrimination of components in atherosclerotic plaques from human carotid endarterectomy specimens by magnetic resonance imaging ex vivo. *Magnetic Resonance Imaging*, 21(5), 465–474.
- Morriss, C. E., Freedman, R., Straley, C., Johnston, M., Vinegar, H. J., & Tutunjian, P. N. (1994). Hydrocarbon saturation and viscosity estimation from NMR logging in the Belridge Diatomite. In *SPWLA 35th Annual Logging Symposium. Society of Petrophysicists and Well-Log Analysts*.
- Mourier-Robert, V., Bibette, J., Goutayer, M., Garcia, F. N. Y., & Texier-Nogues, I. (2018). *U.S. Patent No. 10,092,506*. U.S. Patent and Trademark Office.
- Muller, R. N., Roch, A., Colet, J. M., Ouakssim, A., & Gillis, P. (2001). Particulate magnetic contrast agents. In E. Toth & A. E. Merbach (Eds.), *Chemistry of contrast agents in medical magnetic resonance imaging* (pp. 417–435). Wiley.
- Mustaqeem, A., Javed, A., & Fatima, T. (2012). An efficient brain tumor detection algorithm using watershed & thresholding-based segmentation. *International Journal of Image, Graphics and Signal Processing*, 4(10), 34.
- Nabizadeh, N., & Kubat, M. (2015). Brain tumors detection and segmentation in MR images: Gabor wavelet vs. statistical features. *Computers and Electrical Engineering*, 45, 286–301.
- Naik, A., & Samant, L. (2016). Correlation review of classification algorithm using data mining tool: WEKA, Rapidminer, Tanagra, Orange and Knime. *Procedia Computer Science*, 85, 662–668.
- Naik, D., Viswamitra, S., Kumar, A. A., & Srinath, M. G. (2014). Susceptibility weighted magnetic resonance imaging of brain: A multifaceted powerful sequence that adds to understanding of acute stroke. *Annals of Indian Academy of Neurology*, 17(1), 58–61.
- Naik, J., & Patel, S. (2014). Tumor detection and classification using decision tree in brain MRI. *International Journal of Computer Science and Network Security*, 14(6), 87.
- Nakhmani, A., Kikinis, R., & Tannenbaum, A. (2014). MRI brain tumor segmentation and necrosis detection using adaptive Sobolev snakes. In *Medical Imaging 2014: Image Processing* (Vol. 9034, p. 903442). International Society for Optics and Photonics.
- Nandi, A. (2015, November). Detection of human brain tumour using MRI image segmentation and morphological operators. In *2015 IEEE International Conference on Computer Graphics, Vision and Information Security (CGVIS)* (pp. 55–60). IEEE.
- Naz, S., & Hameed, I. A. (2017, October). Automated techniques for brain tumor segmentation and detection: A review study. In *2017 International Conference on Behavioral, Economic, Socio-cultural Computing (BESCC)* (pp. 1–6). IEEE.
- Nelson, D. L., & Cox, M. M. (2008). *Lehninger principles of biochemistry*. W. H. Freeman.
- Nelson, E. (1966). Derivation of the Schrödinger equation from Newtonian mechanics. *Physical Review*, 150(4), 1079.
- Neuman, K. C., & Block, S. M. (2004). Optical trapping. *Review of Scientific Instruments*, 75(9), 2787–2809.
- Ng, E. Y. K., & Chua, L. T. (2002). Comparison of one-and two-dimensional programmes for predicting the state of skin burns. *Burns*, 28(1), 27–34.

- Nicholson, C., & Rice, M. E. (1991). Diffusion of ions and transmitters in the brain cell microenvironment. In K. Flux & L. F. Agnati (Eds.), *Volume transmission in the brain: Novel mechanisms for neural transmission* (pp. 279–294). Raven Press.
- Nieto, M. M. (1979). Hydrogen atom and relativistic pi-mesic atom in N-space dimensions. *American Journal of Physics*, *47*(12), 1067–1072.
- Nisar, S., Khan, M. M., Ibrahim, M., & Tariq, M. (2015). Efficient detection of brain tumor using normalized histogram. *Journal of Basic and Applied Scientific Research*, *5*(4), 34–43.
- Nishimura, K., Okayama, H., Inoue, K., Saito, M., Yoshii, T., Hiasa, G., Sumimoto, T., Inaba, S., Ogimoto, A., Funada, J. I., & Higaki, J. (2012). Direct measurement of radial strain in the inner-half layer of the left ventricular wall in hypertensive patients. *Journal of Cardiology*, *59*(1), 64–71.
- Novelline, R. A., & Squire, L. F. (2004). *Squire's fundamentals of radiology*. La Editorial, UPR.
- O'Reilly, R. C. (2000). *General issues in computational modeling*. <http://psych.colorado.edu/~oreilly/cecn/node16.html>
- O'Reilly, R. C., Herd, S. A., & Pauli, W. M. (2010). Computational models of cognitive control. *Current Opinion in Neurobiology*, *20*(2), 257–261.
- O'Reilly, R. C., & Munakata, Y. (2000). *Computational explorations in cognitive neuroscience: Understanding the mind by simulating the brain*. MIT press.
- Occhiuzzi, C., Vallese, C., Amendola, S., Manzari, S., & Marrocco, G. (2014). NIGHT-Care: A passive RFID system for remote monitoring and control of overnight living environment. *Procedia Computer Science*, *32*, 190–197.
- Ogawa, S., Lee, T. M., Kay, A. R., & Tank, D. W. (1990). Brain magnetic resonance imaging with contrast dependent on blood oxygenation. *Proceedings of the National Academy of Sciences*, *87*(24), 9868–9872.
- Ogawa, S., Menon, R. S., Kim, S. G., & Ugurbil, K. (1998). On the characteristics of functional magnetic resonance imaging of the brain. *Annual Review of Biophysics and Biomolecular Structure*, *27*(1), 447–474.
- Okada, H., Kohanbash, G., Zhu, X., Kasthuber, E. R., Hoji, A., Ueda, R., & Fujita, M. (2009). Immunotherapeutic approaches for glioma. *Critical Reviews in Immunology*, *29*(1), 42.
- Onate, C. A., & Ojonubah, J. O. (2016). Eigensolutions of the Schrödinger equation with a class of Yukawa potentials via supersymmetric approach. *Journal of Theoretical and Applied Physics*, *10*(1), 21–26.
- Osman, N. F., Kerwin, W. S., McVeigh, E. R., & Prince, J. L. (1999). Cardiac motion tracking using CINE harmonic phase (HARP) magnetic resonance imaging. *Magnetic Resonance in Medicine: An Official Journal of the International Society for Magnetic Resonance in Medicine*, *42*(6), 1048–1060.
- Osman, N. F., McVeigh, E. R., & Prince, J. L. (2000). Imaging heart motion using harmonic phase MRI. *IEEE Transactions on Medical Imaging*, *19*(3), 186–202.
- Ovsianikov, L. V. (1982). *Group analysis of differential equations*. (W. F. Ames, Trans.). Academic.
- Ozbas, E. E., Aksu, D., Ongen, A., Aydin, M. A., & Ozcan, H. K. (2019). Hydrogen production via biomass gasification, and modeling by supervised machine learning algorithms. *International Journal of Hydrogen Energy*, *44*(32), 17260–17268.
- Padhani, A. R. (2011, April). Diffusion magnetic resonance imaging in cancer patient management. *Seminars in Radiation Oncology*, *21*(2), 119–140.
- Palanisamy, T. S. C. A., Jayaraman, M., Vellingiri, K., & Guo, Y. (2019). Optimization-based neutrosophic set for medical image processing. In *Neutrosophic set in medical image analysis* (pp. 189–206). Academic Press.
- Panayotounakos, D. E., & Kravvaritis, D. C. (2006). Exact analytic solutions of the Abel, Emden–Fowler and generalized Emden–Fowler nonlinear ODEs. *Nonlinear Analysis: Real World Applications*, *7*(4), 634–650.

- Pape, H., Clauser, C., & Iffland, J. (1998). Permeability prediction for reservoir sandstones and basement rocks based on fractal pore space geometry. In *Proceedings of SEG Annual Meeting: New Orleans*.
- Parker, S. P. (1997). *Encyclopedia of science and technology* (Vol. 21). McGraw-Hill.
- Parthasarathy, V. (2006). *Characterization of harmonic phase MRI: Theory, simulations, and applications*. (Doctoral dissertation, Johns Hopkins University).
- Parvez, K., Parvez, A., & Zadeh, G. (2014). The diagnosis and treatment of pseudoprogression, radiation necrosis and brain tumor recurrence. *International Journal of Molecular Sciences*, 15(7), 11832–11846.
- Paschotta, R. (2008). *Encyclopedia of laser physics and technology* (Vol. 1). Wiley-VCH.
- Patchell, R. A. (2003). The management of brain metastases. *Cancer Treatment Reviews*, 29(6), 533–540.
- Patel, L., Shukla, T., Huang, X., Ussery, D. W., & Wang, S. (2020). Machine learning methods in drug discovery. *Molecules*, 25(22), 5277.
- Patil, R. C., & Bhalchandra, A. S. (2012). Brain tumour extraction from MRI images using MATLAB. *International Journal of Electronics, Communication and Soft Computing Science & Engineering*, 2(1), 1.
- Pauleit, D., Stoffels, G., Bachofner, A., Floeth, F. W., Sabel, M., Herzog, H., Tellmann, L., Jansen, P., Reifenberger, G., Hamacher, K., & Coenen, H. H. (2009). Comparison of 18F-FET and 18F-FDG PET in brain tumors. *Nuclear Medicine and Biology*, 36(7), 779–787.
- Peleg, Y., Pnini, R., & Zaarur, E. (1998). *Schaum's outline of theory and problems of quantum mechanics* (pp. 123–124). McGraw-Hill.
- Perkuhn, M., Stavrinou, P., Thiele, F., Shakirin, G., Mohan, M., Garmpis, D., Kabbasch, C., & Borggreffe, J. (2018). Clinical evaluation of a multiparametric deep learning model for glioblastoma segmentation using heterogeneous magnetic resonance imaging data from clinical routine. *Investigative Radiology*, 53(11), 647.
- Perez, J. M., Josephson, L., O'Loughlin, T., Högemann, D., & Weissleder, R. (2002a). Magnetic relaxation switches capable of sensing molecular interactions. *Nature Biotechnology*, 20(8), 816–820.
- Perez, J. M., O'Loughlin, T., Simeone, F. J., Weissleder, R., & Josephson, L. (2002b). DNA-based magnetic nanoparticle assembly acts as a magnetic relaxation nanoswitch allowing screening of DNA-cleaving agents. *Journal of the American Chemical Society*, 124(12), 2856–2857.
- Perona, P., & Malik, J. (1990). Scale-space and edge detection using anisotropic diffusion. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(7), 629–639.
- Phelps, M. E. (2000). PET: The merging of biology and imaging into molecular imaging. *Journal of Nuclear Medicine*, 41(4), 661–681.
- Pintar, M. M. (1976). NMR basic principles and progress. In P. Diehl, E. Fluck, H. Günther, R. Kosfeld, & J. Seelig (Eds.), *Introductory essays* (Vol. 13). Springer-Verlag.
- Piwnicza-Worms, D., Schuster, D. P., & Garbow, J. R. (2004). Technoreview: Molecular imaging of host–pathogen interactions in intact small animals. *Cellular Microbiology*, 6(4), 319–331.
- Podulso, J. F., Wengenack, T. M., Curran, G. L., Wisniewski, T., Sigurdsson, E. M., Macura, S. I., Borowski, B. J., & Jack, C. R. (2002). Molecular targeting of Alzheimer's amyloid plaques for contrast-enhanced magnetic resonance imaging. *Neurobiology of Disease*, 2(11), 315–329.
- Polyanin, A. D., Schiesser, W. E., & Zhurov, A. I. (2008). Partial differential equation. *Scholarpedia*, 3(10), 4605.
- Pomper, M. G. (2004). Translational molecular imaging for cancer. *Cancer Imaging: The Official Publication of the International Cancer Imaging Society*, 5, S16–S26.
- Poonam, J. P. (2013). Review of image processing techniques for automatic detection of tumor in human brain. *International Journal of Computer Science and Mobile Computing*, 2(11), 117–122.
- Price, S. J., Jena, R., Burnet, N. G., Hutchinson, P. J., Dean, A. F., Pena, A., Pickard, J. D., Carpenter, T. A., & Gillard, J. H. (2006). Improved delineation of glioma margins and regions of

- infiltration with the use of diffusion tensor imaging: An image-guided biopsy study. *American Journal of Neuroradiology*, 27(9), 1969–1974.
- Price, W. S. (1997). Pulsed-field gradient nuclear magnetic resonance as a tool for studying translational diffusion: Part I. Basic theory. *Concepts in Magnetic Resonance: An Educational Journal*, 9(5), 299–336.
- Price, W. S. (1998). Pulsed-field gradient nuclear magnetic resonance as a tool for studying translational diffusion: Part II. Experimental aspects. *Concepts in Magnetic Resonance: An Educational Journal*, 10(4), 197–237.
- Price, W. S. (2009). *NMR studies of translational motion: Principles and applications*. Cambridge University Press.
- Price, W. S., & Kuchel, P. W. (1991). Effect of nonrectangular field gradient pulses in the Stejskal and Tanner (diffusion) pulse sequence. *Journal of Magnetic Resonance*, 94(1), 133–139.
- Prima, S., Ayache, N., Barrick, T., & Roberts, N. (2001, October). Maximum likelihood estimation of the bias field in MR brain images: Investigating different modelings of the imaging process. In *International Conference on Medical Image Computing and Computer-Assisted Intervention* (pp. 811–819). Springer.
- Prokopová-Kubinová, Š., Vargova, L., Tao, L., Ulbrich, K., Šubr, V., Syková, E., & Nicholson, C. (2001). Poly [N-(2-hydroxypropyl) methacrylamide] polymers diffuse in brain extracellular space with same tortuosity as small molecules. *Biophysical Journal*, 80(1), 542–548.
- Prudnikov, A. P., Brychkov, I. A., & Marichev, O. I. (1986). *Integrals and series: Special functions* (Vol. 2). CRC Press.
- Rabi, I. I. (1937). Space quantization in a gyrating magnetic field. *Physical Review*, 51(8), 652.
- Rai, A. J., Yee, J., & Fleisher, M. (2010a). Biomarkers in the era of personalized medicine—A multiplexed SNP assay using capillary electrophoresis for assessing drug metabolism capacity. *Scandinavian Journal of Clinical and Laboratory Investigation*, 70(suppl 242), 15–18.
- Rai, P., Mallidi, S., Zheng, X., Rahmzadeh, R., Mir, Y., Elrington, S., Khurshid, A., & Hasan, T. (2010b). Development and applications of photo-triggered theranostic agents. *Advanced Drug Delivery Reviews*, 62(11), 1094–1124.
- Rausch, M., Rudin, M., Allegrini, P. R., & Beckmann, N. (2007). Cellular imaging of macrophage activity in infection and inflammation. In M. J. M. Modo & J. W. M. Bulte (Eds.), *Molecular and cellular MR imaging* (pp. 1–9). CRC Press - Taylor & Francis Group.
- Raymond, C., Dada, O. M., Musa, E., Oni, O. O., & Awojoyogbe, O. B. (2021). Development of artificial intelligence algorithm for computer aided diagnosis of brain tumour (CADbrat) using tensor flow, TFlearn library and magnetic resonance images. *African Journal of Medical Physics*, 3(2), 24–34.
- Raymond, C., Dada, O. M., Adesola, O. A., & Awojoyogbe, O. B. (2019). Computational magnetic resonance diffusion tensor imaging for probing human brain microstructure. *African Journal of Medical Physics*, 1(1), 14–24.
- Redfield, A. G. (1996). Relaxation theory: Density matrix formulation. In D. M. Grant & R. K. Harris (Eds.), *The encyclopaedia of nuclear magnetic resonance*. Wiley.
- Reichert, D. E., Lewis, J. S., & Anderson, C. J. (1999). Metal complexes as diagnostic tools. *Coordination Chemistry Reviews*, 184(1), 3–66.
- Rider, W. (1963). Radiation damage to the brain—A new syndrome. *Journal of the Canadian Association of Radiologists*, 14, 67–69.
- Roberts, T. P. L., Chuang, N., & Roberts, H. C. (2000). Neuroimaging: Do we really need new contrast agents for MRI? *European Journal of Radiology*, 34(3), 166–178.
- Roberts, S., Osborne, M., Ebdon, M., Reece, S., Gibson, N., & Aigrain, S. (2013). Gaussian processes for time-series modelling. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 371(1984), 20110550.
- Rohrer, M., Bauer, H., Mintorovitch, J., Requardt, M., & Weinmann, H. J. (2005). Comparison of magnetic properties of MRI contrast media solutions at different magnetic field strengths. *Investigative Radiology*, 40(11), 715–724.

- Rorschach, H. E., Chang, D. C., Hazlewood, C. F., & Nichols, B. L. (1973). The diffusion of water in striated muscle. *Annals of the New York Academy of Sciences*, 204(1), 444–452.
- Ruan, S., Jaggi, C., Xue, J., Fadili, J., & Bloyet, D. (2000). Brain tissue classification of magnetic resonance images using partial volume modeling. *IEEE Transactions on Medical Imaging*, 19(12), 1179–1187.
- Rudie, J. D., Rauschecker, A. M., Bryan, R. N., Davatzikos, C., & Mohan, S. (2019). Emerging applications of artificial intelligence in neuro-oncology. *Radiology*, 290(3), 607–618.
- Rudin, M., & Weissleder, R. (2003). Molecular imaging in drug discovery and development. *Nature Reviews Drug Discovery*, 2(2), 123–131.
- Rugar, D., Budakian, R., Mamin, H. J., & Chui, B. W. (2004). Single spin detection by magnetic resonance force microscopy. *Nature*, 430(6997), 329–332.
- Rugar, D., Zuger, O., Hoen, S., Yannoni, C. S., Vieth, H. M., & Kendrick, R. D. (1994). Force detection of nuclear magnetic resonance. *Science*, 264, 1560–1563.
- Runge, V. M. (2000). Safety of approved MR contrast media for intravenous injection. *Journal of Magnetic Resonance Imaging*, 12(2), 205–213.
- Ryan, J. M., Loy, R., & Tariot, P. N. (2001). Impact of molecular medicine on neuropsychiatry: The clinician's perspective. *Current Psychiatry Reports*, 3(5), 355–360.
- Sakamoto, K., Kamiya, M., Uchida, T., Kawano, K., & Ishimori, K. (2010). Redox-controlled backbone dynamics of human cytochrome c revealed by 15N NMR relaxation measurements. *Biochemical and Biophysical Research Communications*, 398(2), 231–236.
- Sakurai, J. J. (1994). Modern quantum mechanics. In S. F. Tuan (Ed.), *Modern quantum mechanics* (Rev ed.). Addison-Wesley Publishing Company, Inc..
- Salam, A. K. A., & Deorankar, A. V. (2015). Systematic approach for brain tumor detection using rough sets on DICOM images. *International Journal for Research in Applied Science & Engineering Technology*, 3(3), 645–650.
- Sarka, L., Burai, L., Király, R., Zékány, L., & Brücher, E. (2002). Studies on the kinetic stabilities of the Gd<sup>3+</sup> complexes formed with the N-mono (methylamide), N'-mono (methylamide) and N, N''-bis (methylamide) derivatives of diethylenetriamine-N,N,N',N'',N''-pentaacetic acid. *Journal of Inorganic Biochemistry*, 91(1), 320–326.
- Sasaki, M., Inoue, T., Tohyama, K., Oikawa, H., Ehara, S., & Ogawa, A. (2003). High-field MRI of the central nervous system: Current approaches to clinical and microscopic imaging. *Magnetic Resonance in Medical Sciences: MRMS: An Official Journal of Japan Society of Magnetic Resonance in Medicine*, 2(3), 133–139.
- Schmidt, M., Meier, B., & Parak, F. (1996). X-ray structure of the cambialistic superoxide dismutase from *Propionibacterium shermanii* active with Fe or Mn. *JBIC, Journal of Biological Inorganic Chemistry*, 1(6), 532–541.
- Schwaiger, M., & Weber, W. (2004). Molecular imaging: Dream or reality? In *From morphological imaging to molecular targeting* (pp. 1–18). Berlin Heidelberg.
- Schwarz, R., Schuurmans, M., Seelig, J., & Kuennecke, B. (1999). 19F-MRI of perfluorononane as a novel contrast modality for gastrointestinal imaging. *Magnetic Resonance in Medicine*, 41(1), 80–86.
- Selkar, R. G., & Thakare, M. N. (2014). Brain tumor detection and segmentation by using thresholding and watershed algorithm. *International Journal of Advanced Information and Communication Technology*, 1(3), 321–324.
- Shankar, R. (2012). *Principles of quantum mechanics*. Springer Science & Business Media.
- Shapiro, E. M., Sharer, K., Skrtic, S., & Koretsky, A. P. (2006). In vivo detection of single cells by MRI. *Magnetic Resonance in Medicine*, 55(2), 242–249.
- Shapiro, E. M., Skrtic, S., Sharer, K., Hill, J. M., Dunbar, C. E., & Koretsky, A. P. (2004). MRI detection of single particles for cellular imaging. *Proceedings of the National Academy of Sciences of the United States of America*, 101(30), 10901–10906.
- Shih, T. C., Yuan, P., Lin, W. L., & Kou, H. S. (2007). Analytical analysis of the Pennes bioheat transfer equation with sinusoidal heat flux condition on skin surface. *Medical Engineering & Physics*, 29(9), 946–953.

- Shirehjini, A. A. N., Yassine, A., & Shirmohammadi, S. (2012). Equipment location in hospitals using RFID-based positioning system. *IEEE Transactions on Information Technology in Biomedicine*, 16(6), 1058–1069.
- Siepmann, J., & Siepmann, F. (2012). Modeling of diffusion controlled drug delivery. *Journal of Controlled Release*, 161(2), 351–362.
- Silva, A. C., Lee, J. H., Aoki, I., & Koretsky, A. P. (2004). Manganese-enhanced magnetic resonance imaging (MEMRI): Methodological and practical considerations. *NMR in Biomedicine*, 17(8), 532–543.
- Sindhu, A., & Meera, S. (2015). A survey on detecting brain tumor in MRI images using image processing techniques. *International Journal of Innovative Research in Computer and Communication Engineering*, 3(1), 16.
- Slichter, C. P. (2013). *Principles of magnetic resonance* (Vol. 1). Springer Science & Business Media.
- Smith, C., & Ironside, J. W. (2007). Diagnosis and pathogenesis of gliomas. *Current Diagnostic Pathology*, 13(3), 180–192.
- Spiegel, M. R. (1974). *Fourier analysis with applications to boundary value problems*. McGraw-Hill.
- Spiegel, M. R. (1983). *Schaum's outline series of theory and problems of advanced mathematics for engineers and scientists*. McGraw-Hill.
- Sprawls, P. (1987). *Physical principles of medical imaging*. Aspen Publishers.
- Staddon, S., Arranz, M. J., Mancama, D., Mata, I., & Kerwin, R. W. (2002). Clinical applications of pharmacogenetics in psychiatry. *Psychopharmacology*, 162(1), 18–23.
- Stark, D., & Davidoff, A. (1996). Liver, pancreas, spleen, and kidney. In D. M. Grant & R. K. Harris (Eds.), *The encyclopaedia of nuclear magnetic resonance*. Wiley.
- Staudacher, T., Shi, F., Pezzagna, S., Meijer, J., Du, J., Meriles, C. A., Reinhard, F., & Wrachtrup, J. (2013). Nuclear magnetic resonance spectroscopy on a (5-nanometer) 3 Sample Volume. *Science*, 339(6119), 561–563.
- Steel, M. (2005). Molecular medicine: Promises, promises? *Journal of the Royal Society of Medicine*, 98(5), 197–199.
- Straten, P. V. D., & Metcalf, H. (2016). *Atoms and molecules interacting with light*. Cambridge University Press.
- Stupp, R. (2005). European Organisation for Research and Treatment of Cancer brain tumor and radiotherapy groups; National Cancer Institute of Canada clinical trials group. Radiotherapy plus concomitant and adjuvant temozolomide for glioblastoma. *New England Journal of Medicine*, 352, 987–996.
- Stupp, R., Dietrich, P. Y., Kraljevic, S. O., Pica, A., Maillard, I., Maeder, P., Meuli, R., Janzer, R., Pizzolato, G., Miralbell, R., & Porchet, F. (2002). Promising survival for patients with newly diagnosed glioblastoma multiforme treated with concomitant radiation plus temozolomide followed by adjuvant temozolomide. *Journal of Clinical Oncology*, 20(5), 1375–1382.
- Subashini, M. M., & Sahoo, S. K. (2013). Brain MR image segmentation for tumor detection using artificial neural networks. *International Journal of Engineering Technology*, 5(2), 925–933.
- Subramanyam, M., & Raviraj, P. (2015). An automatic brain tumor detection and segmentation scheme for clinical brain images. *International Journal of Emerging Technologies in Computational and Applied Sciences*, 8(1), 37–42.
- Sugapriya, C. (2017). Semi supervised approach based brain tumor detection with noise removal. *International Journal on Recent and Innovation Trends in Computing and Communication*, 5(5), 446–452.
- Sundar, A. (2018). *An end-to-end guide to understand the math behind XGBoost*. <https://medium.com/analytics-vidhya/an-end-to-end-guide-to-understand-the-math-behindxgboost-72c07acb4afb>
- Svetnik, V., Liaw, A., Tong, C., Culberson, J. C., Sheridan, R. P., & Feuston, B. P. (2003). Random forest: A classification and regression tool for compound classification and QSAR modeling. *Journal of Chemical Information and Computer Sciences*, 43(6), 1947–1958.

- Sykova, E. (1991). Activity-related ionic and volume changes in neuronal microenvironment. In K. Flux & L. F. Agnati (Eds.), *Volume transmission in the brain: Novel mechanisms for neural transmission* (pp. 217–336). Raven Press.
- Symon, K. R. (1971). *Mechanics*. Addison-Wesley Publishing Company.
- Tahayori, B., Johnston, L. A., Mareels, I. M., & Farrell, P. M. (2009). Novel insight into magnetic resonance through a spherical coordinate framework for the Bloch equation. In *SPIE Medical Imaging* (p. 72580Y). International Society for Optics and Photonics.
- Tamaki, N., & Kuge, Y. (2010). Advances in molecular imaging. In N. Tamaki & Y. Kuge (Eds.), *Molecular imaging for integrated medical therapy and drug development* (pp. 1–6). Springer.
- Tang, C. L. (2005). *Fundamentals of quantum mechanics for solid state electronics and optics*. Cambridge University Press.
- Tanner, J. E. (1978). Transient diffusion in a system partitioned by permeable barriers. Application to NMR measurements with a pulsed field gradient. *The Journal of Chemical Physics*, 69(4), 1748–1754.
- Tarn, M. D., Lopez-Martinez, M. J., & Pamme, N. (2014). On-chip processing of particles and cells via multilaminar flow streams. *Analytical and Bioanalytical Chemistry*, 406(1), 139–161.
- Taylor, D. G., & Bushell, M. C. (1985). The spatial mapping of translational diffusion coefficients by the NMR imaging technique. *Physics in Medicine and Biology*, 30(4), 345.
- Terreno, E., Castelli, D. D., & Aime, S. (2013). Paramagnetic CEST MRI contrast agents. In *The chemistry of contrast agents in medical magnetic resonance imaging* (2nd ed., pp. 387–425).
- Thirring, W. (2013). *Quantum mathematical physics: Atoms, molecules and large systems*. Springer Science & Business Media.
- Thulborn, K. R., Waterton, J. C., Matthews, P. M., & Radda, G. K. (1982). Oxygenation dependence of the transverse relaxation time of water protons in whole blood at high field. *Biochimica et Biophysica Acta (BBA) - General Subjects*, 714(2), 265–270.
- Tien, R. D., Felsberg, G. J., Friedman, H., Brown, M., & MacFall, J. (1994). MR imaging of high-grade cerebral gliomas: Value of diffusion-weighted echoplanar pulse sequences. *AJR. American Journal of Roentgenology*, 162(3), 671–677.
- Tilton, N., & Cortelezzi, L. (2015). Stability of boundary layers over porous walls with suction. *AIAA Journal*, 53(10), 2856–2868.
- Torrey, H. C. (1956). Bloch equations with diffusion terms. *Physical Review*, 104(3), 563.
- Tortora, G. J., & Derrickson, B. (2012). *The cardiovascular system: Blood vessels and hemodynamics. Principles of anatomy and physiology* (p. 817). John Wiley & Sons.
- Tritton, D. J. (1988). *Physical fluid dynamics* (pp. 53–55). Clarendon Press.
- Tung, C. K., Krupa, O., Apaydin, E., Liou, J. J., Diaz-Santana, A., Kim, B. J., & Wu, M. (2013). A contact line pinning based microfluidic platform for modelling physiological flows. *Lab on a Chip*, 13(19), 3876–3885.
- Turkyilmazoglu, M. (2012). Solution of the Thomas–Fermi equation with a convergent approach. *Communications in Nonlinear Science and Numerical Simulation*, 17(11), 4097–4103.
- Turner, R., Bihan, D. L., Moonen, C. T., Despres, D., & Frank, J. (1991). Echo-planar time course MRI of cat brain oxygenation changes. *Magnetic Resonance in Medicine*, 22(1), 159–166.
- Underhill, H. R., Yuan, C., & Yarnykh, V. L. (2009). Direct quantitative comparison between cross-relaxation imaging and diffusion tensor imaging of the human brain at 3.0 T. *NeuroImage*, 47(4), 1568–1578.
- Ungar, P. J., Weiss, D. S., Riis, E., & Chu, S. (1989). Optical molasses and multilevel atoms: Theory. *Journal of the Optical Society of America B: Optical Physics*, 6, 2058–2071.
- Valverde, S., Oliver, A., Cabezas, M., Roura, E., & Lladó, X. (2015). Comparison of 10 brain tissue segmentation methods using revisited IBSR annotations. *Journal of Magnetic Resonance Imaging*, 41(1), 93–101.
- Vander Elst, L., Maton, F., Laurent, S., Seghi, F., Chapelle, F., & Muller, R. N. (1997). A multinuclear MR study of Gd-EOB-DTPA: Comprehensive preclinical characterization of an organ specific MRI contrast agent. *Magnetic Resonance in Medicine*, 38(4), 604.



- Vander Elst, L., Van Haverbeke, Y., Goudemant, J. F., & Muller, R. N. (1994). Stability assessment of gadolinium complexes by P-31 and H-1 relaxometry. *Magnetic Resonance in Medicine*, 31(4), 437.
- Velikina, J., Alexander, A. L., & Samsonov, A. A. (2010). A novel approach for T1 relaxometry using constrained reconstruction in parametric dimension. In *Proceedings of the International Society for Magnetic Resonance in Medicine* (Vol. 18, p. 350).
- Vincent, T., Risser, L., & Ciuciu, P. (2010). Spatially adaptive mixture modeling for analysis of fMRI time series. *IEEE Transactions on Medical Imaging*, 29(4), 1059–1074.
- Wagner, V., Dullaart, A., Bock, A. K., & Zweck, A. (2006). The emerging nanomedicine landscape. *Nature Biotechnology*, 24(10), 1211–1217.
- Walker, M. D., Alexander, E., Hunt, W. E., MacCarty, C. S., Mahaley, M. S., Mealey, J., Norrell, H. A., Owens, G., Ransohoff, J., Wilson, C. B., & Gehan, E. A. (1978). Evaluation of BCNU and/or radiotherapy in the treatment of anaplastic gliomas: A cooperative clinical trial. *Journal of Neurosurgery*, 49(3), 333–343.
- Wallace, D. (2010). *Situated complexity: Modelling change in nonlinear biological systems with a focus on Africa*. Xlibris Corporation.
- Wartenberg, K. A., & Mayer, S. A. (2008). Use of induced hypothermia for neuroprotection: Indications and applications. *Future Neurology*, 3(3), 325–361.
- Watson, G. N. (1966). *A treatise on the theory of Bessel functions* (2nd ed.). Cambridge University Press.
- Webb, G. A. (Ed.). (2007). *Modern magnetic resonance: Part 1: Applications in chemistry, biological and marine sciences, Part 2: Applications in medical and pharmaceutical sciences, Part 3: Applications in materials science and food science*. Springer Science & Business Media.
- Wein, L., & Koplow, D. (1999). *Mathematical modeling of brain cancer to identify promising combination treatments*. Sloan School of Management, MIT.
- Weisskoff, R., Zuo, C. S., Boxerman, J. L., & Rosen, B. R. (1994). Microscopic susceptibility variation and transverse relaxation: Theory and experiment. *Magnetic Resonance in Medicine*, 31(6), 601–610.
- Weissleder, R. (1999). Molecular imaging: Exploring the next frontier 1. *Radiology*, 212(3), 609–614.
- Wikipedia. (n.d.-a). *Advection*. <http://en.wikipedia.org/wiki/Advection>
- Wikipedia. (n.d.-b). *Mathematica*. <https://en.wikipedia.org/wiki/Mathematica>
- Wikipedia. (n.d.-c). *Nuclear magnetic resonance*. [http://en.wikipedia.org/wiki/Nuclear\\_magnetic\\_resonance](http://en.wikipedia.org/wiki/Nuclear_magnetic_resonance)
- Wikipedia. (n.d.-d). *Python (programming language)*. [https://en.wikipedia.org/wiki/Python\\_\(programming\\_language\)](https://en.wikipedia.org/wiki/Python_(programming_language))
- Wikipedia. (n.d.-e). *Rotational diffusion*. [https://en.wikipedia.org/wiki/Rotational\\_diffusion](https://en.wikipedia.org/wiki/Rotational_diffusion)
- Wikipedia. (n.d.-f). *SigmaPlot*. <https://en.wikipedia.org/wiki/SigmaPlot>
- Wikipedia: The Free Encyclopedia. (n.d.). *Magnetic resonance angiography*. [https://en.wikipedia.org/wiki/Magnetic\\_resonance\\_angiography](https://en.wikipedia.org/wiki/Magnetic_resonance_angiography)
- Willeminck, M. J., Koszek, W. A., Hardell, C., Wu, J., Fleischmann, D., Harvey, H., Folio, L. R., Summers, R. M., Rubin, D. L., & Lungren, M. P. (2020). Preparing medical imaging data for machine learning. *Radiology*, 295(1), 4–15.
- Wilson, C. B., Crafts, D., & Levin, V. (1977). Brain tumors: Criteria of response and definition of recurrence. *National Cancer Institute Monograph*, 46, 197–203.
- Wong, E. C., Buxton, R. B., & Frank, L. R. (1997). Implementation of quantitative perfusion imaging techniques for functional brain mapping using pulsed arterial spin labeling. *NMR in Biomedicine: An International Journal Devoted to the Development and Application of Magnetic Resonance In Vivo*, 10(4–5), 237–249.
- Wong, T. Z., van der Westhuizen, G. J., & Coleman, R. E. (2002). Positron emission tomography imaging of brain tumors. *Neuroimaging Clinics*, 12(4), 615–626.

- Wust, P., Hildebrandt, B., Sreenivasa, G., Rau, B., Gellermann, J., Riess, H., Felix, R., & Schlag, P. M. (2002). Hyperthermia in combined treatment of cancer. *The Lancet Oncology*, 3(8), 487–497.
- Wylie, C. R., & Barrett, L. C. (1982). *Advanced engineering mathematics*. McGraw-Hill.
- Xiao-Feng, P., & Yuan-Ping, F. (2005). *Quantum mechanics in nonlinear systems*. World Scientific.
- Xue, S., Qiao, J., Pu, F., Cameron, M., & Yang, J. J. (2013). Design of a novel class of protein-based magnetic resonance imaging contrast agents for the molecular imaging of cancer biomarkers. *Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology*, 5(2), 163–179.
- Yan, Z., & Konotop, V. V. (2009). Exact solutions to three-dimensional generalized nonlinear Schrödinger equations with varying potential and nonlinearities. *Physical Review-Section E-Statistical Nonlinear and Soft Matter Physics*, 80(3), 36607.
- Yang, M., Zhang, X., Vafai, K., & Ozkan, C. S. (2003). High sensitivity piezoresistive cantilever design and optimization for analyte-receptor binding. *Journal of Micromechanics and Microengineering*, 13(6), 864.
- Yang, N., & Vafai, K. (2006). Modelling of low-density lipoprotein (LDL) transport in the artery-effects of hypertension. *International Journal of Heat and Mass Transfer*, 49(5), 850–867.
- Yilmaz, U. N., Yaman, F., & Atilgan, S. S. (2012). MR T<sub>1</sub> and T<sub>2</sub> relaxations in cysts and abscesses measured by 1.5 T MRI. *Dentomaxillo Facial Radiology*, 41(5), 385–391.
- Yip, S. S., & Aerts, H. J. (2016). Applications and limitations of radiomics. *Physics in Medicine & Biology*, 61(13), R150.
- Young, A. A., & Axel, L. (1992). Three-dimensional motion and deformation of the heart wall: Estimation with spatial modulation of magnetization--A model-based approach. *Radiology*, 185(1), 241–247.
- Yu, K., Zaman, M. B., Baral, T. N., Whitfield, D., & Zhang, J. B. (2010). *Single-domain antibody functionalized quantum dots for cellular imaging of cancer cells*. WO2010043053.
- Yucel, K. E., Anderson, C. M., Edelman, R. R., Grist, M. T., Baum, A. R., Manning, J. W., Culebras, A., & Pearce, W. (1999). Magnetic resonance angiography update on applications for extracranial arteries. *Circulation*, 100(22), 2284–2301.
- Yukawa, H. (1935). On the interaction of elementary particles. I. *Proceedings of the Physico-Mathematical Society of Japan. 3rd Series*, 17, 48–57.
- Zarogoulidis, P., Tsakiridis, K., Karapantzou, C., Lampaki, S., Kioumis, I., Pitsiou, G., Papaiwannou, A., Hohenforst-Schmidt, W., Huang, H., Kesisis, G., & Zarogoulidis, K. (2015). Use of proteins as biomarkers and their role in carcinogenesis. *Journal of Cancer*, 6(1), 9.
- Zeng, Q., Shi, F., Zhang, J., Ling, C., Dong, F., & Jiang, B. (2018). A modified tri-exponential model for multi-b-value diffusion-weighted imaging: A method to detect the strictly diffusion-limited compartment in brain. *Frontiers in Neuroscience*, 12, 102.
- Zhang, S., Merritt, M., Woessner, D. E., Lenkinski, R. E., & Sherry, A. D. (2003). PARACEST agents: Modulating MRI contrast via water proton exchange. *Accounts of Chemical Research*, 36(10), 783–790.
- Zhou, M., Scott, J., Chaudhury, B., Hall, L., Goldgof, D., Yeom, K. W., Iv, M., Ou, Y., Kalpathy-Cramer, J., Napel, S., & Gillies, R. (2018). Radiomics in brain tumor: Image assessment, quantitative feature descriptors, and machine-learning approaches. *American Journal of Neuroradiology*, 39(2), 208–216.
- Zoppou, C., & Knight, J. H. (1999). Analytical solution of a spatially variable coefficient advection-diffusion equation in up to three dimensions. *Applied Mathematical Modelling*, 23(9), 667–685.
- Zwillinger, D. (1997). *Handbook of differential equations* (Vol. 1, p. 125). Academic Press.

# Index

## A

Acceleration, 167  
Adiabatic condition, 66  
Advanced magnetic resonance (MR) imaging techniques, 180  
Advection-diffusion equation  
  constant diffusion coefficient, 104  
  molecular diffusion, 103  
  molecular diffusion coefficient, 103  
  one-dimensional, 104  
  operator, 103  
  variable diffusion coefficient, 105  
Alzheimer's disease/epilepsy, 2  
Amedian filter, 270  
Anatomical hydrogen-based MR image, 28  
Andrew curves, 210  
Angular frequency, 241  
  absolute values, 132  
  image, 137  
  MR transverse magnetization, 129  
  profiles, 136  
  resonant, 136  
Angular momentum commutators, 70  
Antibodies, 139  
Artificial intelligence (AI), 167, 205, 347  
Artificial neural networks, 205  
Asymptotic behaviour, 232  
Asymptotic suction profile, 140, 146, 166, 167  
Atomic nuclei, 12, 21  
Avizo software image analysis  
  binarization, grayscale images, 294, 295  
  extracted numerical data  
    label analysis module, 298

  necrosis image, 300, 309  
  tumor image, 302, 309  
  image analysis, 298  
  image-based filtering, 301, 305, 306  
  image separation, 295, 297  
  interactive selection, data, 299, 301  
  processing grayscale images, 292, 293  
  2D image/3D stack, 293  
  visualizations, extracted data, 299  
AWSNeT1, 348  
AWSNet2, 348

## B

Bessel differential equation, 182, 227  
Bessel functions, 157, 210, 229  
Big data, 325  
Binarization, grayscale images  
  binary image, 294  
  gray level image, 295  
  necrosis, 296  
  tumor, 296  
  interactive thresholding, 295  
  thresholding, 294  
Binding energy, 232  
Biocompatibility testing, 28  
Biological systems, 1  
Bloch equations, 29, 30  
  equilibrium value, 45  
  equivalence principle, 46, 47  
  excitation pulses, 51, 52  
  harmonic oscillator (*see* Harmonic oscillator model)

- Bloch equations (*cont.*)
- linearity and saturation (*see* Linearity and saturation, Bloch equations)
  - magnetization components, 45
  - motion equations, 48, 49
  - oscillating field, 49–51
  - reference rotating frame, 46
  - relaxation process, 45
  - rotating field, 49–51
  - rotating frame transformation, 47, 48
  - transverse relaxation (*see* Transverse relaxation function)
- Bloch formulation
- constant fluid velocity (*see* NMR flow, constant fluid velocity)
  - field gradient, 92
  - fluid motion, 92
  - fluid motion kinematic, 92, 93
  - molecular process, 91
  - NMR flow equations, 93
  - NMR tagging, 91
  - spin magnetic moments, 91
- Bloch NMR flow equations, 93, 180, 276, 347
- analytical solutions, 217
  - arterial blood and tissues, 181
  - Bessel differential equation, 182
  - Bessel functions, 210
  - challenges, 276
  - constant fluid velocity, 95
  - description, 117
  - dynamics of fluid flow, 118, 141
  - and employ MRF-derived relaxometry data, 181
  - equilibrium magnetization, 181
  - and Hermite functions (*see* Hermite functions)
  - hydrogen atom, 248
  - hydrogen-like atom (*see* Hydrogen-like atom)
  - Larmor condition, 181
  - mathematical analysis, 118–122
  - mechanical wave function, 249
  - modification, 108
  - multidimensional diffusion, 114
  - nanotechnology, 248
  - NMR diffusion, 100
  - NMR signal, 182
  - and NMR transverse magnetization, 137
  - one-dimensional diffusion-advection, 113, 114
  - parameters, 210
  - perturbation theory (*see* Perturbation theory)
  - properties, 141
  - quantum mechanical tools, 264
  - quantum mechanics, 219, 220
  - radio frequency, 249, 250
  - radiomics, 347
  - RF  $B_1$  field, 250
  - RF field, 181
  - RF system, 117
  - second-order differential equations, 166
  - time-independent, 110, 111, 117, 140
  - variable diffusion coefficient, 112
  - variable fluid velocity, 108, 110
- Bloch-Torrey equation, 99
- Bloch-Torrey partial differential equations, 115
- Blood–brain barrier (BBB), 8, 20
- Blood clotting, 243
- Blood flow at suction points
- asymptotic profile in uniform suction, 146
  - asymptotic suction profile, 146
  - computational analysis
    - NMR transverse magnetization against  $h=y$  (within the plates), 157–165
    - NMR transverse magnetization within the plates, 149–155, 157
    - real power, 157
  - heart, 139, 140
  - Hermite polynomials, 142, 143, 145
  - Hermite’s differential equation, 144
  - and MRI, 139, 140
  - NMR transverse magnetization, 148
  - recursion formula, 145
  - Reynolds number, 147
  - RFID (*see* Radiofrequency identification system (RFID) systems)
  - suction parameter, 147, 148
  - velocity component, 147
- Blood oxygen level dependent (BOLD) effect, 18, 139
- Bohr’s expression, 221
- Bohr’s theory, 221, 242
- Boltzmann constant, 21, 38, 72
- Boltzmann distribution, 43, 78
- Boltzmann principle, 38
- Born’s formulations, 80
- Brain mapping, 167
- Brain metastases, 179, 180, 291
- Brain surface extractor algorithm, 273
- Brain tissue diagnosis, 347
- Brain tissues
- anisotropy, 116
  - profiles of angular frequency, 129, 130
  - relaxation times, 128, 129
  - RFID systems, 135

- transverse magnetization, 136
- Brain tumors
  - advanced MRI techniques, 180
  - biological features, 180
  - Bloch NMR flow equation, 181
  - classification, 210
  - ConvNet-based approach, 291
  - data visualization, 183
  - deep learning, 290
  - diagnostics, 180
  - GBM, 179, 180
  - imaging techniques, 180
  - MRF, 180
  - MRI fingerprinting (*see* MRI fingerprinting)
  - primary and metastatic malignant, 179
  - relaxometry data, 182, 183
  - semi-supervised learning model, 291
  - tissue features, 180
- Brain tumor segmentation and detection
  - Amedian filter, 270
  - brain surface extractor algorithm, 273
  - brain mutual-information histogram, 273
  - Canny edge detection, 270, 272
  - clinical noisy images, 271
  - computer-aided detection system,
    - MRIs, 274
  - dataset types, 273
  - deep learning, 272
  - FCM, 271
  - feature extraction, 270, 274
  - genetic algorithm, 273
  - histogram, 271–273
  - hybrid clustering technique, 273
  - image pixels, 271
  - K-means algorithm, 272
  - median filter, 272
  - methodology, 272
  - Meyer’s flooding watershed, 270
  - MRI images, 270, 272
  - MRI scans, 269, 272
  - noise elimination, 270
  - noise removal, 271, 272
  - orthogonal polynomial transformation, 273
  - Otsu’s thresholding method, 272
  - post processing, 270
  - pre-processing techniques, 270, 271
  - skull-stripping techniques, 273
  - threshold segmentation, 271
  - T<sub>2</sub> relaxation time, 274
  - T<sub>2</sub> relaxometry, 274
- Brain tumor segmentation (BRATS)
  - datasets, 273
- Bubble charts, 131, 136
- Bulk magnetization, 83
- b*-value, 116
- C**
  - Cancer-based relaxometry, 128
  - Canny edge detection, 270, 272
  - Capture velocities, 149–155, 157
  - Carcinogenesis, 237
  - Cardiovascular diseases, 316
  - Cardiovascular function, 140
  - Cardiovascular magnetic resonance (CMR), 18
  - Caudate, 133, 136
  - Causing light of energy, 2
  - Cellular function visualization method, 67
  - Cellular imaging, 3
  - Chemical kinetics, 24
  - Chemical microenvironment, 9
  - Chemical paramagnetic exchange saturation transfer (PARACEST), 6
  - Chemical shifts, 19
  - Classification of human brain tumors
    - artificial neural network system, 273
    - deep learning, 275
    - FNN, 273
    - LDA model, 286
    - machine learning, 275, 288
    - MRI images, 270, 348
    - MR relaxation properties, 286
    - “R” machine learning, 275, 276
    - supervised learning, 275
  - Clinical MRI systems, 15
  - Complex relaxation profile, 91
  - Complex susceptibility, 56, 57
  - Compressed sensing (CS), 34, 35
  - Computational model
    - advantages, 33, 34
    - MRI contrast agents
      - concentration profiles, 342
      - fluid velocity, 319
      - graphic user interface, simulation
        - computer program, 321
      - imaging objectives, 318
      - magnetic properties, 318
      - NMR relaxometric properties, 320
      - physiological environments, 321
      - quantitative imaging techniques, 341
      - reconstructed image, 338–340, 342–344
      - simulation program, 323
      - T<sub>0</sub> and T<sub>g</sub> relaxation rates, 321
      - time-independent Bloch NMR flow equation, 319
      - transverse magnetization, 321

- Computational model (*cont.*)
    - Wolfram Mathematica software, 320
  - Computational molecular magnetic resonance imaging (CMMRI), 10
  - Computational MRI modelling and differential equations, 90, 91
  - Computational pharmacology, 31
  - Computational science
    - computer science, 32
    - computer technology, 31
    - definition, 31
    - fundamental questions, 31
    - grand challenge category, 31
    - mathematical model, 32
    - models construction, 31
    - scientific application, 31
    - scientific fields, 31, 32
  - Computational techniques, 31
  - Computer aided diagnosis of brain tumor (CADBRAT), 348
  - Computer science, 32
  - Computer technology, 31
  - Constant fluid velocity, 105
  - Continuous wave (CW), 64
  - Contralateral white matter, 128, 129, 132
    - glioblastoma multiforme, 135, 136
    - low grade glioma, 135
    - metastasis, 135
  - Contrast agents, 20
  - Convection/advection, 103
  - Conventional *in vitro* cell/tissue culture, 8
  - Conventional molecular imaging methods, 2
  - Conventional spectroscopy, 56
  - Convolutional neural networks (ConvNet), 273, 291, 348
  - Coriolis forces, 221
  - Corpus callosum, 133
  - Correlation matrices, 192
  - Coulomb potential, 226, 231–236, 238–242, 244, 245
  - Curie constant, 39
  - Curie's Law, 39, 74–76
  - Cytochrome C protein, 237–240, 242, 244, 245
- D**
- Damped oscillator, 53, 54
  - Data science, 345
  - Data visualization, 183
  - de Broglie equation, 250
  - Decision tree, 202, 203
  - Deep learning, 167, 272, 275, 290, 291, 347
  - Deep neural networks, 205, 208–210
  - Del operator, 93
  - Delta function excitation, 59
  - Diethylenetriaminepentaacetate (DTPA), 24
  - Diffusion coefficient, 116, 117, 126, 137
  - Diffusion imaging, 19
  - Diffusion MRI
    - Bloch's NMR flow equation (*see* Bloch's NMR flow equation)
    - Bloch-Torrey partial differential equations, 115
    - clinical and research applications, 115
    - diffusion coefficient, 126
    - diffusion image, 127
    - dimensionless parameter, 116
    - DWI, 131
    - gradient system, 116
    - Hermite polynomials, 125, 126
    - measuring-time-dependent diffusion coefficient, 117
    - Rodrigues formula, 125
    - scaling laws, 116
    - scanner, 116
    - sequence design, 116
    - Stejskal-Tanner formula, 116
    - surface-to-volume ratio, 117
    - transverse magnetizations, 125
  - Diffusion tensor imaging (DTI), 19, 180
  - Diffusion time, 116
  - Diffusion weighted image (DWI), 127, 131, 136, 137
  - Dimensional variables, 147
  - Discrete flow velocities, 157
  - Discrete velocities, 157
  - Drug delivery and development, 347
  - Dynamic magnetic susceptibility, 57–59
- E**
- Earth's magnetic field, 15
  - Effective magnetic field, 50, 51
  - Electron mass, 229
  - Electron microscopy, 14
  - Electrostatic and van der Waals forces, 237
  - Elementary Fourier synthesis, 55
  - Embedding geometry, 117
  - Environment sensing agents, 27
  - Epilepsy, 275
  - Equilibrium magnetization, 77
  - Equilibrium states, 43
  - Equivalence principle, 46, 47
  - Equivalence value computation, 71
  - Excitation pulses, 51, 52
  - Explicitness, 33

Exponential function, 119  
 Extra trees, 204

## F

Faraday's Law, 65  
 FCM soft clustering method, 271  
 Feed-forward Neural Network technique, 271  
 Ferromagnetics, 25  
 Ferromagnetism, 25  
 Ferumoxides, 27  
 FLASH imaging sequence, 337, 341, 344  
 Flow velocity, 141, 149, 157, 167, 177  
 Fluid attenuated inversion recovery (FLAIR)  
   hyperintensity, 182  
 Fluid velocities, 108, 121, 124, 141, 220, 230,  
   238, 243  
 Fluorodeoxyglucose (FDG), 180  
 Forward neural network (FNN), 273  
 Fourier duality, 55, 56  
 Fourier series, 210  
 Fourier transform, 56, 61  
 Free space permeability, 58  
 Frontal gray matter, 133  
 Functionalization of MR contrast agents  
   analytical platform, 28  
   biocompatibility, 28  
   design and engineering, 28  
   designing, 27  
   developments, 26  
   environmentally influenced agents, 27  
   ferrimagnetic, 27  
   *in-vitro/in-vivo*, 27  
   *in-vivo* MR signal detection, 28  
   iron oxides, 27  
   molecular imaging, 29  
   sensitivity, 27  
   single beam optical trap, 29  
   T<sub>1</sub> agents, 28  
 Functional magnetic resonance imaging  
   (fMRI), 3, 18, 139, 167  
 Functional nano-MRI, 36  
 Functional/pharmacological magnetic  
   resonance imaging (f/phMRI), 9  
 Fuzzy expert systems, 271

## G

Gadolinium, 24, 27  
 Gd-DTPA complex, 24  
 GE Healthcare Systems, 131  
 Gene-based designer drugs, 248  
 Generalized susceptibility, 54, 56

General relaxivity behaviour, 26  
 Glioblastoma multiforme (GBM), 136, 179,  
   180  
   contralateral white matter, 135, 136  
   peritumoral white matter, 134  
   solid tumor, 134  
 Glioma grades, 180  
 Gradients, 15  
 Ground state, 157  
 Gyromagnetic ratio, 181

## H

Hamiltonian, 72  
 Hamiltonian operator, 82, 234  
 Hamilton's equations, 68  
 Harmonic oscillator model  
   complex susceptibility, 56, 57  
   damped harmonic oscillator, 53  
   dynamic magnetic susceptibility, 57–59  
   Fourier duality, 55, 56  
   linearity and superposition, 54, 55  
   NMR share, 52  
 Heisenberg equation, 68  
 Heisenberg picture, 86, 87  
 Hermite differential equation, 122  
 Hermite polynomials, 122, 124–126, 135, 137,  
   140, 142, 143, 145, 148, 149, 167  
 Hermite's differential equation, 144  
 Hierarchical self-organizing map (HSOM), 272  
 Histogram, 271–273  
 Histopathology, 2  
 Human blood vessels  
   hemodynamic properties, 253  
   NMR transverse magnetization, 253, 258,  
   265–267  
 Human medicine, 3  
 Hybrid clustering technique, 273  
 Hydrogen atom, 13, 245, 248, 252  
 Hydrogen-like atom  
   advantages, 245  
   Coulomb potential, 231–236  
   eigenvalue, 242  
   electrolytes, 243  
   electron charge, 220  
   and hydrogen-like ions, 221  
   internal motion, 220  
   neuro-oncology (*see* Neuro-oncology)  
   NMR parameters, 220  
   N-space dimensions, 231  
   nucleus charge, 220  
   radial distance, 240, 241, 244, 245  
   radiofrequency pulse, 240, 241, 244, 245

- Hydrogen-like atom (*cont.*)
  - RF magnetic field, 221
  - (3-D) position and time, 242
  - Schrödinger's equation, 221
  - structure, 220, 243
  - translational motion, 220
  - Yukawa potential, 223–231
- Hydrogen-like ions, 221
- Hydrogen nuclear spins, 13
- Hydrogen nucleus, 13
  
- I**
- Image analysis, 298
- Image-based filtering, 301, 305, 306
- Image computation algorithms, 16
- Image contrast, 16, 17
- ImageJ software, 132, 136
- Image processing algorithm, 293
- Image separation, 295, 297
- Imaging techniques, 180
- Incident light of energy, 2
- Infrared imaging, 14
- Intact physiological systems, 2
- Interaction (Dirac) picture, 88–90
- Interaction Hamiltonian, 88
- Interactive thresholding, 294, 295
- Inter-nuclear dipole-dipole interaction, 76
- Inter-spin interactions, 75
- Interventional magnetic resonance imaging (iMRI), 9
- In-vivo* assessment, 4
- In vivo* molecular dynamics, 8
- In vivo* molecular imaging, 8
- In vivo* pharmacokinetics, 9
- IoT, 167, 177
- Iron oxide nanoparticles, 262
  
- K**
- Kinetic energy, 256, 264
- K-means clustering, 269, 272
- K-Nearest Neighbors (KNN), 204, 210
  - accuracy, 284
  - Cohen's Kappa, 284
  - nonlinear models, 284
- Knowledge-based unsupervised fuzzy clustering approach, 275
- K-space, 16, 34
  
- L**
- Label analysis module, 298, 307
- Label encoding, 191
- Lagrangian derivative, 93
- Laplace's operator, 224
- Laplacian, 101
- Larmor condition, 181
- Larmor frequency, 11, 40, 128, 140, 146, 222
- Larmor precession, 49
  - frequency, 46
  - magnetization vector, 42
  - motion spin equation, 40
  - RF pulse, 40
  - spin precession, 41, 42
  - transverse magnetization, 43
- Larmor relationship, 13
- Larmor resonance frequency, 13
- Learning vector quantization (LVQ), 270
- Light microscopy, 14
- Linear Discriminant Analysis (LDA), 286
  - accuracy, 284, 288
  - Cohen's Kappa, 284, 285
  - computer-based diagnosis, brain tumours, 288
  - confusion matrix, 286, 287
  - evaluation results, 285
  - human brain tumor, 288
  - linear model, 284
  - performance statistics, 286
- Linearity and saturation, Bloch equations
  - adiabatic condition, 66
  - conditions, 63
  - CW, 64
  - Larmor frequency, 64
  - magnetization components, 64
  - non-adiabatic condition, 65, 66
  - response and excitation, 64
  - transverse component, 63
- Linearly polarized magnetic field, 62, 63
- Linear regression, 183, 193, 194, 210
- Liouville equation, 30
- Localized neuro-chemical changes, 5
- Logistic regression, 191
- Longitudinal/spin-lattice relaxation, 17
- Lorentzian behaviour, 66
- Low grade glioma, 136
  - contralateral white matter, 135
  - peritumoral white matter, 134, 136
  - solid tumor, 134, 136
- Lysozyme protein molecule, 238
  
- M**
- Machine learning, 275, 311, 347
  - classical models, 205
  - classification accuracies, 217
  - decision tree, 202, 203
  - extra trees, 204
  - human intervention/assistance, 191



- KNN, 204
  - label encoding, 191
  - logistic regression, 191
  - models, 287
  - Naive Bayes, 202
  - radiomics, 290
  - random forest, 204
  - scikit-learn Python library, 191
  - SVM, 202
  - XGBoost, 204
- Macroscopic magnetization, 70
- Macroscopic quantum mechanical phenomenon, 68
- Magnetic moment operator, 69
- Magnetic resonance (MR), 3
- Magnetic resonance angiography (MRA), 18
- Magnetic resonance fingerprinting (MRF), 180
- Magnetic resonance force microscopy (MRFM), 35
- Magnetic resonance imaging (MRI), 3
  - applications, 17–19
  - and blood flow, 139, 140
  - clinical scanners, 9
  - components, 11
  - diffusion (*see* Diffusion MRI)
  - equipment, 15–16
  - experimental studies, 9
  - image acquisition and computation, 16
  - image contrast, 16, 17
  - NMR (*see* Nuclear magnetic resonance (NMR) imaging)
  - non-gradient, 123, 124
  - non-invasive visualization, 11
  - nuclear magnetic resonance signals, 9
  - paramagnetic contrast media, 6
  - PET, 8
  - physical properties, 8
  - physics, 14
  - principles, 12–14
  - processing
    - Avizo software (*see* Avizo software image analysis)
    - brain scans, 307
  - RFID, 118
  - RF signals, 117
  - spatial resolution, 6, 9
  - types, 9
  - versatile technique, 9
- Magnetic resonance spectroscopy (MRS), 9, 13
- Magnetic Resonance Zeugmatography*, 14
- Magnetization, 38, 39, 43, 51
- Magnets, 15
- Mathematica program, 129, 136
- Mathematical model, 32, 33
- Median filter, 272, 293, 307
- Median Lethal Dose (LD<sub>50</sub>), 24
- Medical imaging, 4
- Medical interventions, 1
- Mesial temporal sclerosis (MTS), 274
- Metal complex stability, 24
- Metastasis, 180
  - contralateral white matter, 135
  - peritumoral white matter, 134
  - solid tumor, 134
- Microcrystalline iron oxide nanoparticles (MIONs), 25
- Micro-environment, 313
- Microscopic blood vessels, 263–265
- Microscopic magnetism, 12
- Mobile charge carriers, 231
- Molecular and cellular studies, 2
- Molecular biology, 2–4
- Molecular cardiovascular imaging, 20
- Molecular/cellular processes, 1
- Molecular dynamics, 5
- Molecular imaging, 180
  - clinical practice, 5
  - vs.* conventional imaging, 3
  - definition, 3
  - developments, 5
  - disease diagnosis and treatment, 9
  - human medicine, 4–5
  - interactions, 3
  - MR, 3
  - non-invasive visualization, 3
  - techniques (*see* Molecular imaging techniques)
  - technologies, 4
  - visual representation, 3
- Molecular imaging techniques
  - biomedical imaging method, 6
  - characteristics, 7
  - clinical application test, 8
  - functional connectivity and human behaviour, 5
  - imaging with radionuclide, 6
  - MRI, 6
  - optical imaging, 6
  - spatial resolution challenges mitigation, 4
  - treatment planning, 4
  - ultrasound, 6
- Molecular interactions, 3
- Molecular medicine
  - advantages, 5
  - analytical technique, 2
  - goal, 4

- Molecular medicine (*cont.*)
  - inter-dependence, 2
  - knowledge-based molecular information, 2
  - molecular level disease treatment, 1
  - perspective tissue diseases, 5
- Molecular MR imaging, 18, 29
- Molecular pathology, 5
- Molecular sensitivity, 21
- Molecular signatures, 128, 135
- Molecular-targeted drugs, 10
- MR contrast agents
  - antibody, 19
  - atomic basis, 21, 22
  - cellular events, 19
  - chemical features, 20
  - flexible process, 19
  - functionalization, 26–29
  - generating methods, 20
  - multifunctional assemblies, 20
  - T<sub>1</sub> agents, 24, 25
  - T<sub>1</sub>, T<sub>2</sub>, and T<sub>2</sub><sup>\*</sup>, 22–24
  - T<sub>2</sub> agents, 25, 26
- MR diffusion process
  - Bloch NMR equation, 99
  - diffusion coefficient, 100
  - expression, 99
  - fluid spins, 99
  - magnetization, 100
  - multidimensional diffusion
    - constant diffusion coefficient, 100
    - variable diffusion coefficient, 101
  - nuclear spins, 99
- MR fingerprints, 135
- MR molecular imaging
  - detection sensitivity, 35
  - diamond-based nanomagnetometer, 36
  - image voxel size, 35
  - independent studies, 35
  - medical diagnostics, 35
  - MRFM, 36
  - noise suppression techniques, 36
  - NV, 36
  - radiofrequency field, 36
  - single nuclear spins, 36
- MR optics principles, 29, 30
- MR relaxometry, 136
- MR sensitivity, 6
- MR signal, 14
- MR signal dataset
  - Andrew curves, 216
  - correlation matrices, 192
  - linear regression, 193, 194
  - machine learning, 217
  - MRI fingerprinting, 183–191, 195–202
  - MR signal, 203, 213–215
  - NMR signal, 212
  - scatter plots, 211, 212
  - transverse magnetization, 203, 212–215
- MR signal distribution, 136
- MR spectroscopy, 180
- MR theoretical background
  - Curie's law, 37, 39
  - Larmor precession, 40
  - magnetic susceptibility, 39, 40
  - NMR relaxation, 43, 44
  - paramagnetism, 37–39
  - spin interactions, 44
  - spin-lattice, 44
  - spin-spin relaxation, 44
- MRI applications
  - diffusion imaging, 19
  - functional imaging, 18
  - MRA, 18
  - physiological, 18
  - spectroscopy, 19
- MRI-based diagnosis, 303
- MRI contrast agents, 17
  - Bloch NMR flow equation, 314
  - blood vessel types, 316
  - cardiovascular diseases, 316
  - clinical analysis, 337
  - computational model, 314
  - Curie law, 314
  - FLASH imaging sequence, 337, 341
  - imaging parameters, 345
  - Mathematica computer program, 337
  - monitor blood flow, human blood vessels, 316
  - physiological system, 314
  - relaxation parameters, 316
  - transverse magnetization, 316–318
- MRI devices, 349
- MRI equipment
  - gradients, 15
  - magnets, 15
  - RF system, 16
- MRI fingerprinting
  - magnetic resonance signal dataset, 183–191, 195–202
  - measurements and equation, 184–191, 195–202
  - relaxation measurements, 182, 183
- MRI-guided surgical procedures, 15
- MRI paramagnetic contrast media, 314
- MRI principles
  - atomic nuclei, 12

- hydrogen atom, 13
- Larmor relationship, 13
- microscopic magnetism, 12
- NMR signals, 13
- nuclear resonance, 12
- nuclear spins, 12, 13
- nuclei, 12
- Planck's constant, 13
- polarizing magnetic field, 13
- sequences and methods, 14
- three-dimensional imaging, 14
- tissue metabolism, 13
- MRI relaxometry dataset
  - correlation matrix, 283
  - statistical summary, 280, 281
  - tumor types, 276, 277, 287
  - visualization, 281, 282
- MRI signals, 229
- Multi-element phased arrays, 16
- Multimodal agents, 29
- Muscle contraction, 243
- Myocardial function, 140
  
- N**
- Naive Bayes, 202, 210
- Nanodevices, 247, 251, 264
- Nano-diamonds, 36
- Nano-drug, 263
- Nanomachines
  - gene-based designer drugs, 248
  - localization, 264
  - medical procedures, 265
  - transverse magnetization, 265
- Nanomedicine
  - goal, 247
  - nanodevices, 247
  - nanoparticles, 248
  - nanotechnology, 247
  - NMR/MRI application, 248
- Nanoparticles, 248
- Nanotechnology
  - Bloch NMR flow equation, 248
  - modern medicine, 264
  - nanodevices, 251
  - nanomedicine, 247
  - nanometre, 247
- Necrosis image component separation, 297
- Nerve conduction, 243
- Neuro-oncology
  - COH bonds, 237
  - cytochrome C protein, 237, 238
  - electrostatic and van der Waals forces, 237
  - electrostatic interaction, 237
  - hydrogen atoms, 237
  - lysozyme protein molecule, 238
  - protein matrix, 237
  - Receptor-tyrosine-kinase-like Orphan Receptor 1, 237
  - SANS experiments, 238
  - 2Y fluid model, 238
- Newton's Second Law, 40
- Nitrogen-vacancy (NV), 36
- NMR absorption signal, 64
- NMR diffusion-advection equation, 105
- NMR excitation and response, 63
- NMR flow, constant fluid velocity
  - general Bloch equation, 94, 96
  - time-dependent Bloch equation, 98
  - time-independent Bloch equation, 96, 97
- NMR free precession signal, 38
- NMR frequency range, 21
- NMR/MRI
  - Bohr's expression, 221
  - flow parameters, 220
  - fluid particle, 220
  - microscopic method, 220
  - quantum mechanical domain, 221–223
  - Schrödinger equation, 221
  - spins, 220
- NMR parameters, 96
- NMR proton, 235
- NMR relaxation, 43, 44, 281, 282
- NMR relaxation quantum treatment
  - classical equations, 71
  - Curie's Law, 74–76
  - equilibrium state, 72
  - equilibrium system, 72–74
  - expectation values, 72
  - mechanical pictures (*see* Quantum mechanical pictures)
  - pulsed NMR (*see* Pulsed NMR magnetization)
  - rotating magnetic field, 83–86
  - static field  $B_0$ , 79–83
- NMR resonant (angular) frequency, 42
- NMR-sensitive nuclei, 29
- NMR signal, 182
- NMR signal damping, 103
- NMR spectroscopy, 242
- NMR systems, 252
- NMR tagging, 91
- NMR transverse magnetization, 276
  - against  $h=y$  (within the plates), 157–165
  - cytochrome C, 239, 240
  - $n$ th-order Hermite polynomial, 167

- NMR transverse magnetization (*cont.*)  
 RFIDs and velocities for different tissues,  
 166, 168–177  
 and signal, 140  
 within the plates, 149–155, 157
- NMR wave equation, 249  
 Coulomb potential, 231–236  
 description, 222  
 quantity, 222  
 Yukawa potential, 223–231
- Noise suppression techniques, 36
- Non-adiabatic condition, 65, 66
- Non-gradient MRI, 123, 124
- Non-polarized bonds (COH bonds), 237
- Nuclear magnetic moment operator, 70
- Nuclear magnetic resonance (NMR) imaging  
 Advection-Diffusion (*see* Advection-Diffusion equation)  
 analytical chemistry, 19  
 applied RF pulse, 128  
 Bloch equations (*see* Bloch equations)  
 Bloch NMR flow equation (*see* Bloch NMR flow equation)  
 chemical diagnostic, 35  
 linearity condition, 223  
 relaxation, 22  
 relaxometers, 138  
 relaxometry data, 128  
 spectroscopy, 17  
 transverse magnetization, 124, 135, 136
- Nuclear paramagnetic susceptibility, 63
- Nuclear spins, 12, 13, 99
- O**
- Occipital gray matter, 133
- Occipital white matter, 133
- One-dimensional diffusion-advection, 104,  
 113, 114
- One-dimensional NMR diffusion equation, 113
- Optical Bloch Equations, 37
- Optical imaging, 6, 8
- Ordinary differential equations (ODEs), 91
- Ortho Slice module, 292
- Orthogonal polynomial transformation, 273
- Otsu's thresholding method, 272
- Outer-sphere relaxation, 25
- P**
- PARACEST agents, 24
- Paramagnetic substance, 17
- Paramagnetism, 25, 38
- Partial differential equation (PDE), 91
- Particle energy, 243, 244
- Perfusion imaging, 180
- Peritumoral white matter, 128, 129, 131, 136  
 glioblastoma multiforme, 134  
 low grade glioma, 134  
 metastasis, 134
- Permanent iron-core magnets, 15
- Personalized molecular medicine, 4
- Perturbation theory, 140, 146, 166
- PET/SPECT, 6
- Pharmacological agents, 4
- Physical sensation/activity, 167
- Physiological MR imaging, 18
- Planck's constant, 13, 21, 223
- Plaque characteristics, 262, 263
- Plaque pathogenicity, 262
- Polarization, 12
- Positron emission tomography (PET), 5, 8, 9,  
 180
- Probabilistic artificial neural networks  
 (PNN), 270
- Prognostic information, 179
- Protein, 2
- Protein-based anti-cancer remedies, 237
- Protein matrix, 237
- Protein-structured nanomachines, 264
- Proton-electron system, 238, 242
- Pseudo-progression, 180
- Pseudo-response, 180
- Pulsed NMR magnetization  
 approximation, 76, 77  
 Hamiltonian, 76, 77  
 longitudinal and transverse magnetization,  
 78, 79  
 quantum responses, 77, 78
- Putamen, 133, 136
- Python-based classification algorithm, 325
- Python deep learning, 205–207
- Q**
- QM-designed drugs, 264
- Quantum drugs  
 barrier potential, human heart, 260  
 energy, 251, 252  
 hemodynamic properties, human blood  
 vessels, 253  
 kinetic energy, 251  
 magnetic resonance, 252  
 nanomachine, 251, 252  
 tunnelling effect (*see* Quantum tunnelling)
- Quantum mechanical laws, 266

- Quantum mechanical model, 248–250
  - Quantum mechanical pictures
    - Heisenberg, 86, 87
    - interaction, 88–90
    - quantum dynamic motion, 86
    - Schrödinger, 87, 88
  - Quantum mechanical tools, 264
  - Quantum mechanics (QM), 67, 252
    - Bloch flow equation, 219, 220
    - NMR/MRI, 220–223
  - Quantum number, 234
  - Quantum states, 235
  - Quantum tunnelling
    - barrier, 263
    - blood vessels, 257
    - boundary conditions, 259
    - feature, 257
    - fluid velocity, 259
    - iron oxide nanoparticles, 262
    - kinetic energy, 263
    - nano-drug, 263
    - plaque characteristics, 262
    - plaque size, 263
    - potential energy, 260
    - RF energy, 261, 263
    - transmission coefficient, 260–263
- R**
- Radiation necrosis, 180
    - area extraction
      - BaryCenterX, 306, 308
      - BaryCenterY, 306, 308
    - filtered area
      - BaryCenterX, 309, 310
      - BaryCenterY, 310
    - filtered data
      - image reconstruction, 307, 309
    - filtered extracted data, 308, 309, 311
    - filtered extracted numerical data, 309, 311
    - image data, 303
    - image elements
      - area, 304
      - BaryCenterX, 304
      - BaryCenterY, 305
      - filtered area, 312
      - filtered BaryCenterX, 312
      - filtered BaryCenterY, 312
    - interactive selection, 306, 309
    - median filter, 293
    - SRS, 292
  - Radio frequency (RF), 11, 22, 249, 250, 347
  - Radiofrequency identification system (RFID) systems
    - brain tissues, 135
    - diffusion MRI (*see* Diffusion MRI)
    - electromagnetic fields, 118
    - RF pulse in MRI experiments, 118
    - tissues with identification, 124
    - and velocity data generation for different tissues, 166, 168–177
  - Radiolabeled ligands, 6
  - Radiomics
    - application, 289
    - challenges, 291
    - deep learning, 291
    - features quantification, 290
    - machine learning, 290
    - neuro-oncology, 347
    - research opportunities, 291
    - semi-supervised learning, 290
  - Random forest (RF), 204
    - accuracy, 284
    - Cohen’s Kappa, 284
    - complex nonlinear models, 284
  - Receptor-tyrosine-kinase-like Orphan Receptor 1, 237
  - Recursion formula, 145
  - Regression trees
    - accuracy, 284
    - Cohen’s Kappa, 284
  - Relaxation process, 43, 44
  - Relaxation rates, 118, 141, 149
  - Relaxivity, 23
  - Relaxometer, 288
  - Relaxometry
    - brain tumors, 182, 183
    - cancer-based, 128
    - MR, 136
    - NMR, 128
  - Repetition time (TR), 23
  - Resonant transverse field, 51
  - Responsive contrast agents, 313
  - Reynolds number, 147
  - RF identification, 128
  - RF magnetic field, 221
  - RF pulse, 118, 128, 240, 241, 244, 245
  - RF transmission system, 16
  - “R” machine learning
    - brain tumor classification, 275
    - data science, 275
    - dataset, 283
    - programming language, 275
    - uses, 275
  - Rodrigues formula, 125
  - Rydberg, 235

**S**

Saturation, 65  
 Schrödinger equation, 81, 83, 221  
 Schrödinger-like evolution, 88  
 Schrödinger picture, 87, 88  
 Scientific research, 31  
 Scikit-learn Python library, 191  
 Screening MRI contrast agents, machine learning  
   applications, 323  
   data preparation, 325, 327  
   data visualization, 327, 328  
   drug discovery and development, 323  
   experimental relaxivity measurements, 325  
   NMR relaxivities, 328  
   Python-based classification algorithm, 325  
    $r_1$ relaxivity  
     dataset, 329, 331, 335  
     distribution, 327, 333  
    $r_2$ relaxivity  
     dataset, 330, 332, 335  
     distribution, 327, 334  
   XGBoost, 328, 333, 334, 336, 344  
 Second-order differential equations, 110, 166  
 Segmentation, 270, 271, 273, 303  
 Self-organizing map (SOM), 272  
 Semi-supervised learning, 290  
 Separate Objects module, 295, 296  
 Shallow deep learning, 205–207  
 Shallow neural network, 205–207, 210  
 Signal acquisition methods, 16  
 Single photon emission computed tomography (SPECT), 5, 29  
 Signal-to-noise ratio (SNR), 9  
 Small-angle neutron scattering (SANS)  
   experiments, 238  
 Small particles of iron oxide (SPIOs), 25, 26  
 Smarter healthcare, 177  
 Smart/responsive MR contrast agents, 27  
 Software, 349  
 Solid tumor, 128–130  
   glioblastoma multiforme, 134  
   low grade glioma, 134  
   metastasis, 134  
 Spatially-extended three-dimensional light patterns, 29  
 Spatial magnetic field gradients, 13  
 Specialized imaging methods, 4  
 Specific image processing methods, 16  
 Spectroscopic approach, 68  
 Spectroscopic imaging, 19  
 Spectroscopic notation, 235  
 Spherical harmonics function, 230

Spin angular momentum operator, 71  
 Spin interactions, 44  
 Spin motion quantum and classical descriptions  
   commutators evaluation, 70  
   elementary interpretation, 68  
   equivalence value computation, 71  
   Hamilton's equations, 68  
   Heisenberg equation, 68  
   Larmor frequency, 67  
   macroscopic, 67, 68  
   magnetic moment operator, 69  
   NMR, 68  
   resonance frequency, 67  
 Spin precession, 41, 42  
 Spin-lattice relaxation, 23, 45  
 Static magnetic susceptibility, 38  
 Stationary reference frame, 47  
 Stejskal-Tanner formulation, 115, 116, 137  
 Stejskal-Tanner procedures, 137  
 Stereotactic radiosurgery (SRS), 291  
 Stream function, 119  
 Suction parameter, 147–155, 157–161, 167  
 Superparamagnetism, 25  
 Supersymmetric approach, 230  
 Supervised learning, 275, 290  
 Support vector machine (SVM), 202  
   accuracy, 284  
   Cohen's Kappa, 284  
   complex nonlinear models, 284  
 Surgical procedures, 2

**T**

$T_1$  agents chemistry, 24, 25  
 $T_1$  relaxation, 17, 22  
 $T_1$ ,  $T_2$ , and  $T_2^*$  contrast agents, 22–24  
 $T_1$ -weighted images, 23  
 $T_2$  agents, 25, 26  
 $T_2$  relaxation, 17, 22, 274  
 $T_2$ relaxivity, 26  
 $T_2$  relaxometry, 274  
 $T_2^*$  relaxation, 22  
 T2-weighted FLAIR MRI  
   progressive tumour, 292, 307  
   radiation necrosis, 292, 307  
 $T_2$ -weighted image, 23  
 $T_2^*$ -weighted sequences, 27  
 Taylor series expansion, 145  
 Thalamus, 133  
 Thermal equilibrium system, 72–74  
 Threshold binarization, 294  
 Thresholding, 294  
 Threshold segmentation, 271

- Time-dependent Bloch NMR flow equation, 98
  - Time-dependent function, 92
  - Time dependent Schrödinger equation, 68
  - Time-independent Bloch NMR flow equation, 96, 97, 110, 111
  - Time-independent Schrödinger equation, 79
  - Tissue discrimination, 180
  - Tissue identification, 135, 136
  - Traditional imaging methods, 3
  - Transient excitation, 55
  - Transverse magnetizations, 43, 44, 58, 100, 107, 108, 121, 241, 316
    - diffusion MRI, 125
    - low-grade glioma, 136
    - MR, 129, 133–135
    - NMR, 124, 135–137
  - Transverse relaxation function, 22
    - causality condition, 61
    - delta function excitation, 59
    - energy dissipation, 60
    - equilibrium magnetization, 60
    - Fourier transform, 61
    - free induction decays, 61
    - linearly polarized field, 62, 63
    - magnetic field impulse, 60
    - restrictions, 60
  - Tumor detection, 273
  - Tumor image component separation, 297
  - Tumour progression
    - area extraction
      - BaryCenterX, 305, 308
      - BaryCenterY, 305, 308
    - filtered area
      - BaryCenterX, 309, 310
      - BaryCenterY, 309, 310
    - filtered data
      - image reconstruction, 308, 309
    - filtered extracted data, 309
    - image elements
      - area, 304
      - BaryCenterX, 304
      - BaryCenterY, 305
      - filtered area, 312
      - filtered BaryCenterX, 312
      - filtered BaryCenterY, 312
      - interactive selection, 307, 309
    - Two-Yukawa (2Y) fluid model, 238
- U**
- Ultra-cold atoms, 157
  - Ultra-small particles of iron oxide (USPIOs), 25, 26
  - Ultrasound, 6
  - Ultraviolet imaging, 14
  - Unsupervised learning, 275, 290
- V**
- van der Waals potential, 238
  - Variable-coefficient diffusion processes, 101
  - Variable diffusion coefficient, 112
  - Variable fluid velocity, 108
- W**
- Water protons, 314
  - Wearable devices, 167
  - Whole brain radiotherapy (WBRT), 292
  - WKB approximation, 254, 255, 257, 265
  - Wolfram Mathematica program, 341, 345
- X**
- XGBoost, 204, 328, 333, 334, 336, 344
- Y**
- Yukawa potential, 219, 220, 223–231, 238, 239, 241–244, 246
- Z**
- Zeeman Hamiltonian operator, 76
  - Zeeman term, 75
  - Zero-point motion, 157
  - Zeugmatographic techniques, 14