

# **PROCEEDING 9**

**Proceedings of  
the WABER 2017  
Conference**

**16-18 August  
University of Ghana  
Accra, Ghana**





WEST AFRICA BUILT ENVIRONMENT RESEARCH (WABER) CONFERENCE  
*Knowledge, Interaction, People & Leadership*

**PROCEEDINGS OF THE WABER 2017  
CONFERENCE**  
16<sup>th</sup>-18<sup>th</sup> August 2017  
University of Ghana, Accra, Ghana

**EDITORS**

**Sam Laryea**  
Wits University, South Africa

**Eziyi Ibem**  
Covenant University, Nigeria



**WABER**  
**conference**  
*West Africa Built Environment Research Conference*  
*Knowledge, Interaction, People & Leadership*

• Accra, GHANA

• 16-18 AUG.

• University of Ghana

Proceedings of the West Africa Built Environment Research (WABER) Conference 2017

16th - 18th August 2017

University of Ghana, Accra, Ghana

© Copyright, WABER Conference.

The copyright for papers in this publication belongs to authors of the papers. Refer to copyright statement in publication for more details

ISBN 978-0-620-76913-6

The ISBN for this publication was provided by the National Library of South Africa. Legal deposits of the publication have been supplied to the National Library of South Africa, Library of Parliament, and other places of Legal Deposit.

First published in August 2017

Published by:

West Africa Built Environment Research (WABER) Conference  
C/o Sam Laryea

School of Construction Economics and Management  
University of the Witwatersrand

1 Jan Smuts Avenue, Johannesburg, South Africa

Tel: +233 545 204 300 / +27 78 172 6106

Email: [info@waberconference.com](mailto:info@waberconference.com) / [samuel.laryea@wits.ac.za](mailto:samuel.laryea@wits.ac.za)

Website: [www.waberconference.com](http://www.waberconference.com)

Editors

Sam Laryea, Wits University, South Africa

Eziyi Ibem, Covenant University, Nigeria

Cover design by Streak Design

Declaration

All papers in this publication have been through a review process involving initial screening of abstracts, review of full papers by at least two referees, reporting of comments to authors, revision of papers by authors and re-evaluation of re-submitted papers to ensure quality of content.

## TABLE OF CONTENTS

|   |       |
|---|-------|
| Table of Contents   | iii   |
| Foreword  | v     |
| Copyright Statement   | ix    |
| Declaration of peer review and scientific publishing policy | xi    |
| Scientific Committee and Review Panel                       | xiii  |
| WABER Committee   | xv    |
| Sponsors and Partners                                       | xvii  |
| Prizes to be awarded at the WABER Conference 2017           | xix   |
| WABER interacts with previous winners of Best Paper Prize   | xxi   |
| Profile of Keynote Speakers                                 | xxv   |
| Programme for WABER 2017 Conference                         | xxxii |
| Programme for Academic Writing and Publication Workshop     | xliv  |
| Programme for Workshop for Research Supervisors             | xlv   |
| List of Papers in WABER 2017 Conference Proceedings         | xlvi  |
| Keynote Addresses   | 1     |
| Conference Papers   | 11    |
| Index of Authors  | 1463  |
| Index of Keywords   | 1467  |



NEA ONNIM NO SUA A, OHU

*"He who does not know can know from learning"*

This is the Adinkra symbol of knowledge, life-long education and continued quest for knowledge. The Akan people in West Africa believe that the search for knowledge is a life-long process. This is evident from the Akan saying "Nea onnim sua a, ohu nea odwen se onim dodo no se ogyae sua a ketewa no koraa a onim no fir ne nea" which translates into "He who does not know can become knowledgeable from learning. He who thinks he knows and ceases to continue to learn will stagnate".

## PEER REVIEW AND SCIENTIFIC PUBLISHING STATEMENT



16th August 2017

### TO WHOM IT MAY CONCERN

The scientific information published in peer-reviewed outlets carries special status, and confers unique responsibilities on editors and authors. We must protect the integrity of the scientific process by publishing only manuscripts that have been properly peer-reviewed by scientific reviewers and confirmed by editors to be of sufficient quality.


I confirm that all papers in the WABER 2017 Conference Proceedings have been through a peer review process involving initial screening of abstracts, review of full papers by at least two referees, reporting of comments to authors, revision of papers by authors, and re-evaluation of re-submitted papers to ensure quality of content.

It is the policy of the West Africa Built Environment Research (WABER) Conference that all papers must go through a systematic peer review process involving examination by at least two referees who are knowledgeable on the subject. A paper is only accepted for publication in the conference proceedings based on the recommendation of the reviewers and decision of the editors.

The names and affiliation of members of the Scientific Committee & Review Panel for WABER 2017 Conference are published in the Conference Proceedings and on our website [www.waber-conference.com](http://www.waber-conference.com).

Papers in the WABER Conference Proceedings are published open access on the conference website [www.waber-conference.com](http://www.waber-conference.com) to facilitate public access to the research papers and wider dissemination of the scientific knowledge.

Yours Sincerely,



Sam Laryea, PhD  
Chairman of WABER Conference

## SCIENTIFIC COMMITTEE AND REVIEW PANEL

WAHER Conference is very grateful to each the following persons for your contribution to the peer review process. Thank you so much.

Assoc. Prof. Sam Laryea, Wits University, Johannesburg, South Africa  
Assoc. Prof. Ezayi Offia Ihem, Covenant University, Nigeria  
Assoc. Prof. Emmanuel Essah, University of Reading, UK  
Dr Obinna Ozumba, Wits University, Johannesburg, South Africa  
Prof Will Hughes, University of Reading, UK  
Dr Carmel M. Landkvist, Norwegian University of Science and Technology, Norway  
Dr Natalya Sergeeva, University College of London, UK  
Prof Kushi Varghese, Indian Institute of Technology (I.I.T.) Madras, India  
Dr Cynthia Adeokun, Colman Architects Ltd, UK  
Dr Joy Maana, Ahmadu Bello University, Nigeria  
Assoc. Prof. Taihat Lawanson, University of Lagos, Nigeria  
Dr Surfo Mensah, Kumasi Technical University, Ghana  
Dr Moses Ogunbiyi, Osun State University, Nigeria  
Dr Pippa Boyd, University of Reading, UK  
Dr Marcellinus Okafor, Imo State University, Owerri, Nigeria  
Dr Naa Adjeley Ashibee-Mensah Doamekpor, Pentecost University College, Ghana  
Mr Goodenough Dennis Oppong, Hong Kong Polytechnic University, Hong Kong  
Dr Ibrahim Sandu, Nelson Mandela Metropolitan University, South Africa  
Dr Titus Kwofie, University of Johannesburg, South Africa  
Dr Sazoulang Douh, University of N'Djamena, Chad  
Dr. Aledapo A Oluwatayo, Covenant University, Ota, Nigeria  
Assoc. Prof. Abraham A. Taiwo, Federal University of Technology, Akure, Nigeria  
Dr Olumuyiwa Adegun, Wits University, Johannesburg, South Africa  
Assoc. Prof. Clinton Aghaybo, University of Johannesburg, South Africa  
Dr Gabriele Labaccaro, Norwegian University of Science and Technology, Norway  
Prof Godwin Idoro, University of Lagos, Nigeria  
Dr. Julius A. Epopunda, Cape Peninsula University of Technology, South Africa  
Dr. Adetokunbo O. Hesanmi, Obafemi Awolowo University, Ile-Ife, Nigeria  
Dr. Nwabueze M. Anosike, Federal University of Technology, Owerri, Nigeria  
Prof Ola Udaku, Edinburgh University, Scotland, UK  
Dr. Kola Ijasan, Wits University, Johannesburg, South Africa  
Assoc. Prof. M. Ajibola, Covenant University, Ota, Nigeria  
Dr. Kola Akinsoni, Wits University, Johannesburg, South Africa  
Prof. Mosibau A. Shufoluwe, North Carolina Agricultural and Technical State University, USA  
Dr Akunnaya P. Opoko, Covenant University, Ota, Nigeria  
Dr Lekan M. Amusan, Covenant University, Ota, Nigeria  
Mr Jacob Ofori-Darko, University of Reading, UK  
Dr Abilabi Dania, University College of Estate Management, UK  
Dr Ambitman Ambrosi, Coventry University, UK  
Dr Hiral Patel, University of Reading, UK  
Dr Karen Blay, Loughborough University, UK  
Dr Adesoji D. Jiboye, Obafemi Awolowo University, Ile-Ife, Nigeria  
Dr Anthony Edeh, Covenant University, Ota, Nigeria  
Dr Gabriel Paduro, Federal University of Technology, Akure, Nigeria  
Mr Bert Young, London South Bank University, UK  
Dr. Amina Shibeika, United Arab Emirates University, UAE  
Dr Humphrey Danso, University of Education Winneba, Ghana  
Dr Adebayo Oghye, Covenant University, UK  
Dr Franklin Obeng-Odoom, University of Technology Sydney, Australia

Dr Clonus Mubelia, University of Portsmouth, UK  
 Dr Mutale Katvoka, University of the West of England, UK  
 Dr Isidore C. Ekeoma, Covenant University, UK  
 Assoc. Prof. Absimbola Windape, University of Cape Town, South Africa  
 Dr Obiaku A. Egohomonu, University of Manchester, UK  
 Dr Joseph Buerres, Pentecost University College, Ghana  
 Dr Jasper Muechtu, Massey University, New Zealand  
 Chipoora Kowa Tembo-Silungwe, Copperbelt University, Zambia  
 Dr Kulsanti Adogbo, Ahmadu Bello University, Nigeria  
 Dr Yewande Adewunmi, University of the Witwatersrand, South Africa  
 Dr Stephen Allen, University of the Witwatersrand, South Africa  
 Mr Maxwell Fordjour Antwi-Afari, Hong Kong Polytechnic University, Hong Kong  
 Prof. Olajapo Amole, Obafemi Awolowo University, Nigeria  
 Assoc. Prof. Oluseyi Ajayi, Covenant University, Nigeria  
 Assoc. Prof. Fidelis A. Emuze, Central University of Technology, South Africa  
 Assoc. Prof. Salman-Azhar, Auburn University, USA  
 Assoc. Prof. A. Adebisi, Covenant University, Nigeria  
 Dr Folake Ekundayo, St Marks Hospital, UK  
 Dr Bekithemba Mpefu, Wits University, Johannesburg, South Africa  
 Dr Gabriel Nani, KNUST, Kumasi, Ghana  
 Assoc. Prof. Ochiu Ikpefan, Covenant University, Nigeria  
 Prof. Oluhasipo Fagbule, Covenant University, Nigeria  
 Dr Timothy Tunde Oladokun, Obafemi Awolowo University, Nigeria  
 Dr Justus Agumba, Durban University of Technology, South Africa  
 Professor Immaculata Nwokoro, University of Lagos, Nigeria  
 Dr Haruna Musa Moda, Manchester Metropolitan University, UK  
 Dr Norhaini Mahyuddin, University of Malaya, Malaysia  
 Dr Nongshin Khenti, University of Education, Kumasi, Ghana  
 Assoc. Prof. Stephen Oluigbo, Ahmadu Bello University, Nigeria  
 Dr Damilola Ekundayo, Oxford Brookes University, UK  
 Assoc. Prof. James O.B. Rotimi, Auckland University of Technology, New Zealand  
 Dr Tumellano Sebeha, University of the Witwatersrand, South Africa  
 Dr Patience Tunji-Olayemi, Covenant University, Nigeria  
 Dr Fadeyi Mushood Olawale, Singapore Institute of Technology, Singapore  
 Dr Johan Nyqrom, The Swedish National Road and Transport Research Institute, Sweden  
 Assoc. Prof. Yomi M.D. Adedeji, Federal University of Technology, Akure, Nigeria  
 Assoc. Prof. Okuh Amoh, University of Lagos, Nigeria  
 Dr Solomon Oluwola Babatunde, Obafemi Awolowo University, Ile-Ife, Nigeria  
 Dr Nisezi U. Juma-Olugu, University of Lagos, Nigeria  
 Dr Timothy Oluseyi Odeyale, Federal University of Technology, Akure, Nigeria  
 Alexander Adeyemi Fakare, Federal University of Technology, Akure, Nigeria  
 Assoc. Prof. Yomi Michael D. Adedeji, Federal University of Technology, Akure, Nigeria  
 Dr Olatunde F. Adedayo, Federal University of Technology, Minna, Nigeria  
 Assoc. Prof. Remi Olagunju, Federal University of Technology, Minna, Nigeria  
 Dr Oluwalafemi Kehinde Akande, Federal University of Technology, Minna, Nigeria  
 Dr Ehsan Saghatforoush, MehrAlborz University, Iran  
 Dr Ntsoabo Dlamini, Wits University, South Africa  
 Prof. George Intseful, Kwame Nkrumah University of Science and Technology, Ghana



## WABER COMMITTEE

Assoc. Prof. Ben Lanyon, Wits University, South Africa (Conference Chair)  
Assoc. Prof. Eziya Jhem, Covenant University, Nigeria (Conference Secretary)  
Assoc. Prof. Emmanuel Essah, University of Reading, UK (Financial Director)  
Dr. Jasper Mbulu, Massey University, New Zealand  
Dr. Barfo Mensah, Kumasi Technical University, Ghana  
Assoc. Prof. Taihat Lawsonson, University of Lagos, Nigeria  
Dr. Cynthia Adekun, Colman Architects Ltd, UK  
Prof. Kabu Bala, Ahmadu Bello University, Nigeria  
Dr. Damilola Ekundayo, Oxford Brookes University, UK  
Prof. George Intsiful, KNUST, Kumasi, Ghana  
Dr. Nosh Karley, Anglia Ruskin University, UK  
Prof. George Ofori, London South Bank University, UK  
Prof. Anny Nathaniel Antekwa, University of Benin, Nigeria  
Dr. Nana Agyepong, Ashesi University College, Ghana  
Prof. D. B. Ogunsemi, Federal University of Technology, Akure, Nigeria  
Dr. Obinna Ozumba, University of the Witwatersrand, South Africa  
Dr. Romo Leungor, University of Hong Kong, Hong Kong  
Dr. Abdulai Danu, University College of Estate Management, UK  
Prof. Stella Zubaira, Federal University of Technology, Minna, Nigeria  
Dr. Gabriel Nanti, KNUST, Kumasi, Ghana  
Prof. Immaculata Nwokoro, University of Lagos, Nigeria

The main responsibility of the WABER Committee is to provide the infrastructure and academic leadership for developing the WABER Conference.

# CONTENTS

## SECTION 1: KEYNOTES

|   |       |
|---|-------|
| Current developments in the West African higher education sector and what it means for us as researchers - Prof Oluwale Morenikeji  | - 1 - |
| Conceptualising a research project - Prof Will Hughes   | - 3 - |
| Doing and publishing high quality research - a look at issues pertaining to theory, research design, grounding hypotheses/research questions - Prof Jason D. Shaw                     | - 5 - |
| Doing and publishing high quality research - a look at issues pertaining to crafting the methods and results, discussing the implications, making a contribution - Prof Jason D. Shaw | - 7 - |

## SECTION 2: CONFERENCE PAPERS

|  |         |
|--|---------|
| "Choosing by advantages" to select concrete tasks: a project team's perception - Mollo, L. G., Emuze, F. A.  | - 13 -  |
| A conceptual framework for ethical sourcing of construction materials in Nigeria - Ibrahim, K., Shukantu, W. M. W. And Saidu, I.   | - 25 -  |
| A conceptual framework for promoting economic growth in crude oil dependent economies - a model for Nigeria - Usman, N., Bustani, A. S., Gambo, N., Ibrahim, G.  | - 38 -  |
| A conceptual model for mediating the effects of conflict of interest in construction procurement tendering processes in Nigeria - Zadawa, A. N., Dahiru, A., Jimoh, A. A. and Muhammed, M. A.  | - 49 -  |
| A critical evaluation of the Built Environment Sustainability Tool (BEST) - Gibberd, J.  | - 62 -  |
| A critical evaluation of the sustainable building assessment tool (SBAT) - Gibberd, J.   | - 76 -  |
| A review of public procurement act and its implementation in Ondo State, Nigeria - Omotola, A., Oyedele, T. and Fagbemi, K.  | - 90 -  |
| A study of the factors causing delay of rural roads and bridge construction projects in Ghana - Mensah, I., Nani, G., Adjei-Kumi, T.   | - 121 - |
| Access to land as a constraint to homeownership in Kaduna State, Nigeria - Nwuba, C. C.  | - 140 - |
| Alternative dispute resolution techniques in real estate commercial and contractual disputes: the case of Akure, Nigeria - Ogunleye, M. B., Ajani, U. Y.   | - 160 - |
| An assessment of building collapse characteristics and suspected causes of collapse in Lagos State and Abuja - Nigeria - Okosun, B., Abdulganiyu, O. and Olagunju, R. E.   | - 178 - |
| An assessment of cost impacts of building elements on the overall contract sum - Opara, V. I., Fatoye, I. O. and Epenmoh, R. C.  | - 195 - |
| An assessment of organisational culture of construction organisations in Nigeria - Olaleye, Y. O., Ibrahim, Y. M., Ibrahim, A. D. and Adogbo, K. J.  | - 208 - |
| An assessment of organizational culture for total quality management implementation in the Nigerian construction industry - Olaleye, Y. O., Ibrahim, Y. M., Ibrahim, A. D. and Adogbo, K. J.   | - 219 - |
| An evaluation of indoor thermal conditions of residential buildings with different fabric finishes at Okigwe, Nigeria - Okafor, M. U.  | - 230 - |
| An international experts' opinion on the objectives of stakeholder management in construction projects - Opong, G. D., Chan, A. P. C., Ameyaw, E. E. and Owusu-Manu, D.  | - 243 - |
| An investigation into the efficiency of classification of construction firms in Ghana - Eyiath, A. K.  | - 260 - |
| Analysis of green building strategies for hot-dry climatic conditions in north-western cities in Nigeria: lessons from Botswana, Burkina Faso & South Africa - Yakub, A. A., Salawu, A. O., Gimba, S. D., Ahmad, A. and Jolayeye, A. | - 271 - |
| Are LEED® certified buildings better in performance? A comparison of LEED® v. non-LEED® certified institutional buildings - Crews, E., Azhar, S. and Salman, A.  | - 287 - |

|   |         |
|---|---------|
| Ascertaining the importance of project team performance to construction project success – Fubiri, G., Mensah, N. and Dansoh, A.   | - 302   |
| ✓ Assessment of fire safety provisions in selected public buildings in Minna, Nigeria – Shittu, A. A.   | - 314 ✓ |
| Okechukwu, B. I., Isido, A. I. and Shehu, M. A.   |         |
| Assessment of light levels and visual comfort in a lecture hall of a university in Akure, Nigeria – Afolami, A. I., Akeremole, I. D. and Ikudayisi, A. E.   | - 337 - |
| Assessment of precedent analysis process in architectural design pedagogy in Nigerian universities – Goshu, S. K., Isah, A. D., and Oniwe, J. O.  | - 347 - |
| Challenges and opportunities of sustainable infrastructure development in developing economies – Dlamini, S.  | - 364 - |
| Challenges and remedies of application of cost planning techniques in construction projects in Nigeria – Enechobi, R. C. and Anosike, N. M.   | - 380 - |
| Challenges facing construction professionals' compliance with continuing professional development (CPD) in South Africa – Kwofie, T. E., Aigbavboa, C. O. and Mpambela, J. S.                               | - 394 - |
| Challenges in the management of hostel accommodation in higher institutions of learning in north-western Nigeria – Yakub, A. A. and Zaid, Z. M.   | - 410 - |
| Challenges of public-private partnership (PPP) in urban housing in Nigeria – Onyemacchi, P. C.  | - 430 - |
| Client relationship management in architectural firms in southwest Nigeria – Adepeju, A. A., Iben, E. O. and Oluwatayo, A. A.   | - 443 - |
| Comparative analysis of investment attributes of commercial and hotel properties in south-western Nigeria – Bello, N. A., Jolaoso, A. B. and Olanrele, O. O.  | - 444 - |
| Comparative study of causes of variations in public building projects in Tanzania and Uganda – Mhando, Y. B., Mlinga, R. S. and Alinaitwe, H. M.  | - 465 - |
| Comparison between construction projects cost overrun in public and private sectors of Lagos State, Nigeria – Fatoye, F. O. and Nwabueze, M. A.   | - 479 - |
| Construction Health and Safety Agents' (CHSAs') contribution to health and safety in South Africa – Smallwood, J. and Deacon, C.  | - 494 - |
| Contemporary architectural practice in Nigeria: a review of issues and challenges – Abubakar, A.  | - 506 - |
| Design innovation in structural engineering – Olawale, S. O. and Ogunbiyi, M. A.  | - 516 - |
| Design of an automated staircase climber trolley for general hospitals in developing countries: case of an anonymous hospital in Zimbabwe – Kadzunge, T. M., Mushiri, T. and Mbohwa, C.                     | - 524 - |
| Designing for old age in Nigeria - Folake Ekundayo  | - 543 - |
| Development of framework for application of ergonomics in building construction in Nigeria – Ibrahim, A.  | - 565 - |
| Effect of granite, washed and un-washed gravel aggregate sizes on engineering properties of concrete – Ogunbiyi, M. A. and Olawale, S. O.   | - 579 - |
| Effect of plasticizers on properties of concrete with pit sand: case study from Akure, Nigeria – Olanitori, I. M. and Otuaga, M. P.   | - 589 - |
| Effect of small transverse service holes on flexural strength of reinforced concrete slender beams - Olanitori, I. M. and Iribse, I. O.   | - 599 - |
| Effects of quadriceps muscle fatigue on balance control and falls injuries following repetitive squat lifting task in construction workers – Idoro, G. I. and Ajibola, O.                                   | - 607 - |
| Effects of sugar as admixture on concrete made with different brands of cement in Nigeria – Mohammed, E. A., Musa, A. A. and Fukur, A.  | - 616 - |
| Employability of built environment graduates in Nigeria: determinant factors – Dalibi, S.   | - 628 - |
| Evaluating delays in execution of public sector construction projects: a study of roads and highways in Ghana – Narh, N., Shaw, C. and Windapo, A.  | - 642 - |
| Evaluating the success factors for green building projects in the Nigeria's built environment: the project professionals' perspective - Dalibi, S. G., Feng, J. C., Sadiq, A., Bello, B. S. and Kumo, H. A. | - 655 - |
| Evaluation of cocoa pod ash on the characteristic strength of sanderete block produced in Oshogbo, Nigeria – Olawale, S. O. and Ogunbiyi, M. A.   | - 674 - |

|   |          |
|---|----------|
| Expatriate and indigenous consultants' involvement in construction project delivery in Nigeria – Idoro, G. I. and Hamidele, I. O.   | - 682 -  |
| Exploring ICT education in South African schools of the built environment – Uzumba, A., Adeyemi, A., Akinola, A., Olaniran, I., Rashekula, A. and Mathe, P.   | - 698 -  |
| Factors influencing sustainability of rural sanitation project outcomes: a pilot study on the perceptions of implementers – Ozumba, A. O., Zukani, M., Shukantu, W. and Ozumba, C.                              | - 730 -  |
| Framework for integration of community squares in urban governance of emerging cities in Nigeria – Agoha, H. O.   | - 750 -  |
| Hindrances to the development of green residential buildings: the end-users' perceptions in Abuja, Nigeria – Dalibi, S.G., Auduga, J.B.M., Danja, I.I., Balurabe, H., Saleh, I., Jalam, A.A. and Muhammad, A.Y. | - 761 -  |
| Home equity capitalisation: analysis of influencing factors – Ameyaw, S., Attakora-Amaniampong, F., Polukuu, I., Tahiru, A. and Wumnoribi, V. A.  | - 773 -  |
| Identifying the factors influencing real estate pricing in Kumasi metropolis – Sam, A. and Mensah, S.   | - 803 -  |
| IFC schema extensions for construction cash flow management: a proposed methodology – Abdullahi, M., Ibrahim, Y.M., Ibrahim, A. D., and Chindo, P.G.  | - 814 -  |
| Impact of rating systems on the construction of green buildings in South Africa – Leburu, M. and Allen, C.  | - 827 -  |
| Impact of soil erosion on farmers livelihoods in Iwaro Oka Akoko, Ondo State, Nigeria – Olorunlana, F. A.   | - 843 -  |
| Impact of tendering procedure on price formation in construction contracts: case study of the competitive negotiation procedure – Laryea, S.  | - 853 -  |
| Implications of social practices and literacy on wayfinding design strategies in Nigerian hospitals – Maina, J. J. and Dauda, A.  | - 870 -  |
| Improving water resistance of compressed earth blocks enhanced with natural fibres – Danso, H.  | - 886 -  |
| Influence of power on client-contractor relationships in collaborative construction procurement   | - 897 -  |
| Influence of project management tools and techniques on performance of building construction projects in Lagos State – Faremi, O. J., Lawal, B. T., John, I. B., Zakariyyah, K. I. and Aderogba, A.             | - 898 -  |
| Informal space-use in formal learning environments: case study of architecture department at Ahmadu Bello University – Maina, J. J.   | - 930 -  |
| Intangible assets valuation in Nigeria: a review of the concept and practice – Sodiya, A. K., Adetokunboh, O. O. and Aghato, S. E.  | - 945 -  |
| Investigating the quality of rice husk ash produced using locally fabricated incinerator in concrete mix – Dado, D. W., Stanley, A. M. and Ehoche, E. P.  | - 961 -  |
| Investigation into green attitudes towards shopping malls' design in Minna, Nigeria – Olagunju, R. E., Akande, O. K., Metu, J. N. and Aremu, S. C.  | - 978 -  |
| Key elements for sustainable infrastructure design in developing countries – Nuramo, D. A. and Haupt, I. C.   | - 994 -  |
| Lessons learnt from the 2012 flood disaster: implications for building design and construction in high-risk flood prone areas of Bayelsa State, Nigeria – Brisibe, W. G.  | - 1009 - |
| Market fires and risk accumulation in Ghana's built environment – Owusu-Sekyere, E., Attakora-Amaniampong, F. and Yakubu, R. A.   | - 1027 - |
| Material waste causes and their implications on cost overruns in Abuja, Nigeria: a materials-procurement stage perspective – Saidu, I., Shukantu, W. M. W. and Ibrahim, K.                                      | - 1048 - |
| Methods of duration estimation at the rural road agency in Ghana – Mensah, I., Adjei-Kumi, J. and Sam, C.   | - 1063 - |
| Nature and features of tenders processed by a UK contractor in 2010 – Laryea, S. and Lubbock, A.  | - 1079 - |
| Perceptions of construction management students about their career paths to become construction superintendents – A Robinson, D., Azhar, S. and Nadeem, A.  | - 1097 - |

|   |         |
|---|---------|
| Power sector development reforms in Nigeria: the roots to the challenges – Abdullahi, D., Suresh, S.,<br>Renukappa, S. and Oloke, D.  | - 111 - |
| Predicting the volume of material waste: a case of ongoing building projects in Abuja, Nigeria – Saadu<br>I. and Shakantu, W. M. W.   | - 123 - |
| Quality culture orientation of construction firms as driver of project performance in Nigeria – Idoro, I.<br>I. and Akinkumi, A. O.   | - 144 - |
| Readiness of Nigerian construction firms to adopt lean construction principles – Olamiokun, O. and<br>Fawale, I. S.   | - 160 - |
| Readiness of Nigerian contractors to adopt Building Information Modeling (BIM) technologies –<br>Abdulfatai, S. O. and Idowu, F. A.   | - 171 - |
| Rethinking design solutions to homelessness: a review of planning space standards – Adeokun, C. O.<br>and Opoko, A. P.  | - 189 - |
| Review of critical success factors for the implementation of total quality management in the<br>construction industry – Ansah, S. K., Aigbavboa, C. O., Thwala, W.  | - 211 - |
| Review of theories, methodologies and analytical tools applied in sustainable construction research –<br>Agbesi, K., Adjei-Kumi, T. and Fugar, F.D.K.   | - 225 - |
| Risk management framework for Build Operate And Transfer (BOT) infrastructure projects in Nigeria<br>– Waziri, B. S. and Isa, Y. M.   | - 239 - |
| Socio-economic determinants of housing satisfaction among middle-income households in Owerri,<br>Nigeria – Okpoechi, C. U.  | - 254 - |
| Study of wood as a sustainable material for climate change mitigation using Athena EcoCalculator and<br>System Dynamic Model – Etah, B., Nti Asamoah, J. and Antwi, K.  | - 274 - |
| Succession planning and continuity of family-owned business: perception of owners in the Wa<br>Municipality, Ghana – Saah, R., Enu-Kwesi, F. and Nyewie, R. S.  | - 281 - |
| The impact of the Van Stadens wind farm on the surrounding community – a case study – O'Connor,<br>N. and Allen, C.   | - 300 - |
| The prevalence of leadership over management features amongst construction project managers in the<br>UAE – AlShamisi, H. A., Chinyio, E., Oloke, D., Mushatat, S., Wilson, P., Ankrah, N. and Kpamma,<br>Z. I. | - 314 - |
| The relationship between construction sector and economic growth in Nigeria: 1981-2013 – Ogunbiyi,<br>M. A. and Olawale, S. O., and Oyaromade, R.   | - 327 - |
| The shared ownership tenure and its applicability to the African affordable housing market – Adeokun,<br>C. and Ikundayo, I.  | - 344 - |
| The significance of health and safety of construction industry personnel in Lagos State: CCECC case<br>study - Adekunbi, A., Amusu, O. R. O. and Salvador, K.A.   | - 366 - |
| Thermal climate and residents' perceptions of sultry conditions in rural and semi-urban settlements in<br>southwestern Nigeria – Eudoyin, O. M.   | - 374 - |
| Unethical professional practices in tendering of public building procurement in Bauchi Metropolis,<br>Nigeria – Inuwa, I., Maleka, S. M. and Kunya, S. U.   | - 397 - |
| Using analytic hierarchy process (AHP) to assess effectiveness of competitive tendering process –<br>Dauh, S. I.  | - 417 - |
| Valuations for compensation purpose: the need for global uniformity – Said, R., Alias, A., Olanrele, O.<br>O. and Bello, N. A.  | - 433 - |
| Analysis of preference for residential neighbourhood in Ilorin, Nigeria – Adeogun, A. S., Raheem, W.<br>M., Shittu, W. O. and Bako, A. J.   | - 448 - |
| <b>INDEX OF AUTHORS</b>   | - 463 - |
| <b>INDEX OF KEYWORDS</b>  | - 467 - |

# ASSESSMENT OF FIRE SAFETY PROVISIONS IN SELECTED PUBLIC BUILDINGS IN MINNA, NIGERIA

Shittu Abdullateef Adewale<sup>1</sup>, Okechukwu Blessing Ijeoma<sup>2</sup>, Tsado Abel John<sup>3</sup> and Shehu Muhammad Aminu<sup>4</sup>

<sup>1,2</sup>Department of Quantity Surveying, Federal University of Technology, Minna, Nigeria

<sup>4</sup>Department of Building Technology, The Federal Polytechnic, Bida, Nigeria

In Nigeria, there have been several forms of serious disaster confronting homes, lives and properties of people and the government. The most common ones are flood, building collapse and fire, of which fire outbreak is the most frequently recorded. This study addressed the problem of fire incidents which were reported to always occur more in public and private residential buildings as a result of non-compliance of building clients and occupants to the requirements of fire safety regulations. To solve this problem, the study assessed the level of fire safety provisions in public buildings in Minna, Niger State of Nigeria. In view of this, data were collected from both primary and secondary sources. T - Test was used to determine the differences between the stipulated requirements of fire safety regulations and the available fire safety measures provided in the selected public buildings. Regression analysis was employed to determine the relationship between population of building occupants and number of fire escape routes, and building floor area respectively in the selected public buildings. A significant difference was found between stipulated and available requirements of fire safety regulations with respect to fire extinguishers, firefighting equipment and fire escape routes in public buildings. The relationships between population and number of fire escape routes, and building floor area in public buildings were found to be significant. It was concluded that fire safety requirements are not adequately provided or complied with in public buildings in Minna. It was recommended that building occupants or owners should always comply with fire safety regulations.

Keywords: escape routes, fire safety provision, public buildings, population

<sup>1</sup> funsho@futminna.edu.ng

<sup>2</sup> aishatabdulah2007@yahoo.com

<sup>3</sup> blessingiokechukwu@gmail.com

<sup>4</sup> asafa1013@gmail.com

Shittu, A. A., Okechukwu, B. I., Tsado, A. J. and Shehu, M. A. (2017) Assessment of fire safety provisions in selected public buildings in Minna, Nigeria. In: Laryea, S. and Ithem, E. (Eds) *Proceedings 7th West Africa Built Environment Research (WABER) Conference*, 16-18 August 2017, Accra, Ghana, 314-336.

## INTRODUCTION

Fire safety is defined by Hakkarainen (2002) as the requirements which are related to prevention of ignition and fire spread, limitation of fire growth, evacuation provision and prevention of fire spread between buildings. Fire prevention or fire safety in buildings therefore has one of the top priorities in the design of buildings (Klapwijk, 2012). It is essential that building occupants are trained or enlightened on the issue of fire safety. In view of this, Mallonee *et al.* (1996) described fire safety training as a way of increasing public fire safety knowledge and improving their response to a fire with the aim of reducing the number of fire-related casualties. This is because residential fires, workplace fires, and environmental fires such as bushfires result in severe and fatal burn injuries (Mallonee *et al.*, 1996).

In the context of this work, fire safety is regarded as the essential measures of fire prevention, prevention of fire spread and means of emergency evacuation and fire quench in the event of fire outbreak. Public buildings, on the other hand, are regarded as buildings which accommodate people from different places temporarily especially for the purposes of commercial or official engagements.

The studies of fire have shown that most accidental fire starts from three main causes. These are Malfunctioning of equipment, Misuse of heat sources and Electrical wiring error in housing projects. Housing has been universally acknowledged as the second most indispensable item in human need after food. Housing has a profound impact on the safety of individuals and human beings. This present study considered issues surrounding fire safety management in public buildings in Minna, Niger State.

In Nigeria, there has been serious disaster confronting the homes, lives and properties of people. The most common ones are flood, building collapse and fire. A lot has been written on flood and building collapse, but the incidence of fire is still lax in literature. Fire is still the result of flammable materials being combusted and the essential ingredient for the propagation of fire is air, which is sufficient to start ignition or means of ignition and oxidation (Shittu *et al.*, 2015).

The slightest contact of highly inflammable liquid contents, such as gasoline (petrol), paraffin (kerosene), or gas with fire brings explosive services of destruction, inferno and loss of lives and properties (Adeleke, 1993). It was in this light that the Aqua Group (1984) reported that there must be presence of the three basic elements or ingredients of fire, which is referred to as fire's own eternal triangle before fire can break out.

According to Oludare (2000), there has been emphasis on the provision of firefighting equipment for the fire service offices in the country. Millions of Naira are being spent to train fire-men in fire-men combat, but little has been done to look at fire safety in the buildings where there is likely to be occurrence of fire. In most times, fire fighters are being blamed for fire incidents in public buildings, and all their possible loopholes seriously explore. But little has been said or explored about the activities of the other

stakeholders in the construction and uses of public buildings, which are mostly responsible for the causes of fire outbreak (Makanjuola *et al*, 2009).

Some instances of fire outbreak in Nigeria included the one that occurred where two students lost their lives in the University of Ilorin, Kwara State in 2009 as a result of electrical fault. Another serious and memorable incidence of fire outbreak in Nigeria was the fire which struck the 6-storey building of the Nigeria Ports Authority (NPA) in Marina on Thursday the 19<sup>th</sup> day of June 2008 (Odueme and Ebimomi, 2008). The Nigerian Telecommunications Limited (NITEL) headquarters in the same Marina was gutted by mysterious fire in the early 80s during the second republic. Also, not too long Ibadan branch of the Central Bank of Nigeria (CBN) was up in flames leading to lost several vital documents. In the same vein, it was reported that fire outbreaks in Nigeria records 1000 death and 700 fire accidents annually.

Findings by many researchers, among which are Mogbo (1998), Anyawata (2000), Shittu (2001) and Shittu *et al*. (2013 a and b), confirmed the fact that fire incidences affect buildings of individuals, corporate organizations, government parastatals, and incidence of fire leads to damage to lives and properties and eventually financial losses. The major causes of these fire incidences have been attributed to electrical and gas faults, resulting in financial and non-financial losses. Fire incidents were also reported to have occurred more in public and private residential buildings than in other building types, this has also been attributed to the non-compliance of building clients and occupants to the requirements of fire safety regulations (Shittu *et al*., 2013b). Fire-related accidents often result in injuries and sometimes death, which can be prevented through fire safety training (Huseyin and Satyen, 2006). To estimate the extent to which fire safety training should be provided, it is essential to assess the current level of fire safety knowledge within the general community. Aliyu and Abdulrahman (2016) also reported that fire safety measures have become an issue of neglect in most tertiary institution hostel buildings in Niger State and have contributed to the continuous fire outbreak.

It is as a result of these that this study set out to examine fire safety provisions in selected public buildings in Nigeria using Minna as a case study. The choice of Minna was for the fact that Minna being the closest State capital city to Abuja experiences rapid growth in terms of construction of public buildings especially for commercial and official purposes. Most of these buildings are constructed in Minna Central Area and most of the old residential buildings are bought and converted to public buildings for commercial and official purposes. Majority of the people resident in Minna have businesses in this area. Therefore, the level of compliance to the requirements of fire safety provisions in these building types can never be over emphasized due to the population of lives and worth of properties accommodated therein. As a result of the problem identified, the following are the questions to be answered by this research:

- i. What is the current trend of fire cases in public buildings in Minna?



- ii. What is the difference between required number of firefighting equipment and available number of firefighting equipment provided?
- iii. What is the difference between required number of fire escape routes and available number of fire escape routes provided in the selected public buildings?
- iv. What is the relationship between population of building occupants and the number of fire escape routes?
- v. What is the relationship between building floor area and number of escape routes?
- vi. What are the measures in ensuring compliance to the requirements of fire safety provisions?

## SURVEY OF PREVIOUS WORKS

### The concept of fire disaster

Fire is referred to as the rapid oxidation of combustible material and gases producing heat and light (oxygen, heat and fuel) in the absence of one of these elements there cannot be fire (Aqua Group, 1984). Fire is one of the most destructive hazards which threaten buildings. It has the potential to affect the occupant, the building and its components. Also, areas not directly damaged by the flame or heat may be smoked, dirt and falling debris or by the huge volumes of water used in firefighting. According to Malven (1997), when substantial heat is generated, over 500 – 600 degrees Celsius, flashover occurs and the fire becomes fully developed, engulfing the whole compartment. Decay follows when all the fuel or oxygen within the compartment is totally consumed. An example often quoted is that a wooden log is difficult to ignite but thin sticks can be ignited easily and will burn fiercely when piled together.

According to Patterson (1993), building fire safety in its most simplified form is based on three general strategies; first is to prevent ignition; if it occurs, to prevent spread; and if spread occurs, to minimize damages to the lives and properties, occupants and fire-fighters. Mogbo (1998) researched on the environment and fire incidences in Nigeria and the implications on public policies and politics. Shittu (2001) studied the incidence of fire outbreak in public and residential buildings of Kwara State from 1990 - 1999. Shittu (2007) researched on a comparative analysis of fire outbreak between the military and civilian era in Niger State in domestic and public buildings and Shittu (2009) studied the incidence of fire outbreak in North-Central Nigeria. Nwabueze (2012) also studied the enhancement of fire safety in hostel designs, and Shittu *et al.* (2013a and b) and Shittu *et al.* (2016) studied the appraisal of fire safety provisions in tertiary institutions buildings in Minna, Niger State and Katsina, Katsina State respectively. These previous researches have shown that the incidence of fire outbreak is a national issue affecting all building types and requires urgent attention in form of prevention against ignition and fire spread and compliance to fire safety regulations.

### Causes of fire

The problem of fire in human settlements can be disaggregated into cause of the fire, spread of the fire, escape from the fire and fire-fighting. According to Shittu (2007), majority of fire outbreaks in domestic buildings were caused by electrical fault rather than gas faults. Fire in buildings can be credited to various factors. According to Hassan (1999) the causes of fire can be grouped under Accidents, Carelessness and Willful acts.

Marsha and Williams (2012) reported the following common causes of residential fires: Careless cooking; Faulty wiring, especially in old houses; Overloaded electrical outlets; Careless smoking; Space heaters; Careless use of candles and incense; Storing belongings too close to furnaces and hot water heaters; Vandalism, drug use, and makeshift heat sources in vacant buildings; Kids playing with matches; and Arson. In addition, Aliyu and Abdulrahman (2016) attributed the causes of fire to accident, faulty electrical equipment and wiring system, fire spread and carelessness.

### Classification of fire

Hassan (1999) and Aliyu and Abdulrahman (2016) classified fire into four classes:

- i. Class A is a type of fire involving burning materials e.g. wood, paper, textile and other combustible materials. Fire in this class are best extinguished by water agent in form of jet or spray, this blanket (fire blanket) can be used to cover the fire in an enclosure.
- ii. Class B fire involves flammable substances e.g. petrol, kerosene, paint and other inflammable solvents. This class of fire is best extinguished with foam or dry powder, carbon dioxide (CO<sub>2</sub>).
- iii. Class C is a type of fire involving combustible gases or liquefied petroleum gases in form of liquid or gas leak e.g. propane, butane, methane, etc. This can be extinguished with foam, dry powder, and CO<sub>2</sub> water agent spray to the container.
- iv. Class D is a type of fire involving metals e.g. calcium, potassium, aluminum etc. Powdered granite, limestone, dry sand and dried powdered extinguisher are best used for this class of fire.

### Factors influencing fire spread

According to Ahiamba (1985), the rate of spread of fire depends on the fuel and available oxygen. Also, it depends on the construction of the building. The rate of fire spread depends on the following: -

1. Combustibility: This is the rate at which a material burns. For example, petrol has much higher combustibility than wood.
2. Flammability: Hydrocarbon gases are more flammable than hydrocarbon liquids. In the same way hydrocarbon liquid are more flammable than ordinary combustible. Example, cooking gas is more flammable than petrol or kerosene, and petrol is more flammable than wood.

3. Design and construction: A well designed and constructed building will help to reduce the rate of fire spread. For example, a tall building with a badly designed and constructed stairwell and lift shafts will favour fire spread in the building from one floor to another.
4. Contents of building: The material of furnishing (fuel) to a great extent determines the rate of fire spread. Timber furnishing and finish will favour fire spreading and its sustenance unlike steel which is considerably, the reverse.

#### **Cases of fire outbreak in Niger State - Nigeria**

Mogbo (1998) pointed out that the following private and public buildings had faced the trauma of fire outbreak:

- (a) The incidence in part of the Kure Ultra-modern, Minna, Niger State burning down about 50 shops.
- (b) Federal Polytechnic at Bida in Niger State respectively.
- (c) A fire broke out opposite NANA'S PLACE were residential buildings were razed to the ground.
- (d) There were also other cases where a fire broke out in Jatau community in Minna, Niger State where lives and properties were lost.

Daily independent, August 26, 2010, reported a fire incident that gutted about eight rooms of the G-block of a male hostel at Usman Danfodio University, Sokoto. Christianity Today Magazine, March 12, 2004, again reported the case of a building fire that destroyed twenty-six lives in Nigeria, because there was only one entrance and exit to the building. In addition, in 2005, fire incident occurred in the female hostel of the Federal University of Technology, Minna, Niger State which destroyed property and another incidence also occurred in 2009 and at the Bosso campus (temporary site) of the same institution. A recent incidence of fire outbreak was reported by Voice of the Nigerian Tertiary Institutions in 2013 that the Community Campus Radio Station of the Federal University of Technology, Minna, popularly referred to as Search FM 92.3 was gutted by a mid-night inferno on Wednesday 16, January 2013 destroying properties worth over ₦= 50 million. The fire outbreak which occurred around 12:00 a.m. as a result of electric spark gutted the whole studio and other offices of the station. This is in line with the discoveries of Shittu (2001), Shittu (2007) and Shittu (2009) that the major cause of fire outbreak in Nigeria is electrical faults.

#### **Fire safety**

Fire safety is defined by Encyclopaedia Americana (1993) as the precautions that are taken to prevent or reduce the likelihood of fire that may result in death, injury or loss of property. Passive Fire Protection Federation (2013) viewed fire safety from three perspectives of passive protective measures as given below:

- i. Passive fire protection is the primary measure integrated within the constructional fabric of a building to provide inherent fire safety and

protection by responding against flame, heat and smoke to maintain the fundamental requirements of building compartmentation, structural stability, fire separation and safe means of escape.

- ii. Passive fire protection measures achieve their intended purpose by raising the fire resistance of the structure, protecting the structure against the effects of fire, reducing fire spread through secondary ignition, limiting the movement of flame and smoke, and minimizing the danger of fire-induced collapse or structural distortion.
- iii. Passive fire protection design, incorporating passive fire protection materials, systems and assemblies, serves by fire containment to protect life, safeguard the building structure, protect assets, maintain building serviceability after fire, minimize rebuild costs, and facilitate quick business recovery and continuity.

Effective fire safety in buildings goes beyond meeting codes. It requires a systematic and diligent approach on the part of the architect for fire prevention, protection and control in all the aspects of building design, construction and use (Malven, 1997).

In view of this and reporting on the theory of fire safety design, Aliyu and Abdurrahman (2016) reported that the rate of fire spread depends on the following:-

i. Combustibility

This is the rate at which a material burns. For example, petrol has much higher combustibility than wood.

ii. Flammability

Hydrocarbon gases are more flammable than hydrocarbon liquids. In the same way hydrocarbon liquid are more flammable than ordinary combustible. Example, cooking gas is more flammable than petrol or kerosene, and petrol is more flammable than wood.

iii. Design and construction

A well designed and constructed building will help to reduce the rate of fire spread. For example, a hostel building with a badly designed and constructed stairwell and no room compartmentalization will favour fire spread in the building from one floor to another.

iv. Contents of building

The material of furnishing (fuel) to a great extent determines the rate of fire spread. Timber furnishing and finish will favour fire spreading and its sustenance unlike steel which is considerably the reverse.

Findings from the study of Marsba and Williams (2012) suggested that fire safety messages that trigger an emotional response might be the most effective at motivating behaviour change. While incentives such as gift cards or mortgage or rent rebates may help with the initial adoption of some fire safety measures, real-life stories of loss and devastation shared by ordinary, relatable citizens will not only grab residents' attention, they

might also give people the intrinsic motivation necessary to sustain appropriate fire safety practices over time.

#### **General requirement of fire safety**

The following requirements are enforced under the law:

1. Evacuation of building: Whenever an unfriendly fire occurs in any building, premises, or fire area of any kind, or upon the initiation of a fire alarm all occupants shall evacuate the building, premises or fire areas immediately and shall not re-enter the building, premises, or fire area unless permission is given by the fire chief or fire office in charge of the scene.
2. Notify the fire department/fire service: Whenever an unfriendly fire occurs in any building or premises of any kind, the owner, manager, occupant or any person in control of such building or premises upon discovery of any fire even though it has apparently been extinguished, immediately shall cause notice of the existence of such fire, circumstances of same and the location therefore to be given to the fire department.
3. Maintaining a fire hazard: No person shall knowingly maintain a fire hazard
4. Notification of fire department of inoperative fire safety equipment: Persons owning, controlling, or otherwise having charge of any fixed fire extinguishing or fire warning system or stand pipe system shall notify the fire department and office of the state fire marshal at any time such system or systems are inoperative or taken out of service. Both shall also be notified when service is installed.
5. Interference with fire protection equipment: No person shall render any portable or fixed fire extinguishing system or device or any fire warning system inoperative or inaccessible, except as may be necessary during emergencies, maintenance, drills or prescribed testing.

#### **Fire prevention**

Fire prevention in buildings is required to prevent premature structural failure and to limit fire spread (Herbert, 1999). Herbert (1999) also asserted that for these purposes, the following provisions are necessary: - subdivision of the building into a number of fire compartments which are elements of structure to be provided with appropriate fire resistance; compartmentation of places of special fire risk; restrictions to linings of walls and ceilings so as to limit their contribution to the development of fire and to have adequate resistance to the spread of fire along their surfaces; the provision of fire doors to limit the spread of fire and smoke; limitation of fire spread at junctions between building components, service penetrations and in cavities; and structural fire preventions are also necessary to protect the means of escape.

### **Fire warning and alarm systems**

The provision of an appropriate fire detection and alarm system is an essential element of the fire safety measures in a hostel (Malven, 1997). It provides early warning of the occurrence of fire and thereby facilitates the activation of appropriate emergency procedures, including evacuation. Early detection also improves the chances of restricting the growth and spread of fire within the building by the use of first aid fire-fighting equipment, where safe to do so, and by early call-out of the fire services (Herbert, 1999). A fire detection and alarm system should be provided in all hostels. The system should incorporate automatic fire detection (heat or smoke type detectors, as appropriate) throughout the premises and suitably located manual activation facilities. Large buildings should be divided into fire alarm zones, as required by the standard, which will facilitate identification of the alarm source.

In order to make fire detection and alarm system to effectively serve its purpose, there is the need for an adequate provision of escape routes in buildings. This enables the occupants to exit the building and seek for help immediately. Unfortunately, previous studies including that of Shittu *et al.* (2015) and (2016) have reported that the provision of fire escape routes in buildings is inadequate.

### **Research gap identified**

A lot has been written on flood and building collapse but the incidence of fire outbreak is still lax in literature, in spite of the fact that fire disaster occurs more frequently than flood and building collapse. Efforts have been made by many researchers to address the problem of fire outbreak.

In the foreign scene, Huseyin and Satyen (2006) researched on the level of fire safety knowledge among people of different age groups and investigate its relationship to the level of fire safety training, and the manner in which people from different age groups would respond to a fire based on their fire safety training in Melbourne, Australia. The study revealed that middle-aged individuals would respond more accurately to a fire than younger and older adults. The findings demonstrate the importance of fire safety training in enhancing people's fire safety knowledge and their response in the event of a fire which could lead to a reduction in the rate of fire casualties. The study therefore suggested an incorporation of fire safety training as part of health improvement programs to reduce the number of fire-related injuries and fatalities.

In addition, Marsha and Williams (2012) carried out a qualitative study on Fire Safety Education & Outreach Programs at Memphis, Tennessee. The study revealed that for a variety of reasons, fire danger is not as salient or as pressing a concern for most Memphis residents as is crime. However, the statistics regarding the frequency of residential fires in high-risk Memphis neighbourhoods shocked most of these participants into a much more proactive and preventative mindset. Addressing the problem will require a long-term, coordinated effort and the great majority of respondents believe that responsibility lies with the Fire Department, elected officials,

community leaders, property owners, and residents themselves. The study of Marsha and Williams (2012) also showed that there are four key strategies to effective fire prevention and safety. These are:

1. Raise awareness of the risk of fire danger and educate the public regarding ways to protect themselves, their families, and their property.
2. Provide financial assistance (in the form of grants) to low income and elderly homeowners who are in need of electrical wiring upgrades.
3. Tear down vacant buildings.
4. Strictly enforce building codes in rental properties.

Also in the field of fire safety education and awareness, Clare, Garis, Plecas and Jennings (2012) researched on reduced frequency and severity of residential fires following delivery of fire prevention education by on-duty fire fighters using a cluster randomized controlled study in Surrey, British Columbia. The study specifically examined the frequency and severity of fires pre and post - the home visit intervention in comparison to randomized high-risk cluster controls. The study discovered that the frequency of fires has reduced in the city overall, however, the reduction in the intervention cohorts was significantly larger than for controls. In addition, it was found that when fires did occur within the intervention cohorts, smoke detectors were activated more frequently and the fires were confined to the object of origin more often post-home visits. No equivalent pattern was therefore observed for the cluster control. It was concluded that on-duty fire-fighters can reduce the frequency and severity of residential fires through targeted, door-to-door distribution of fire prevention education in high-risk areas.

In the context of the Nigerian research domain, Shittu (2001) discovered that the amount of fire outbreak in residential and public building of Kwara State and discovered that the amount of financial loss due to fire incidences on the average was about 4% of capital expenditure from 1990-1999. Shittu (2007) studied the incidence of fire outbreak in Niger State from 1993-2004 between the military (1993 - 1998) and civilian (1999 - 2004) political dispensations and found out that the incidence of fire outbreak in both domestic and public buildings were significantly more frequent during the civilian era than the military era in Nigeria. Shittu *et al.* (2013) researched on the appraisal of fire safety provisions in tertiary institutions buildings in Minna, Niger State of Nigeria and revealed that building clients and users do not comply with fire safety regulations with respect to the provisions of firefighting equipment's and number of escape routes in buildings. Shittu *et al.* (2015), on the other hand, studied the relationship between cost of fire incidences and capital expenditure in Kwara State and discovered that there is no improvement in the trend of fire incidence in Kwara State over the last two decades.

Finally, Aliyu and Abdulrahman (2016) researched on the assessment of fire safety provisions in tertiary institution hostel buildings in Niger State. The study used a well-structured questionnaire and observation schedule to

acquire data in some selected tertiary institutions in Niger State. The study found that the fire safety equipment is not available or not functional in the hostels also; most of the students in the hostels are not conversant with the usage of such equipment. It was recommended that proper scrutiny of hostel buildings be made by the school management from time to time to ensure that all fire safety precautions are in functional condition, and orientation of students in the hostels about what to do in occurrence of fire outbreak.

These studies have however failed to study the incidence of fire outbreak in relation to level of compliance of building clients and occupants/users to the requirements of fire safety regulations. Although Shittu *et al.* (2013b) made an effort along this direction but did not consider the major building types mostly affected by the incidence of fire outbreak which are public and private residential buildings. In order to fill this gap in knowledge, this study was set out to assess level of fire safety provisions in public buildings in Minna, Niger State of Nigeria. In order to achieve this, the study set out to achieve the following objectives:

- i. To review the current trend of fire cases in public buildings in Minna.
- ii. To determine the difference between the required number of fire extinguishers and the available number of fire extinguishers provided in the selected public buildings.
- iii. To determine the difference between required number of firefighting equipment and available number of firefighting equipment provided.
- iv. To determine the difference between required number of fire escape routes and available number of fire escape routes provided.
- v. To determine the relationship between population of building occupants and the number of fire escape routes.
- vi. To determine the relationship between building floor area and number of escape routes.

The objectives of the study led to the formulation of the following null hypotheses:

H<sub>01</sub>: The differences between available and required firefighting equipment, fire extinguishers and fire escape routes are statistically not significant.

H<sub>02</sub>: The relationship between population/building floor area and number of fire escape routes is statistically not significant.

The review of literature gave rise to the theoretical framework upon which the research methodology for this study is based (see Figure 2.1).






Figure 2.1: Theoretical Framework.

## RESEARCH METHODOLOGY

This study adopted a mixed methods research approach. The study encompassed a review of literature survey from journals, conference papers and post projects to identify the major barriers in the appraisal of fire safety provisions in public buildings. Data collection was from both primary and secondary sources. The use of interview and physical measurement were employed to gather data from the primary source on the level of compliance of buildings owners/occupants to the requirement of fire safety regulation.

The study examined selected public buildings in Minna Central Area of Niger State, Nigeria. The selected public buildings were mostly commercial public buildings situated along Bosso Road in Minna Central. The choice of Minna Central Area was because it is an area where compliance to Fire Safety Regulations is most likely to occur. Ten public buildings were purposively selected from the public buildings situated along Bosso Road in Minna Central based on the age of the building, size and population of occupants in the buildings.

Primary source of data collection was also through direct measurement of floor areas and number of escape routes from the public buildings sampled. Data on the recorded cases of fire outbreak and losses were collected from the archive of Niger State Fire Service, Minna as the secondary source of data collection. Data was collected on recorded fire cases for a period of ten years (2006-2015).

**Table 3.1: Procedure for Data Collection and Analysis**

| SNO | OBJECTIVES   | DATA REQUIRED  | VARIABLES  | SOURCE   | METHOD OF ANALYSIS                |
|-----|--|--|--|--|-----------------------------------|
| 1   | To review the current trend of fire cases in public buildings in Minna Niger State.  | Archival Data (Data Collection Checklist)                    | Number of recorded cases of fire incidents   | Niger State Fire Service                         | Description (bar and line graphs) |
| 2   | To determine the difference between the required number of fire extinguishers and the available number of fire extinguishers provided.   | Archival and Primary Data (Checklist & Physical Measurement) | Number of Fire extinguishers required by Fire Safety Regulations<br>Number of Fire Extinguishers Available in Sampled Buildings. | Fire Safety Regulation and Physical Measurement. | Inferential (T - Test)            |
| 3   | To determine the difference between required number of firefighting equipments and available number of firefighting equipments provided. | Archival and Primary Data (Checklist & Physical Measurement) | Number of Fire Fighting Equipments Required by Fire Safety Regulations.<br>Number of Fire Fighting Equipments Available.         | Fire Safety Regulation and Physical Measurement. | Inferential (T - Test)            |
| 4   | To determine the difference between required number of fire escape routes and available number of fire escape routes provided.           | Archival and Primary Data (Checklist & Physical Measurement) | Number of Fire Escape Routes Required by Fire Safety Regulations.<br>Number of Fire Escape Routes Available.                     | Fire Safety Regulation and Physical Measurement. | Inferential (T - Test)            |
| 5   | To determine the relationship between population of building occupants and the number of fire escape routes.                             | Archival and Primary Data (Checklist & Physical Measurement) | Population of building occupants (independent variable) and number of fire escape routes (dependent variable).                   | Interview and Physical Measurement.              | Inferential (Regression Analysis) |
| 6   | To determine the relationship between building floor area and number of escape routes.   | Archival and Primary Data (Checklist & Physical Measurement) | Building floor area (independent variable) and number of fire escape routes (dependent variable).                                | Interview and Physical Measurement.              | Inferential (Regression Analysis) |

Source: Researchers' Field Survey (2016)

The use of bar and line graphs was employed to review the current trend of the incidence of fire outbreak in Niger State from 2006 – 2015. The use of T - Test was employed to determine the differences between the required number of fire extinguishers and the available number of fire extinguishers provided in the selected public buildings; between the required number of firefighting equipment and the available number of firefighting equipment provided, and between the required number of fire escape routes and the available number of fire escape routes provided. The use of regression analysis was employed to determine the relationships between the

population of building occupants and the number of fire escape routes, and between the floor area of buildings and the number of fire escape routes provided in the selected buildings. This was justified by the studies of Shittu *et al.* (2013b) and (2016) where it was discovered that number of fire escape routes depends on the population of building occupants and building floor area. Table 3.1 gives the procedure for data collection and analysis for this study based on the theoretical framework.

The decision rule used for the T – test in this study is given below:

- If  $T_{\text{calculated}} > T_{\text{tabulated}}$  then the difference is significant i.e. reject  $H_0$ .
- If  $T_{\text{calculated}} < T_{\text{tabulated}}$  then the difference is not significant i.e. accept  $H_0$ .

Below are the decision rules for each of the tools of the regression analysis employed in this study:

F test:

The decision rule here states that:

- If  $F_{\text{calculated}} > F_{\text{tabulated}}$  then relationship is significant i.e. reject  $H_0$ .
- If  $F_{\text{calculated}} < F_{\text{tabulated}}$  then relationship is not significant i.e. accept  $H_0$ .

P test:

The decision rule here states that:

- If P value < significance level then relationship is significant i.e. reject  $H_0$ .
- If P value > significance level then relationship is not significant i.e. accept  $H_0$ .

Coefficient of determination ( $R^2$ ):

The decision rule here states that:

- If  $R^2 \geq 50\%$  then relationship is strong.
- If  $R^2 < 50\%$  then relationship is weak.

## RESULTS AND DISCUSSIONS

### Data presentation

The data collected for the study are presented in the Appendix section as Tables A1 and A2. Table A1 shows the data collected on fire statistics for a ten- year period (2006 - 2015). This data helped to make a review of fire trend in the recent time. Table A2 gives a presentation of data collected for 10 selected public buildings. This assisted to assess the level of fire safety provisions in public buildings of Minna.

### Results of current trend of fire outbreak in Niger state from 2006 - 2015

The results of the descriptive analysis are presented in Figures 4.1 – 4.3. The discussion for each figure thereafter follows below. Figure 4.1 shows the trend of fire outbreak in public buildings of Niger State from 2006 – 2015.




Fig. 4.1: A Ten-year Trend Fire Outbreak in Public Buildings in Niger State from 2006 - 2015

Figure 4.1 shows that fire outbreak in public buildings in Niger State has fluctuated between 2006 and 2015. The highest cases were recorded in year 2012 while the least recorded cases of fire outbreak were in year 2006. The trend differs from that observed by Shittu (2001) where the cases of fire in public buildings were observed to constantly increase from 1993 – 2004. Figure 4.2 shows a trend comparison of the major causes of fire outbreak in Niger State from 2006 – 2015.





Fig. 4.2: Trend Comparison of Major Causes of Fire Outbreak in Niger State from 2006 - 2015

It was revealed in Figure 4.2 that the cases of fire outbreak occur more as a result of electrical faults than gas faults and bush burning. In the last two years under review, the cases of fire outbreak due to bush burning became the highest recorded. While cases of fire outbreak due to gas faults and bush burning fluctuated over the period under review, cases of fire outbreak due to electrical faults decreased constantly over the period under review. It was most importantly that there was an improvement in the recorded cases of fire due to these three major causes of fire outbreak. This is because the recorded cases of fire outbreak due to each of these causes decreased significantly during the last five years under review, except for the causes of fire outbreak due to bush burning. The result of this analysis agrees with the findings of Shittu (2001), Shittu (2007) and Shittu (2009) where it was also discovered that the cases of fire outbreak recorded as a result of electrical faults were higher than the ones for gas faults and bush burning. Figure 4.3 shows the trend comparison between the amount of financial loss

and financial salvage during the incidence of fire outbreak in Niger State from 2006 – 2015



**Fig. 4.3:** Trend Comparison between the Amounts of Financial Loss and Financial Salvage during Fire Outbreak in Niger state from 2006 - 2015

It was shown in Figure 4.3 that the amount of financial losses recorded is usually less than the amount of financial salvage over the study period, except in 2009 and 2011. This implies that more properties are being saved than the ones lost to fire outbreak. This agrees with the findings of Shittu (2001) and Shittu (2007) where it was also discovered that the amount of financial losses recorded is usually less than the amount of financial salvage from 1990 – 1999 in Kwara State and 1993 – 2004 in Niger State respectively.

#### Results and discussions for t - tests

The first T – Test shows that there exists a statistically significant difference between the required number of escape routes and the available number of escape routes in the selected public buildings in Minna. The observed mean value of the number of required escape routes was 2.40 while that of the number of available escape routes was 1.00. The observed T calculated value from the result of the analysis was 5.250 and was greater than the T tabulated value of 2.26, while the Probability (P) value of 0.001 observed was less than the level of significance of 0.05 which the analysis was based upon. The null hypothesis was therefore rejected based on these. This therefore implies that the standard number of escape routes required is not being complied with in public buildings in Minna. This agrees with the findings of the study of Shittu *et al.* (2013b) where it was also found that the standard number of escape routes required is not being complied with in tertiary institution buildings in Minna. The results of the first T – Test are summarised in Table 4.1.

**Table 4.1:** T – Test between the Required and Available No. of Escape Routes

| Test No | Variables                     |                                | Type of Model | Observations                                   |                  |                  |                    |      | Remark | Action On Hypothesis  |
|---------|-------------------------------|--------------------------------|---------------|--|------------------|------------------|--------------------|------|--------|-----------------------|
|         | X <sub>1</sub>                | X <sub>2</sub>                 |               | Mean Value (%)                                 | T <sub>cal</sub> | T <sub>tab</sub> | P <sub>value</sub> | LOS  |        |                       |
| 1       | Required No. of Escape Routes | Available No. of Escape Routes | Paired Sample | X <sub>1</sub> = 2.40<br>X <sub>2</sub> = 1.00 | 5.250            | 2.26             | 0.001              | 0.05 | SSD    | Reject H <sub>0</sub> |

Source: Researchers' Field Survey (2016)

KEY: SSD: Statistically Significant Difference

The second T - Test shows that there exists a statistically significant difference between the required number of fire extinguishers and the available number of fire extinguishers in the selected public buildings in Minna. The observed mean value of the number of required fire extinguishers was 10.70 while that of the number of available number of fire extinguishers was 6.40. The observed T calculated value from the result of the analysis was 3.023 and was greater than the T tabulated value of 2.26, while the Probability (P) value of 0.014 observed was less than the level of significance of 0.05 which the analysis was based upon. The null hypothesis was therefore rejected based on these. This therefore implies that the standard number of fire extinguishers required is not being complied with in public buildings in Minna. This is in line with the findings of the study of Shittu *et al.* (2013b) where it was also discovered that the standard number of fire extinguishers required is not being complied with in tertiary institutions buildings in Minna. The results of the second T - Test are summarised in Table 4.2.

**Table 4.2: T - Test between Required and Available No. of Fire Extinguishers**

| Test No. | Variables                    |                                   | Type of Model | Observations                                    |                  |                  |                    |      |        |                       |
|----------|------------------------------|-----------------------------------|---------------|---|------------------|------------------|--------------------|------|--------|-----------------------|
|          | X <sub>1</sub>               | X <sub>2</sub>                    |               | Mean Values (%)                                 | T <sub>cal</sub> | T <sub>tab</sub> | P <sub>value</sub> | LOS  | Remark | Action on Hypothesis  |
| 2        | Required No. of Extinguisher | Available Number of Extinguishers | Paired Sample | X <sub>1</sub> = 10.70<br>X <sub>2</sub> = 6.40 | 3.023            | 2.26             | 0.014              | 0.05 | SSD    | Reject H <sub>0</sub> |

Source: Researchers' Field Survey (2016)

**KEY:** SSD: Statistically Significant Difference

The third T - Test shows that there exists a statistically significant difference between the required number of firefighting equipment and the available number of firefighting equipment in the selected public buildings in Minna. The observed mean value of the number of required number of firefighting equipment was 17.30 while that of the number of available number of firefighting equipment was 8.00. The observed T calculated value from the result of the analysis was 4.225 and was greater than the T tabulated value of 2.26, while the P value of 0.002 observed was less than the level of significance of 0.05 which the analysis was based upon. The null hypothesis was therefore rejected based on these. This therefore implies that the standard number of firefighting equipment required is not being complied with in public buildings in Minna. The finding from the study of Shittu *et al.* (2013b) also agrees with this. The results of the third T - Test are summarised in Table 4.3.

**Table 4.3: T - Test between No. of Required and Available Fire Fighting Equipments**

| Test No | Variables                              |   | Type of Model | Observations                                   |                  |                  |                  |      |        |                       |
|---------|--|---|---------------|--|------------------|------------------|------------------|------|--------|-----------------------|
|         | X <sub>1</sub>                         | X <sub>2</sub>                          |               | Mean Values (%)                                | T <sub>cal</sub> | T <sub>tab</sub> | P <sub>obs</sub> | LOS  | Remark | Action on Hypothesis  |
| 3       | Required No. of Firefighting Equipment | Available No. of Firefighting Equipment | Paired Sample | X <sub>1</sub> = 17.3<br>X <sub>2</sub> = 8.00 | 4.225            | 2.20             | 0.00%            | 0.05 | SSD    | Reject H <sub>0</sub> |

Source: Researchers' Field Survey (2016)

**KEY:** SSD: Statistically Significant Difference**Results and discussions for regression analysis**

It was observed in the first regression analysis that there exists a weak, negative and non-significant relationship between population of building occupants and the number of escape routes in the selected public buildings in Minna. The coefficient of determination ( $R^2$ ) value observed was 0.2% implying weak relationship and the correlation coefficient ( $R$ ) observed was 4.4% indicating weak degree of association between the variables. The negative correlation observed between the variables indicates a tendency that an increase in the population of building occupants will be followed by a decrease in the number of escape routes and vice versa. The value of  $F$  calculated of 0.015 observed was less than the value of  $F$  tabulated of 5.32 while the probability ( $P$ ) value of 0.905 observed was greater than 0.05. This led to the acceptance of the null hypothesis in this case. This finding is in line with the findings of Shittu *et al.* (2016) where it was also found that number of escape routes does not significantly relate with the population of building occupants. Table 4.4 summarises the results of the first regression analysis.

**Table 4.4: Summary of Regression Results between Population and No. of Escape Routes**

| Analysis No | Variables  |                     | Type of Model | Observations           |                      |                  |                  | Inferences       |                          |        |                       |
|-------------|------------|---------------------|---------------|------------------------|----------------------|------------------|------------------|------------------|--------------------------|--------|-----------------------|
|             | X          | Y                   |               | Regression Equation    | R/R <sup>2</sup> (%) | F <sub>cal</sub> | F <sub>tab</sub> | P <sub>obs</sub> | Strength of Relationship | Remark | Action on Hypothesis  |
| 1           | Population | Nr of Escape Routes | Linear        | $Y = -1.115X + 0.000x$ | 4.00%                | 0.015            | 5.32             | 0.905            | Weak                     | NS     | Accept H <sub>0</sub> |

Source: Researchers' Field Survey (2016)

**Key:** NS = Not Significant

The second regression analysis also revealed a weak, negative and non-significant relationship between building floor area and the number of escape routes in the selected public buildings in Minna. The  $R^2$  value observed was 3.2% implying weak relationship and the  $R$  value observed was 18% indicating weak degree of association between the variables. The negative correlation observed between the variables indicates a tendency that an increase in the building floor area will be followed by a decrease in the number of escape routes and vice versa. The value of  $F$  calculated of 0.267 observed was less than the value of  $F$  tabulated of 5.32 while the

probability (P) value of 0.619 observed was greater than 0.05. This led to the acceptance of the null hypothesis in this case. This finding also agrees with the findings of Shittu *et al.* (2016) where it was also found that the number of escape routes does not significantly relate with the floor area of building. Table 4.5 summarises the results of the second regression analysis.

**Table 4.5: Summary of Regression Results between Floor Area and No. of Escape Routes**

| Analysis No. | Variables            |                     | Type of Model   | Observations         |                  |                   |                  | Inferences         |                          | Action on Hypothesis |                       |
|--------------|----------------------|---------------------|-----------------|----------------------|------------------|-------------------|------------------|--------------------|--------------------------|----------------------|-----------------------|
|              | X                    | Y                   |                 | Regressors Equation  | R/R <sup>2</sup> | F <sub>calc</sub> | F <sub>tab</sub> | P <sub>value</sub> | Strength of Relationship |                      | Remark                |
| 2            | Buildin g Floor Area | Nr of Escap e Route | Linear (Simple) | $Y = 1.397 + 0.001x$ | 18/3.2           | 0.267             | 3.32             | 0.619              | Weak                     | NS                   | Accept H <sub>0</sub> |

Source: Researchers' Field Survey (2016)

Key: NS = Not Significant

## CONCLUSIONS AND RECOMMENDATIONS

Findings from the results of the analysis led to the following conclusions:

- i. The incidence of fire outbreak in public buildings in Niger State fluctuated from 2006 - 2015 and more properties were being saved than the ones lost to fire outbreak.
- ii. Fire safety requirements are not adequately provided or complied with in public buildings in Minna, Niger State. This is because significant differences exist between the required and available numbers of escape routes, fire extinguishers and firefighting equipment.
- iii. The relationship between population of building occupants and number of fire escape routes and building floor area is not significant respectively. This also implies that the requirements of fire safety requirements are not being complied with.

The following recommendations were made based on the findings of this study:

- i. Building occupants or owners should always comply with the fire safety regulations on the number of firefighting equipment required for public buildings of different specifications.
- ii. Building owners should always use the area of building and population of building occupants as basis in order to make provision for fire safety devices.
- iii. Fire sprinkler systems should be provided for public buildings and water hydrants should be installed by the Government in all public areas in cities where water can be easily fetched in case of fire outbreak.



- iv. Finally, the Government should set up an agency to constantly inspect the level of compliance of public buildings to the provisions of fire safety regulations.

### LIMITATION OF THE STUDY

The study is only applicable to public buildings used for commercial and official purposes. In order to be able to extend its application to other building types, a fresh research should be undertaken adopting the procedures of this research. The following areas are suggested for further research in view of the limitation of this study:

- i. A comparative analysis of the level of compliance with the provisions of the fire safety regulations between public and private buildings.
- ii. Impact of the level of compliance with the provisions of the fire safety regulations on the number of recorded fire outbreaks in public and private buildings.

### REFERENCES

- Adeleke, S. (1993). Fire: An Ambivalent Substance. *The Herald*. 25<sup>th</sup> October. 12.
- Ahiamba, E. E. (1985). *Fire Hazard and its Prevention in Buildings (A Case Study of Bendel and Logos States of Nigeria)*. BSc. Thesis, Department of Architecture, Bendel University, Ekpoma.
- Aliyu, W. I. and Abdulrahman, M. E. (2016). Assessment of Fire Safety Provisions in Tertiary Institution Hostel Buildings in Niger State Sustainable Built Environment and Climate change; The challenges of Post 2015 Development Agenda. School of Environmental Technology Conference, SETIC, 2016
- Anyawata, C.H. (2000). *Analysis of fire outbreak in Niger-Delta, Nigeria*. Unpublished B. Tech Thesis, Department of Quantity Surveying, Federal University of Technology, Minna.
- Aqua Group (1984). *Fire and Building*. Granada Publishing, Great Britain.
- Clare, J., Garis, L., Plecas, D. and Jennings, C. (2012). Reduced Frequency and Severity of Residential Fires following Delivery of Fire Prevention Education by on-duty Fire Fighters: Cluster Randomized Controlled Study. *Journal of Safety Research*. Volume 43: 123-128.
- Encyclopedia Americana (1993). *Encyclopedia Americana International Edition*. Danbury, Connecticut. (11) 243 – 251.
- Hakkarainen, T. (2002). *Studies on Fire Safety Assessment of Construction Products*. Technical Research Centre of Finland. VTT Publications 459. 1 – 109.
- Hassan, H. (1999). Fire and Safety Management in Buildings. *The Professional Builders Journal*. June/July. 32 – 35.
- Herbert, G. (1999). *Fire safety in hostels*. McGraw-Hill, Inc.

- Huseyin, I and Setoun, L. (2006). Fire safety training: Its importance in enhancing fire safety knowledge and response to fire. *The Australian Journal of Emergency Management*, November 2006, 21(4): 48 - 53.
- Klapwijk, I. N. (2012). *The Governance of Fire Safety: Using Networks, Markets, Hierarchy? Or a form of Anarchy?* Master Thesis, School of Management and Government, University of Twente.
- Makanjuola, S.A, Aiyetan, A. O and Oke, A.E. (2009). Assessment of Fire Safety Practice in Public Buildings in Western Nigeria. *RICS COBRA Research Conference*, University of Cape Town, September 2009, 1-27.
- Mallonee, S., Istre, G. R., Rosenberg, M., Reichsh-Douglas, M., Jordan, P., Silverstein, P. and Tunell, W. (1996). Surveillance and Prevention of Residential Fire Injuries. *The New England Journal of Medicine* 345(1): 27-31.
- Malvern, F. (1997). *Time savers standards, for architectural design standards*, seventh edition, McGraw-Hill, Inc.
- Marsha, E. Williams, M. E. (2012). Fire Safety Education & Outreach Program: Memphis, Tennessee: A Qualitative Research Project. Summary Report. Prepared for The National Fire Protection Association, December 2012. Harvest Research Group LLC.
- Mogbo, T.C. (1986). Fire Outbreak and the Urban Environment in Nigeria: Implication on Public Policy and Politics. In A. A. Ndanusa, Ed.: *The Quantity Surveyor: A Journal of the Nigerian Institute of Quantity Surveyors*, Lagos, January - March, 31-38.
- Nwabueze, T. M. (2012). *Proposed Nnamdi Azikiwe University/University Postgraduate Hostel. A study on Enhancing Fire Safety in Hostels: Design*. An unpublished MSc. Thesis, Department of Architecture, Faculty of Environmental Sciences, School of Postgraduate Studies, Nnamdi Azikiwe University, Awka.
- Odueme, S. and Ebumomi, V. (2008). Fire in NPA House. In Wale Olujoju (Ed). *Daily Independent*, Lagos, 23<sup>rd</sup> June, 3(1511), 1.
- Oladare, L. (2000). Season of Fire. *Shelter Watch*, May-June 29-30.
- Passive Fire Protection Federation (2013). *Gateway to UK Fire Protection*, Gardens Business Park, Kingsley House, Bordon, Hampshire, UK. Retrieved from [http://www.org/pfp\\_definition.htm](http://www.org/pfp_definition.htm) on 12/03/2013.
- Patterson, J. (1993). *Simplified design for building fire safety*. John Wiley and sons Inc.
- Shittu, A. A. (2007). A comparative analysis of Fire Outbreak in Domestic and Public Buildings in Niger State during the Military and Civilian Era (1993-1998 and 1997-2004 respectively). In L. M. Ogun, Ed.: *Environmental Technology and Science Journal*, School of Environmental Technology, Federal University of Technology Minna, Nigeria, 3(2): 139-146.
- Shittu, A. A. (2009). Analysis of Fire Incidences in Domestic and Public Buildings of Some Selected States in North-Central Nigeria. In Z. A. Uja (Ed.): *Journal of Environmental Sciences*, Faculty of Environmental Sciences, University of Jos, Jos, Nigeria, Vol. 13(II): 54-61.

- Shittu, A. A., Oke, A. A., Adamu, A. D. & Shehu, M. A. (2013a). A Comparative Analysis of Fire Incidences in Domestic and Public Buildings during the Military and Civilian Era in Kwara State, Nigeria (1990 - 1999, 2000 - 2009). In A. S. Abdulkareem, S. A. Abdularahaman, A. A. Amadi & M. Abdullahi (Eds): *3<sup>rd</sup> Biennial Engineering Conference Conference Book of Proceedings*. School of Engineering and Engineering Technology, Federal University of Technology, Minna, Nigeria. Tuesday, 14<sup>th</sup> - Thursday, 16<sup>th</sup> May 2013. 255 - 267.
- Shittu, A. A., Adamu, A. D., Oke, A. A., Aliyu, S. & Shehu, M. A. (2013b). Appraisal of Fire Safety Provisions in Tertiary Institutions Buildings in Minna. In M. Zubairu (Ed.), *Centre for Human Settlement and Urban Development (CHSUD) Journal*. Federal University of Technology, Minna, Nigeria. December 2013, 4(1): 64 - 72.
- Shittu, A. A., Idiake, J. E. and Akanmu, W. P. (2015). Relationship Between Cost of Fire and Capital Expenditure in Kwara State. In A. Nasir, A. S. AbdulRahman and A. S. Kovo (Eds). *Procs: 1<sup>st</sup> International Engineering Conference (IEC 2015)*. School of Engineering and Engineering Technology, Federal University of Technology, Minna, Nigeria. 1<sup>st</sup> - 3<sup>rd</sup> September. 243 - 250.
- Shittu, A.A (2001). *An Analysis of Losses due to Fire Incidence in Residential and Public Buildings of Kwara State (1990-1999)*. Unpublished B.Tech. Thesis Quantity Surveying Department, Federal University of Technology Minna, Nigeria.
- Shittu, A. A., Idiake, J. E., Oyewobi, L. O., Tsado, A. J., Bilyaminu, B. & Mac-Barango, D. O. (2016). Viability of Fire Escape Routes in the Student Hostels at Selected Katsina State Tertiary Institutions. *Sustainable Built Environment and Climate Change: The Challenges of Post 2015 Development Agenda*. In: Y. A. Sanusi, O. F. Adedayo, R. A. Jimoh & L. O. Oyewobi (Eds): *Proceedings of School of Environmental Technology International Conference (SETIC 2016)*. School of Environmental Technology, Federal University of Technology, Minna, Nigeria. 10<sup>th</sup> - 12<sup>th</sup> May. 66.

## APPENDIX

Table A1: Research Data on Fire Statistics from 2006 - 2015

| Year | Electric Fault Fire | Gas Fault Fire | Bush Burning Fire | Public Building Fire | Fire Losses (N Million) | Fire salvages (N Million) |
|------|---------------------|----------------|-------------------|----------------------|-------------------------|---------------------------|
| 2006 | 100                 | 30             | 20                | 32                   | 412                     | 400                       |
| 2007 | 97                  | 27             | 13                | 40                   | 150                     | 250                       |
| 2008 | 86                  | 22             | 9                 | 30                   | 80                      | 200                       |
| 2009 | 80                  | 18             | 6                 | 44                   | 275                     | 80                        |
| 2010 | 58                  | 15             | 1                 | 34                   | 250                     | 550                       |
| 2011 | 53                  | 19             | 1a                | 45                   | 500                     | 240                       |
| 2012 | 44                  | 13             | 20                | 52                   | 270                     | 580                       |
| 2013 | 30                  | 7              | 18                | 28                   | 150                     | 600                       |
| 2014 | 22                  | 4              | 25                | 45                   | 360                     | 580                       |
| 2015 | 20                  | 2              | 25                | 32                   | 280                     | 440                       |

Source: Niger State Fire Service, Minna (2016)

Table A2: Research Data on Fire Safety Provision

| Building                   | Standar No of Escape Route | Available Escape Route | No of Required Fire Extinguisher | No of Available Fire Extinguisher | Floor Area (sqm <sup>2</sup> ) | No of Required Fire Fighting Equipment | No of Available Fire Fighting Equipment | Population |
|----------------------------|----------------------------|------------------------|----------------------------------|-----------------------------------|--------------------------------|--|---|------------|
| House 1                    | 4                          | 2                      | 14                               | 1                                 | 250                            | 18                                     | 1                                       | 15         |
| House 2 (Hospital Complex) | 4                          | 3                      | 25                               | 15                                | 600                            | 32                                     | 15                                      | 34         |
| House 3 (Church Hall)      | 3                          | 0                      | 10                               | 4                                 | 300                            | 14                                     | 6                                       | 17         |
| House 4 (Ball Hall)        | 2                          | 1                      | 8                                | 8                                 | 600                            | 10                                     | 8                                       | 30         |
| House 5 (Lecture Hall)     | 2                          | 0                      | 4                                | 1                                 | 200                            | 6                                      | 1                                       | 9          |
| House 6 (Event Center)     | 2                          | 2                      | 8                                | 10                                | 270                            | 12                                     | 10                                      | 15         |
| House 7 (Shop Mah)         | 2                          | 0                      | 6                                | 4                                 | 800                            | 35                                     | 14                                      | 42         |
| House 8 (Office Complex)   | 2                          | 0                      | 12                               | 7                                 | 800                            | 10                                     | 8                                       | 38         |
| House 9 (Library)          | 2                          | 2                      | 10                               | 8                                 | 600                            | 18                                     | 8                                       | 27         |
| House 10 (Show Room)       | 2                          | 0                      | 10                               | 6                                 | 400                            | 18                                     | 9                                       | 24         |

Source: Researchers' Field Survey (2016)