# Noise Level Signatures Over Bida Town, Niger State, Nigeria

Jonah, S.A., Baba-Kutigi A.N., Isah, K.U., Uno, U.E., Dangana, M.L., Ahmadu, U., Kolo, M.T., Gana, C.S., Salako, K.A., Ofor, N.P., Rafiu, A.A., Alhassan, D.U., Ibrahim, S.O., Adecona, A.A., Ezenwora, J. A., Ibrahim, A.G., Eze, C.N., Olarinoye, I. O., Agida, M., Igwe, K.C., Bature, M., and Kimpa, M.I.

Department of Physics, Science Education, Federal University of Technology, Minna

#### Abstract

The trends towards urbanization in Nigeria mean that it becomes of academic interest to quantify and describe the levels and prevalence of urban noise pollution. In this study, noise level signatures over portions of Bida town were measured and the results have been duly presented. The core objective of this study is to quantify the levels of noise at strategic locations in Bida town in relation to the internationally-recognised tolerable level of 70dB so that a pattern of noise pollution in these areas could be established. A couple cadastral sheets from the map of Bida town were considered for this survey, and measurements were taken from over one hundred stations of interest on the ground. Thirty-four GPS points were surveyed for noise level values for each of the cadastral maps whence it was noticed that nearly all of these points suffer from high ambient amount of noise pollution at peak activity periods. In each case, the loudest contributor to environmental noise pollution was the electric milling machine. The noise level corresponding to the electric milling machine was found to be 97.06 dBA in Sheets 14 and 22; in Sheet 16 the noise level was peaked at 102.2 dBA. All of the principal sources of noise in the three sheets considered for investigation can be appropriately termed "noisy".

Keywords: Environmental pollution, noise, survey, health, hazard

#### Introduction

Interest is now being increasingly centred on noise pollution as an integral part of the concept of "environmental pollution" (Jonah et al 2009; Franssen et al., 2004; Abumere et al, 1999; Ising et al., 1999). The trends towards urbanization in Nigeria mean that it becomes of academic interest to quantify and describe the levels and prevalence of urban noise pollution. In this study, noise level signatures over portions of Bida town were measured and the results have been duly presented.

#### **Problem Statement**

At present, there exists no database on the noise pollution patterns of Bida town, so it is hoped that this study would serve as a pointer or "roadmap" in this regard.

# Aim of Study

The core objective of this study is to quantify the levels of noise at strategic locations in Bida town in relation to the internationally-recognised tolerable level of 70dB so that a pattern of noise pollution in these areas could be established.

### Scope of Study

Three cadastral sheets of Bida town were considered for this survey, and measurements were taken from over one hundred stations of interest on the ground. Before noise level measurements were made, site selection and co-ordinate identification were run in tandem for one hundred and fifty locations scattered on the ground in the parts of Bida towns identified on the cadastral sheets; the street locations of the stations of interest were recorded, as well as their corresponding Global Positioning System (GPS) values. These GPS values were recorded by the aid of a hand-held GPS unit. Subsequently, several values of noise levels were recorded at peak times at the appropriate stations that are affected by high noise levels.

#### Literature Review

Jonah et al (2009) pointed out that only a limited amount of studies have been carried out in Nigeria with respect to noise level measurements within Nigerian cities. Abumere et al (1999)

carried out a study to investigate noise pollution within Port-Harcourt City. Their study concluded that noise exposure limits in Port-Harcourt City exceeds the value recommended by the International Environmental Protection Agency (IEPA), i.e. 70dB; consequently they suggested some strategies for limiting noise levels in Port-Harcourt city. Menkiti (1976) highlighted the fact that the incidence of impaired hearing in Nigeria could be blamed on exposure to noise (Abumere et al, 1999). Onuu and Menkiti (1993) have analyzed the spectra of road traffic noise for parts of southeastern Nigeria and they concluded that this type of noise dominates the low frequency range, 500-800Hz (Abumere et al. 1999). The Microsoft Encarta (2008)stated that most hearing loss occurs in workplaces, where workers may be unable to avoid unhealthy noise, and where exposure may continue for years. Factory workers, construction workers, farmers, military personnel, police officers, firefighters, and musicians all have reason to be concerned about their occupational exposure noise. to Even at levels below those that cause hearing loss, noise pollution produces problems. Noise makes conversation difficult, interferes with some kinds of work, and disturbs sleep. As a source of stress, it can promote high blood cardiovascular pressure and other problems, as well as nervous disorders. Noise also puts stress on domestic animals and wildlife. In remote areas, helicopters and military aircraft often frighten animals. Aircraft noise in Alaska, for example, has been shown to reduce the survival rate of caribou calves. There is concern that increasing noise levels in the oceans may confuse

the natural sonar that whales use to navigate, communicate, and locate food. Ouise (2002) has addressed the negative effects resulting from the exposure to road traffic noise on people's well being. Following observations, the writer said annovance was one of the first and most direct reaction on environmental noise, and that the continuous exposure of people to road traffic noise lead to suffering from various kinds discomfort; this he said reduced the number of their well being elements. He also said his conclusion was still determined by non-acoustical factors like sensitivity, socio-economic situation and age. He reported that certain quantitative relationship between the objective quantities characterising road traffic noise was established. Finally, he pointed out that the importance of these findings could be in more efficient ways of planning road traffic activity, in order to secure and provide some succour. Shih (1971) saw noise as sound with little or no periodicity, with its essential characteristic of undesirability. He then defined noise as any annoying or unwanted sound. He also pointed out that the rapid increase of noise level in the environment was a national public health hazard, and that noise affects man's state of mental, physical and social well-being, saying it was a type of air pollution. The author saw his work as an attempt to arrive at the understanding of the general situation on the problem of noise, being then, a rather new subject among other branches of science. His survey consisted of four major parts: the present status of noise pollution, its sources, its effects, and the control.

Results and Data Analysis
Sheet 14: The noise level dataset for the stations of Sheet 14 that were recognised

to suffer from significant noise pollution are presented in Table 1.

1	Sources of	of Rating	Levels from Var UTM	Local	1 <sup>st</sup>	2 <sup>nd</sup>	ard
1	Noise		Values	Coordinates	Reading	Reading	1
	Lister	75kVA	X: 0827656	E: 11.9804396°	(dBA)	(dBA)	(dBA)
1	Bonne		Y: 1006328		90.0	91.2	90.9
2	Vulcanisi	n 3hp	X: 0827677			100	
	g machine		Y: 1006351		93.2	92.4	92.46
3	Elemax	3kVA	X: 0827726				
	generator		Y: 1006415	1 21.0010023	87.3	82.4	83.3
4	Birla	0.8kVA	X: 0827810				
	Yamaha		Y: 1006354	1	91.2	86.2	86.7
	generator		1.1000334	N: 009.0926601°			
5	Milkano	27.5kVA	X: 0827814	E. 11 0010 (720			
	generator	27.58 171	Y: 1006218	E: 11.9818673°	93.8	92.6	93.0
6	Birla	0.8kVA	X: 0827824	N: 009.0914312°		8	
	Yamaha	O.OK VA	15 SECTION 100 MINERAL INC. 10	E: 11.981965°	91.2	86.2	86.7
	generator		Y: 1006309	N: 009.0922525°			
7	Vulcanisin	3hp	V-0027067	77 14 0000			
,	g machine	Jub	X:0827867	E:11.9823526°	93.2	92.4	91.8
8	Lister	10 51-774	Y:1006267	N: 009.0918699°			
O	generator	10.5kVA	X:0827935	E: 11.9829668°	90.0	91.2	90.9
9		20W	Y:1006217	N: 009.0914132°			
2	Grinding		X: 0827018	E: 11.9746315°	95.5	96.8	98.9
10	machine	01.77	Y: 1006193	N: 009.0912645°			1
10	Yamaha	2kVA	X: 0828128	E: 11.9847094°	95.5	93.1	96.3
1 1	generator		Y: 1006066	N:009.0900348°			70.3
11	Vulcanisin	3hp	X:0828146	E: 11.9848798°	93.2	92.4	91.8
	g machine		Y:1006156	N: 009.0908465°		72.1	71.0
12	Elemax	3kVA	X: 0828181	E: 11.9851914°	87.3	82.4	83.3
	generator		Y:1006070	N: 009.090067°	07.5	02.7	65.5
3	Grinding		X: 0828105	E: 11.9845002°	95.5	96.8	00.0
	machine		Y:1006063	N: 009.0900094°	75.5	90.8	98.9
4	Tiger head	0.8kVA	X: 0828357	E:11.9867928°	88.3	86.7	07.7
	generator		Y: 1006097	N: 009.0902978°	00.5	80.7	85.5
5	Imec	2.6kVA	X: 0828364	E:11.9868558°	86.3	0.6.5	0.7.5
	diesel		Y:1006088	N: 009.090216°	80.3	86.5	87.5
	engine		11100000	11. 007.070210	•		
6	Elemax	3kVA	X: 0828433	E: 11.987479°	97.2	00.4	
	generator		Y: 1006037	N: 009.0897501°	87.3	82.4	83.3
7	Vulcanisin	3hp			02.2		
	g machine	^-	**	E: 11.9875136°	93.2	92.4	91.8
8		3hp		N: 009.089542°			
			11. 0020322	E: 11.9882836°	93.2	92.4	91.8

	g machine		Y: 1005981	N: 009.0872306°		-	
19	Yamaha	3kVA	X: 0828486	E: 11.9879514°	95.5	93.1	96.3
	generator		Y: 1005914	N: 009.088635°			
20	0 Elemax	3kVA	X: 0828489	E:11.9879775°	87.3	82.4	83.3
	generator		Y: 1005898	N; 009.0884903°			
21	Sunico	8kVA	X: 0828525	E:11.9883033°	97.3	93.2	91.7
	generator		Y: 1005880	N: 009.088325°			
22	Tiger head	0.8kVA	X: 0828636	E: 11.9893846°	88.3	86.7	85.5
	generator		Y:1006848	N: 009.0970611°			
23	Birla	0.8kVA	X: 0828560	E: 11.9886941°	91.2	86.2	86.7
	Yamaha		Y: 1006850	N: 009.0970849°			
24	Himo	10.5kVA	X: 0828617	E: 11.9892122°	95.5	80.4	90.0
	gasoline generator		Y: 1006851	N: 009.0970896°			
25	Milkano	10.5kVA	X: 0828683	E: 11.9898162°	93.8	92.6	93.0
	generator		Y: 1006907	N: 009.0975906°			
26	Corn		X: 0828739	E: 11.990321°	95.5	96.8	98.9
	milling machine		Y: 1006853	N: 009.0970986°			
27	Vulcanisin	3hp	X: 0828772	E: 11.9906206°	93.2	92.4	91.8
	g machine		Y: 1006848	N: 009.097051°			
28	Welding	87kVA	X: 0828806	E: 11.9909302°	94.3	95.7	96.1
	machine		Y: 1006875	N: 009.0971297°			
29	Tiger head	0.8kVA	X: 0828917	E: 11.9919363°	88.3	86.7	85.5
	generator		Y: 1006821	N: 009.0967962°			
30	Yamaha	3kVA	X: 0828928	E: 11.9920359°	95.5	93.1	96.3
	generator		Y: 1006817	N: 009.0967593°	100000000000000000000000000000000000000		.750 33003031
31	Tiger head	0.8kVA	X: 0828941	E: 11.9921565°	88.3	86.7	85.5
	generator		Y:1006849	N: 009.0970474°			
32	Birla	0.8kVA	X: 0828972	E: 11.9924346°	91.2	86.2	86.7
	Yamaha		Y: 1006801	N: 009.0966115°			
33	Vulcanisin	3hp	X: 0828995	E: 11.9926445°	93.2	92.4	91.8
	g machine	*	Y: 1006813	N: 009.0967182°			
34	Vulcanisin	3hp	X: 0828024	E: 11.9838206°	93.2	92.4	91.8
	g machine	I.	Y: 1006818	N: 009.0968357°			

The sources of noise identified in Sheet 14 together with their corresponding mean prevailing values have been identified and tabulated in Table 2 in juxtaposition with the IEPA-recognised threshold value of 70dBA.

Table 2: Mean Values of the Sources of Noise of Sheet 14

VIII. SAN SAN CO	Sources of Noise	Threshold Values (dBA)	Av. Noise Val.(dBA)
1	Welding machine	70	95.40
2	Vulcanising machine	70	92.46
3	Electric miller	70	97.06
4	Petrol generator	70	84.30
5	Diesel generator	70	93.10

The relationship of Table 2 is presented in visual format as Fig. 1.




Fig. 1: Bar chart representation of the values of the sources of noise vis-à-vis the threshold value. Vertical axis is in dBA.

**Sheet 22:** The noise level dataset for the stations of Sheet 22 that were recognised

to suffer from significant noise pollution are presented in Table 3.

Table 3: Values of Noise Levels from Various Sources

S		f Rating	UTM	Local	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>
N	Noise		Values	Coordinates	Reading (dBA)	Reading (dBA)	Read (dBA
	Lister	75kVA	X:0170525	E: 06.003274	87.3	82.4	83.3
1	generator		Y:1003075	N: 009.0629154	07.5	02.4	05.5
2	Vulcanisir	a 3hp	X: 0170541	E: 06.0034186	93.2	92.4	92.46
	g machine		Y: 1003085	N: 009.0630070	33.2	72.1	72.70
3	Elemax	3kVA	X: 0170553	E: 06.003529	88.3	86.7	85.5
	generator		Y: 1003068	N: 009.0628738		00.7	05.5
4	Birla	0.8kVA	X: 0170572	E: 06.0037015	91.2	86.2	86.7
	Yamaha generator		Y: 1003070	N: 009.0628738		00.2	00.7
5	Milkano	27.5kVA	X: 0170604	E: 06.0039915	93.8	92.6	93.0
	generator		Y: 1003080	N: 009.0629665	33.0	72.0	75.0
6	Birla	0.8kVA	X: 0170627	E: 06.0042014	91.2	86.2	86.7
	Yamaha generator		Y: 1003068	N: 009.0628598		Ų0.2	00.7
7	Vulcanisin	3hp	X: 0170675	E: 06.0042014	93.2	02.4	01.0
	g machine	Jup	Y: 1003090	N: 009.0630621	93.2	92.4	91.8
8	Lister	10.5kVA	X: 0170724	E: 06.0050832	90.0	01.2	000
	generator	20W	Y; 1003063	N: 009.0628219	90.0	91.2	90.9
9	Grinding	2011	X: 0170773	E: 06.0055293	91.2	960	067
	machine		Y: 1003052	N: 009.0627261	91.2	86.2	86.7
10	Yamaha	2kVA	X: 0170775	E:06.005523	95.5	93.1	062
	generator		Y: 1003136	N: 009.063485	93.3	93.1	96.3
11	Vulcanisin	3hp	X: 0170789	E: 06.0056634	93.2	92.4	91.8
	g machine	1	Y: 1003202	N: 009.0640824	75.2	92.4	91.0
12	Elemax	3kVA	X: 0170818	E: 06.0059232	87.3	82.4	83.3
	generator		Y:1003252	N: 009.0645362	07.5	02.4	05.5
13	Grinding		X: 0170848	E: 06.0061907	95.5	96.8	98.9
	machine		Y: 1003321	N: 009.0651617	75.5	70.8	70.9
14	Tiger head	0.8kVA	X: 0170880	E: 06.0064828	88.3	86.7	85.5
	generator		Y: 1003303	N:009.0650015	00.5	00.7	65.5
15	Imec	2.6kVA	X: 0170922	E: 06.0068655	86.3	86.5	87.5
	diesel		Y: 1003289	N: 009.0648782		00.5	07.5
	engine			The second second second			and the second
16	Elemax	3kVA	X: 0170970	E: 06.0068643	87.3	82.4	83.3
	generator		Y: 1003270	N: 009.0649172			
7	Vulcanisin	3hp	X: 0171022	E: 06.0077865	93.2	92.4	91.8
	g machine		Y:1003125	N: 009.0634041			
8	Vulcanisin	3hp	X:0171006	E: 06.007643	93.2	92.4	91.8
	g machine		Y:1003099	N:009.0631681			
9	Yamaha	3kVA	X: 0170987	E:06.0074721	95.5	93.1	96.3
	generator		Y:1003076	N: 009.0629589			

20	Elemax	3kVA	X: 0170955 Y: 1003045	E:06.0071836	87.3	82.4	83.3
21	generator	01-37.4		N: 009.0626765	07.0		
21	Sunico	8kVA	X: 0170972	E:06.0073412	97.3	93.2	91.7
22	generator	0.01774	Y:1003003	N: 009.0622983			
22	Tiger head	0.8kVA	X: 0170971	E: 06.0073348	88.3	86.7	85.5
	generator		Y:1002968	N: 009.0619821			Maria de la companya
23	Birla	0.8kVA	X: 0170958	E:06.007221	91.2	86.2	86.7
	Yamaha		Y: 1002910	N: 009.0614572			
24	Himo	10.5kVA	X: 0170919	E: 06.0068724	95.5	80.4	90.0
	gasoline		Y: 1002832	N: 009.0607497			
	generator						
25	Milkano	10.5kVA	X: 0170903	E: 06.0067306	93.8	92.6	93.0
	generator		Y: 1002785	N: 009.0603239			
26	Corn		X: 0170890	E: 06.0066147	95.5	96.8	98.9
	milling		Y: 1002754	N: 009.0600429			
	machine					***************************************	
27	Vulcanisin	3hp	X: 0170884	E: 06.0065615	91.2	86.2	86.7
	g machine	-	Y:1002737	N: 009.0598889		20 000 and 20 00 annual and	
28	Welding	87kVA	X: 0170885	E: 06.0065723	94.3	95.7	96.1
	machine		Y: 1002714	N: 009.0596812			
29	Tiger head	0.8kVA	X: 0171024	E:06.007812	88.3	86.7	85.5
	generator		Y: 1003027	N: 009.062519		3 AST CARSO 1807 1816	
30	Yamaha	3kVA	X: 0171069	E:06.0082211	95.5	93.1	96.3
	generator		Y: 1003024	N: 009.0624952			
31	Tiger head	0.8kVA	X: 0171080	E: 06.008321	88.3	86.7	85.5
	generator		Y:1003025	N: 009.0625051			
32	Birla	0.8kVA	X: 0829066	E: 11.9931181	91.2	86.2	86.7
	Yamaha		Y: 1004525	N: 009.0760444			
33	Vulcanisin	3hp	X: 0829051	E: 11.9929956	93.2	92.4	91.8
	g machine	*	Y: 1004588	N: 009.0766145			
34	Vulcanisin	3hp	X: 0829047	E: 11.992954	93.2	92.4	91.8
	g machine	•	Y: 1004640	N: 009.0770846			

The sources of noise identified in Sheet 22 together with their corresponding mean prevailing values have been

identified and tabulated in Table 4 in juxtaposition with the IEPA-recognised threshold value of 70dBA

Table 4: Mean Values of the Sources of Noise of Sheet 22

W	Sources of Noise	Threshold Values (dBA)	Av. Noise Val.(dBA)
1	Welding machine	70	95.40
2	Vulcanising machine	70	92.46
3	Electric miller	70	97.06
4	Petrol generator	70	84.30
5	Diesel generator	70	93.10

The relationship of Table 4 is presented in visual format as Fig. 2.




Fig. 2: Bar chart representation of the values of the sources of noise vis-à-vis the threshold value. Vertical axis is in dBA.

**Sheet 16:** The noise level dataset for the stations of Sheet 16 that were recognised

to suffer from significant noise pollution are presented in Table 5.

Table 5: Values of Noise Levels from Various Sources

	S/ Sources of N Noise	Rating	UTM Values	Lando	1 <sup>st</sup> Reading	2 <sup>nd</sup> Reading	, 3 <sup>rd</sup> Reading
	Vulcaniser's	rading	X-0171287	Local Co-ord N- 09 <sup>0</sup> 05.125'	. (dBA)	(dBA)	(dBA)
	1 pump	5.5hp	Y-1005560	E- 006 <sup>0</sup> 00.600	1		
	Diesel		X-0171292	00:000	94.0	93.8	94.2
	2 Generator	60kVA		- 00.100	05.2		
			X-0171297	- 550 00.001	95.3	95.8	96.7
	3   Petrol Generator	0.8kVA		E-006 <sup>0</sup> 00.606'	91.5	02.0	
	Vulcaniser's		X-0171199	N-09 <sup>0</sup> 05.087'	91.3	92.8	93.7
	4 pump	8kVA	Y-1005491	E-006 <sup>0</sup> 00.553'	94.0	02.0	0.4.0
				2 000 00.333	94.0	93.8	94.2
	5 0 1 6		X-0171293	N-09 <sup>0</sup> 05.071'			
	5 Petrol Generator	2.9kVA	Y-1005459	E-006 <sup>0</sup> 00.605'	91.5	92.8	93.7
	Diesel					72.0	93.7
1	Generator	0.01.77.	X-0171286	N-09 <sup>0</sup> 05.013'			
	Petrol	8.8kVA	Y-1005552	E-006 <sup>0</sup> 00.699'	95.3	95.8	96.7
1 7	The state of the s	0.01.17.4	X-0171281	N-09 <sup>0</sup> 04.965'			
	Petrol	0.8kVA	Y-1005264	E-006 <sup>0</sup> 00.699'	91.5	92.8	93.7
8	A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1	01774	X-0171289	N- 09 <sup>0</sup> 04.969'			, , ,
9		2kVA	Y-1005271	E- 006 <sup>0</sup> 00.603'	91.5	92.8	93.7
	Vulcaniser's		V 0151001				
	pump	5 51	X-0171291	N- 09 <sup>0</sup> 04.969'			
	pump	5.5hp	Y-1005272	E- 006 <sup>0</sup> 00.604'	94.0	93.8	94.2
10	Diesel generator	01-774	X-0171268	N-09 <sup>0</sup> 04.908'			
10	Diesel Diesel	8kVA	Y-1005160	E-006 <sup>0</sup> 00.592'	95.3	95.8	96.7
11	Generators	201-374	X-0171263	N-09 <sup>0</sup> 04.885'			
- 1	Generators	30kVA	Y-1005117	E-006 <sup>0</sup> 00.589'	95.3	95.8	96.7
	Petrol	Pa.	X-0171304	NT 0000 4 0 = 5:			
12	Generator	0.8kVA	Y-1005099	N-09 <sup>0</sup> 04.875' E-006 <sup>0</sup> 00.612'			
	Welding	0.0K V/1	X-0171376		91.5	92.8	93.7
13	Machine		Y-1005605	N-09 <sup>0</sup> 05.150'	0.7.		
	Petrol		X-0171408	E-006 <sup>0</sup> 00.649'	95.5	80.3	90
14			Y-1005601	N-09 <sup>0</sup> 05.148'			
		O.OK VII	1-1003001	E-006 <sup>0</sup> 00.667'	91.5	92.8	93.7
	Welding		X-0171292	N- 09 <sup>0</sup> 05.211'			
15	Machine	7kVA	Y-10052718	- 0	95.5	80.3	90
			X-0171296	N- 09 <sup>0</sup> 05.223'		00.5	90
16	Petrol Generator	800W	Y-1005740	D 00 -0	91.5	92.8	93.7

	Vulcaniser's		X-0171308	N-09 <sup>0</sup> 05.274'			
17		5.5hp	Y-1005834	E-006 <sup>0</sup> 00.611'	94.0	93.8	94
	Petrol milling		X-0171322	N-09 <sup>0</sup> 05.354'	74.0	75.8	74
18	machine	5.5hp	Y-1005982	E-006 <sup>0</sup> 00.618'	93.5	93.8	(
1.0	Petrol		X-0171355	N-09 <sup>0</sup> 05.467'			
19	Generator	500W	Y-1006190	E-006 <sup>0</sup> 00.635'	91.5	92.8	93
20	Milling		X-0171359	N-09 <sup>0</sup> 05.497'			
20	machines	5.5hp	Y-1006245	E-006 <sup>0</sup> 00.637'	100.9	99.9	105
21	Diesel	500kV	X-0171351	N-09 <sup>0</sup> 05.567'			
	Generator	A	Y-1006375	E-006 <sup>0</sup> 00.632'	95.3	95.8	96
	Speakers (video		X-0171344	N- 09 <sup>0</sup> 05.594'			
22	club)	800W	Y-1006424	E- 006 <sup>0</sup> 00.628'	98.9	99.4	98.
	Vulcaniser's		X-0171337	N- 09 <sup>0</sup> 05.632'			
23	pump	5.5hp	Y-1006495	E- 006 <sup>0</sup> 00.624'	94.0	93.8	94.
	Diesel		X-0171218	N-09 <sup>0</sup> 05.530'			
24	Generator	8kVA	Y-1006307	E-006 <sup>0</sup> 00.560'	95.3	95.8	96.
	Petrol		X-0171223	N-09 <sup>0</sup> 05.503'			
25	Generator	3.5kVA	Y-1006257	E-006 <sup>0</sup> 00.563'	91.5	92.8	93,
	Diesel		X-0171126	N-09 <sup>0</sup> 05.492'			
26	Generator	60kVA	Y-1006238	E-006 <sup>0</sup> 00.510'	95.3	95.8	96.
	Diesel		X-0171207	N-09 <sup>0</sup> 05.288'			
27	Generator	8.8kVA	Y-1005961	E-006 <sup>0</sup> 00.556'	95.3	95.8	96.
	Petrol		X-0171288	N-09 <sup>0</sup> 05.185'			
28	Generator	2kVA	Y-1005670	E-006 <sup>0</sup> 00.601'	91.5	92.8	93.
	Petrol		X-0171403	N- 09 <sup>0</sup> 05.094'			
29	Generators	0.8kV	Y-1005502	E- 006 <sup>0</sup> 00.664'	91.5	92.8	93.
30	Motorcycle		X-0171665	N- 09 <sup>0</sup> 05.075'			
	garage	5.5hp	Y-1005464	E- 006 <sup>0</sup> 00.807'	94.0	93.8	94.
	Welding		X-0171793	N-09 <sup>0</sup> 05.108'			1000
31	machines	7kVA	Y-1005524	E-006 <sup>0</sup> 00.877'	95.5	80.3	9
32	Motorcycle		X-0171938	N-09 <sup>0</sup> 05.116'			
	garage	5.5hp	Y-1005537	E-006 <sup>0</sup> 00.956'	94.0	93.8	94,
	Block making		X-01712276	N-09 <sup>0</sup> 05.112'			200000000000000000000000000000000000000
33	machine	7kVA	Y-1005527	E-006 <sup>0</sup> 01.140'	98.3	98.4	98
	Vulcaniser's		X-01712393	N-09 <sup>0</sup> 05.092'			
34	pump	5.5hp	Y-1005489	E-006 <sup>0</sup> 01.204'	94.0	93.8	94

The sources of noise identified in Sheet 16 together with their corresponding mean prevailing values have been

identified and tabulated in Table 6 in juxtaposition with the IEPA-recognised threshold value of 70dBA.

105

96

98.

94

96

93.

96.

94.

98.

94.

Table 6: Mean Values of the Sources of Noise of Sheet 16

Sources of Noise	Threshold Values (dBA)	Av. Noise Val.(dBA)
Welding machine	70	88.60
Vulcanizing machine	70	94.00
Grinding machine	70	102.20
Petrol generator	70	92.70
Diesel generator	70	95.90
Loudspeakers	70	99.00
	Welding machine  Vulcanizing machine  Grinding machine  Petrol generator  Diesel generator	Welding machine 70  Vulcanizing machine 70  Grinding machine 70  Petrol generator 70  Diesel generator 70

The relationship of Table 6 is presented in visual format as Fig. 3.




Fig. 3: Bar chart representation of the values of the sources of noise vis-à-vis the threshold value. Vertical axis is in dBA.

#### Discussion

Of the fifty stations earmarked for survey in Sheet 14 (Table 1), only thirtyfour stations were found of interest for noise level measurements; at each of these thirty-four stations, three values of the noise level meter measurements were recorded at two-minute intervals and the results are shown in Table 1. Next, the sources of noise identified in Sheet 14 together with their corresponding mean prevailing values have been identified and tabulated in Table 2 in juxtaposition with the IEPA-recognised threshold value of 70dBA. Fig. 1 shows the relationship between the values of noise emitted by the main noise culprits identified in Sheet 14 (welding machine, vulcanizing machine, electric milling machine, petrol generator, and diesel generator) and the 70dBA value. Sheets 22 and 16 have also been analysed in manner. However. "loudspeaker" associated with outdoor music store was identified in Sheet 16 as an additional source of noise.

#### Conclusion

Nearly all of the stations considered in Sheet 14 are observed to suffer from comparatively high noise levels ranging from a peak of 97.06 dBA at stations 9, 13, and 26 to the coincident value of 70dBA at stations 23 and 32. All of the various sources of noise emit sound well above the 70dBA benchmark; of the various sources of noise, the electric milling machines produce the highest level of 97.06dBA.

From Sheet 22, we observe that all of the stations surveyed for noise are characterized by values greater than the 70dBA threshold; not surprising, though, is the fact that the electric milling machine produces the loudest sound in the neighbourhoods of

this sheet (Fig. 2). All of the points surveyed in Sheet 16 also show noise level values above the threshold, with the peak of 102.2dBA seen at station 20; from Fig.3 we note that an electric milling machine was located at this point. Whilst not all of the one hundred and fifty stations originally selected were found to be of interest for noise measurements, the stations that were surveyed show predominance signature of high intensity noise at peak activity periods. All of the principal sources of noise in the three sheets considered for investigation can be appropriately termed "noisy".

## Recommendations

Remedial measures that could taken to mitigate the effects of high noise levels in the various neighbourhoods of Bida town should be built in into the overall local government urban development policy whereby (i) households and businesses should be encouraged to buy generators with high muffling capabilities, (ii) music and videos vendors should be discouraged from blaring tunes at unreasonably high volumes, (iii) as much as possible mechanic garages, welding workshops should sited a reasonably distance away from residential neighbourhoods and the workmen in these outfits should be encouraged to wear earmuffs when their machines are operation, in housewives should be encouraged to use quieter vegetable blenders instead of the unbearably loud electric milling machines that are a common sights in many households. It is recommended that, in the nearest future, a more detailed survey over longer exposure periods spread across several days should be conducted for Bida in order to define a broader noise signature picture for the town.

#### References

- Abumere, O.E., Ebeniro, J.O., Ogbodo, (1999). Investigation of environmental noise within Port-Harcourt City metropolis. *Nig. Journ. Phys.*, 11, 129-132.
- Encarta, (2008). Microsoft Corporation, Seattle, USA.
- Franssen, E.A., van Wiechen, C.M., Nagelkerke N.J., Lebret, E. (2004). Aircraft noise around a large international airport and its impact on general health and medication use. *Occup Environ Med.*, 61(5), 405-413.
- Ising, H., Babisch, W., Kruppa, B. (1999).

  Noise-induced endocrine effects and cardiovascular risk. *Noise Health*, 1(4), 37-48.
- Jonah, S.A., Abubakar S.E, Alabi, S., Arokoyo V.F, Ikyaator S.N., Jiya S.S, Kuta M.G, Santali, M., Shafa, M.A.J, Sholademi

- S.O., Sule, I. S., Ugwu V.P, And Yissa E.H. (2009). Environmental noise measurements within Abuja metropolis, B.Tech. *Env. Tech. Sc. Journ.*, 3 (2), *in press*.
- Menkiti, A.I. (1976). Combating the menace of noise. *Daily Times of Nigeria*, Dec. 28, 28-29.
- Onuu, M.U. and Menkiti, A.I.. (1993). Spectra of road traffic noise for parts of Southeastern Nigeria. *Nig. Journ. Phys.*, 5, 1-9.
- Ouise, D. (2002). Annoyance caused by exposure to road traffic noise: an update. *Noise and Health*, 4 (15), 69-79.
- Shih, H. H. (1971). Acoustical Environment;
  Acoustics; Bibliographies;
  Environment; Environmental
  Education; Health, National Technical
  Information Service, Springfield,
  Virginia.