JOSTMED 17 (1), MARCH, 2021 ISSN: 0748 – 4710

JOURNAL OF SCIENCE, TECHNOLOGY, MATHEMATICS AND EDUCATION (JOSTMED)

website: www.futminna.edu.ng
E-mail: jostmedscience@yahoo.com, jostmed@futminna.edu.ng
Phone: +234-816-680-7534

PUBLISHED BY:
DEPARTMENT OF SCIENCE EDUCATION
FEDERAL UNIVERSITY OF TECHNOLOGY, MINNA, NIGERIA, AFRICA

JOURNAL OF SCIENCE, TECHNOLOGY, MATHEMATICS AND EDUCATION (JOSTMED)

ISSN: 0748 – 4710

VOLUME 17(1), March, 2021

...rtment of ...versity of Technology, ...the Journal includes the research, ...ce, Technology, Mathematics and Education.

...CONTRIBUTORS

1. General Guidelines

(i) **Types of Manuscripts:** The Editorial Board of the Journal of Science, Technology, Mathematics and Education accepts only scholarly and original articles that meet its aim and scope. Contributions must be original therefore, authors is/are to guarantee that their article is original and not currently being considered for publication elsewhere.

(ii) **Language:** The JOSTMED is published in English Language.

(iii) **Length:** Usually full-length article, survey or report should be between 3,000 - 5,000 words (12 – 15 pages).

(iv) **Abstract and Keywords:** Each article should be summarized in about 150 -200 words, serving as a brief description of the content of the article. In addition, following the abstract, supply 4 - 5 keywords/phrases that characterize the content of the paper and which can be used for indexing purposes.

(v) **Manuscript:** Manuscripts, including the abstract and references, should be typed double-spaced on **A4** paper set-up using Times New Roman, 12 font size.

(vi) **Review:** Each submission will be subjected to blind peer-review by at least two experts in the fields of the articles. Before the publication of accepted article, corresponding authors will receive a PDF version of their manuscript for final proofing. It should, however, be emphasized that changes in content (new or additional results, corrected values, changes in article title, etc) are not permitted without the approval of the Managing Editor.

2. Copyright

Only original papers will be accepted and processed. Paper accepted will be subjected to viper anti-plagiarize detector software. In addition, no compensation will be given in respect of published papers. However, authors reserve the right to use their own materials for purely educational and research purposes.

3. Format of Submitted Manuscripts

All manuscripts, written in good English, should be submitted electronically as an e-mail attachment (in Microsoft Word format not scanned copy) to the journal e-mail: ostmed@futminna.edu.ng, jostmedscience@yahoo.com or managing editor's e-mail: gambarii@yahoo.com, gambari@futminna.edu.ng.

Vhen submitting manuscript in a paper version three copies should be submitted in double ne spacing with wide margins, and not more than 12 pages with illustrations inserted. Extra age will attract additional amount of N1,000.00/$7.00 per page. Each article submitted must e accompanied with an assessment fee of three thousand naira (N3,000) only in cash or bank aft in favour of the Managing Editor (JOSTMED). Submission of manuscript is accepted ... the year

The beginning of the manuscript must bear the title of the paper and the full names of authors and their affiliations for correspondence (including e-mail and telephone number). Where there are two or more authors include the addresses for correspondence (e-mail and postal addresses) for the contact author.

Once the article is accepted for publication, the final version should be submitted online. Where that is not possible, the manuscript must be provided, accompanied by a Recordable CD of the same version labelled with: author name(s); titles of article and file name. The author must ensure that the final submission is complete, grammatically correct and without spelling or typographical errors. In preparing the disk, please use Microsoft Word. The sum of Fifteen Thousand (N15,000) naira only (£50.00 or $100 US Dollar) should be paid to journal account. The online version of the published articles are available at www.futminna.edu.ng and can be accessed through the Internet free of charge.

4. Organization
The background and purpose of the manuscript should be given first, followed by details of methods, materials, procedures, and equipment used (where applicable). Findings, discussion, conclusions, and recommendations should follow in that order. Appendices are not encouraged but may be countenanced if considered necessary for the manuscript content to be understood. Specifically, author is/are advised to consult the current APA Manual for the details they may need.

5. Figures and Tables
Figures, charts, and diagrams should be kept to a minimum, they must be numbered consecutively with roman numerals and a brief title. When submitting electronically, figures should be prepared separately, numbered consecutively, and submitted in one of JPEG File interchange (jpg), CompuServe GIF (gif), and PC Paintbrush (pcx). Images should not exceed width of 450 pixels.

6. References
The author should ensure that the references given are complete. References to personal letters, papers presented at meetings and other unpublished material may be included. Where such materials may help in the evaluation of the paper, copies should be made available to the Managing - Editor. Papers that are part of a series should include a citation of the previous papers, and explanatory materials may be appended to the manuscript to avoid footnotes. Citation of an author's work in the text should follow the author / date method of citation; the surname of the author (s) and year of publication should appear in text. Generally, the format for citations in the Manuscript for references is that of the latest edition of the American Psychological Association (APA) format. At the end of the article, a reference list in alphabetical order must be given.

7. Disclaimer
The views and styles expressed in the articles in this publication are those of the individual authors and are not necessarily shared by the reviewers, the editors, the editorial consulting board, the Department of Science Education, or the Federal University of Technology, Minna.

Prof. Gambari, A. I.
The Managing Editor, (JOSTMED),
Department of Educational Technology, Federal University of Technology,
PMB. 65, Minna, Nigeria
E-mail: gambarii@yahoo.com; gambari@futminna.edu.ng
Website: www.gambariamosaisiaka.com.ng
Mobile Phone: +234-816-680-7534; +234-803-689-7955; +234-805-558-6716

SUBSCRIPTION RATES

Nigeria Rate (Personal)	N1,000.00
Rate (Institutions)	N2,000.00
Other Countries Rate (Personal)	$25.00 / £15.00
Rate (Institutions)	$35.00 / £22.00

All Cheques should be made payable to:

The Managing Editor, JOSTMED, Department of Educational Technology,
Federal University of Technology, Minna, Nigeria.
Subscription must be pre-paid and must include 10% handling charges

Contact
Phone No: +234-816-680-7534
E-mail: jostmed@futminna.edu.ng, jostmedscience@yahoo.com
Website: https://jostmed.futminna.edu.ng

ISSN 0748-4710

CONTRIBUTORS TO THE ISSUE

1. **Y. ABDU[1] & I. M. MUSA[2]**
[1]Department of Physics, Bayero University, Kano. Nigeria.
[2]Department of Physics, Federal University Dutse, Jigawa State. Nigeria.
E-mail: yunusa_abdu@yahoo.com, ayunusa.phy@buk.edu.ng
Phone No: +234-802-917-4511

2. **ANGYAK, JONATHAN AHAN[1].; AJITA, SULEIMAN ISHAKU[2].; BILHA SULEIMAN AJITA[3].; & GODO, BITRUS[4]**
[1&2]Department of Actuarial Science, University of Jos, Nigeria
[3]Deparment of Accounting College of Arts Science and Technology (CAST) Kurgwi, Plateau State, Nigeria
[4]department of Accounting the Federal Polytechnic Mubi, Adamawa State, Nigeria
E-mail: angyakjonathan@gmail.com

3. **ADELERE, I. A.; BABAYI, H.; ABOYEJI, D. O.; ADABARA, N. U.; JAGABA, A., & SUNDAY, H. Z.**
Department of Microbiology, School of Life Science,
Federal University of Technology, PMB 65, Minna, Niger State, Nigeria
E-mail: isiaka.ade@futminna.edu.ng **Phone No:**+234-806-218-7217

4. **ADELERE, I. A.; BABAYI, H.; ABOYEJI, D. O.; ADAMS, H. O.; ADABARA, N. U., & JAGABA, A.**
Department of Microbiology, School of Life Science,
Federal University of Technology, PMB 65, Minna, Niger State, Nigeria
E-mail: isiaka.ade@futminna.edu.ng **Phone No:**+234-806-218-7217

5. **HASSAN, A. B[1].; ABDULKADIR, A[1].; USMAN, M.T[1].; & OTACHE, M. Y[2].**
[1]Department of Geography, Federal University of Technology Minna, Niger State
[2]Department of Agric Engineering, Federal University of Technology Minna, Niger State
E-mail: belloaishatu@gmail.com **Phone No:** +2348023735553

6. **OSSAMULU, I. F; AKANYA, H. O.; EGWIM, E. C. & KABIRU, A. Y.**
Department of Biochemistry, School of Life Science,
Federal University of Technology, Minna, Nigeria
E-mail: i.ossamulu@futminna.edu.ng, ossafame@gmail.com
Phone No: +234-806-535-0388

7. **A. ABDULRAHIM; M. D. SHEHU; K. R. ADEBOYE; & A. IDRIS-NDA**
Department of Mathematics, School of Physical Science,
Federal University of Technology, Minna, Niger State, Nigeria

8 **FADIPE, OLUSOLA. O.**
Department of Civil Engineering, Osun State University, Osogbo, Osun State, Nigeria
E-mail: olayemifadipe@yahoo.com

9. **PAUL TAMARAGAIBI ELIJAH[*] & MARTINS OBASEKI**
Applied Mechanics and Design/Production Research Group,
Department of Mechanical Engineering,
Nigeria Maritime University, Okerenkoko, Delta State, Nigeria
E-mail: paul.elijah@nmu.edu.ng

10. **EVANS P. O.[1], JIYA M.[2], NYOR N.[3], & YISA J.[4]**
[1]Department of Mathematics,
Federal Polytechnic Bida, PMB 55, Bida, Niger State, Nigeria
[2,3]Department of Mathematics,
Federal University of Technology Minna, PMB 65, Minna, Niger State, Nigeria
[4]Department of Chemistry,
Federal University of Technology Minna, PMB 65, Minna, Niger State, Nigeria
E-mail: patevansjj@gmail.com **Phone No:** +234-706-553-0033

11 **[1]A. D. ABUBAKAR; [2]R. O. OLAYIWOLA; [3]A. A. MOHAMMED & [4]A. T. COLE**
[1]Department of Mathematics, Federal University Gashu'a Yobe State, Nigeria
[2,3,4]Department of Mathematics, Federal University of Technology Minna, Nigeria
E-mail: ahmeddauda8@gmail.com **Phone No:** +2347068233938

12. **UGWU U. C.[1]; COLE A. T.[1]; OLAYIWOLA R. O.[1] & KAZEEM, J. A.[2]**
[1]Department of Mathematics, Federal University of Technology, Minna, Nigeria
[2]Department of Mathematics, University of Abuja, Abuja, Nigeria
E-mail: ugwuclement16@gmail.com

13. **[1]ABIODUN OGUNTANA, [2]OWOLABI PAUL ADELANA, & [3]ADEBAYO MONSUR ISHOLA**
[1]Department of Mathematics Education, College of Science and Information Technology, Tai Solarin University of Education, Ijebu-Ode,
[2]Department of Science and Technology Education, Educational Technology Unit, University of Ibadan, Ibadan.
[3]Department of Educational Technology, College of Specialised and Professional Education, Tai Solarin University of Education, Ijebu-Ode.
E-mail: citibaba4real@yahoo.com **Phone No:** +234-816-565-1625

14. **IBRAHIM ABUBAKAR BELLO[1]; ISIAKU, WADA BASHIR[2]; SUNUSI MUHAMMAD KANI[3] & ABDULAZIZ BELLO[4]**
[1&4]Department of Technology & Vocational Education Training,
Faculty of Science & Technology Education, Kano University of Science & Technology Wudil, Kano State, Nigeria
[2]Department General Studies School of Education Aminu Kano College of Legal and Islamic Studies Kano, Kano State Nigeria
[3]Department Psychology and Guidance and Counseling,
School of Education Sa'adatu Rimi College of Education Kumbotso, Kano State, Nigeria
Phone No: +234-803-705-3443

15. **DAWAKI, J. H.; PROF. GUGA, A.; & DR. DADA, A. A.**
Department of Educational Foundations and Curriculum,
Faculty of Education, Ahmadu Bello University, Zaria, Nigeria
E-mail: dawakijummai@gmail.com **Phone No:** +234-703-023-6961

16. **ASUKU VICTOR ONOOTU; HASSAN A. A. (PhD); & GANA, C. S. (PhD)**
Department of Science Education, School of Science and Technology Education,
Federal University of Technology, Minna, Niger State, Nigeria
E-mail: asukuonosvictor@gmail.com **Phone No:** +234-703-153-0732

17. **DR (MRS) JIYA ALICE; DR (MRS) OLORUKOOBA, S. B.; PROF (MRS) LAWAL, F. K.; & MRS FATIMA MOHAMMED ISAH**
[1&4]Niger State College of Education, Minna, Niger State
[2&3]Department of Science Education, Ahmadu Bello University, Zaria, Kaduna State
Phone No: +234-813-215-5538

18. **NEGEDU, S. A (PhD)[1] & MATTHEW, F. D.[2]**
[1]Department of Science Education, Kogi State University, Anyigba
[2]Kogi State College of Education, Ankpa
E-mail: simonnegedu333e@gmail.com **Phone No:** +234-803-921-1763

19. **IBRAHIM, MUKAILA OLUWASEGUN; Dr. HASSAN, A. A.; & ALFA, A. A.**
Department of Science Education, School of Science and Technology Education,
Federal University of Technology, Minna, Nigeria
E-mail: oluwasegunforjesus@gmail.com **Phone No:** +234-806-571-7106

20. **[1]OGUNGBENLE, GBENGA MICHAEL; [2]KUSA, NANFA DANJUMA & [3]ADEOYE, OLUSEYI VINCENT**
[1]Department of Actuarial Science, Faculty of Management Sciences, University of Jos
[2]Department of Business Administration, Faculty of Management Sciences, University of Jos
[3]Department of Banking & Finance, Faculty of Management Sciences, University of Jos
[1]**E-mail:**gbengarising@gmail.com **Phone No:** +234-802816-555-2939

TABLE OF CONTENTS

ANALYSIS OF LANDUSE AND LANDCOVER DYNAMICS DOWNSTREAM OF SHIRORO DAM, NIGER STATE, NIGERIA

HASSAN, A. B[1]., ABDULKADIR, A[1]., USMAN, M. T[1]. & OTACHE, M. Y[2].
[1]Department of Geography, Federal University of Technology Minna, Niger State
[2]Department of Agric Engineering, Federal University of Technology Minna, Niger State
Email: belloaishatu@gmail.com
Phone No : 08023735553

Abstract
Landuseand Landcover are activities both natural and manmade that characterised the usage of land. While Landuseis described by arrangement and man's input in a certain land to produce changes and maintain it, Landcover on the other hand is biotic and abiotic features that cover the earth surface. Land degradation often associated with how man use the land for agriculture or farming is one of the parameters that influence the natural hydrologic cycle of a watershed. This paper is aimed at analysing the Landuseand Landcover dynamic downstream of ShiroroDam in Niger State, Nigeria. Three different datasets (Landsat satellite imageries) of the area for1990, 2010 and 2016 were classified and analysed using ArcGIS 10.2 and IdrisiTiga GIS software. The result of the analysed data revealed that, vegetation cover reduced drastically from 62.84% in 1990 to 28.38% in 2010, water body significantly reduced from 2.03% in 1990 to 1.9% in 2016. On the contrary, agricultural land shows a significant increase from 22.43% in 1990 to 50.98% in 2016. Bareground and builtup areas also increased from 8.93% and 3.77% in 1990 to 12.34% and 6.37% in 2016 respectively. Consequently, it is evident that the increase in agric land, builtup area and bareground is as a result of increase in population,which led to increasing demand for food, shelter and deforestation for firewood. Consequently, it is recommended that the concern authorities should formulate effective landuse and landcover based development strategy.

Keywords: Landuse, Landcover, Environmental degradation, GIS.

Introduction

Landuseis characterized by arrangements, activities, and inputs people undertake in a certain Landcover type to produce, change or maintain it. Land as a natural resource is a utilized resource by humans to meet their needs. Landusethat does not comply with the carrying capacity and soil and water conservation service will trigger land degradation. Land degradation is one of the parameters that affect the hydrological aspects of the watershed, especially runoff (Yusuf *et al.*, 2017). Surface runoff is a part of rainfall that flowss on ground surface after the interception, depression storage, and infiltration takes place. The amount of measured runoff is a function of rainfall, soil and Landusetype. High surface runoff is one cause of problems in a watershed (Yusuf *et al.*, 2017).

Protecting the global environment is one of the critical problems the world is facing now and this is due to several factors, such as population increase, depletion of natural resources and the pollution of the environment Study & Zanjan, 2009 cited in (Ade & Afolabi (2013). The unplanned changes of the Landusehave become a major problem because of the absence of logical planning and consideration of environmental impacts Study (Zanjan, 2009 cited in (Ade & Afolabi, 2013).

For the past decades, Remote Sensing (RS) and Geographic Information Systems (GIS) technologies have been vital tools for mapping the Earth features, studying the environmental changes in time and space and managing the natural resources. This gives the most accurate means of measuring the extent and pattern of the changes at a particular landscape over time

(Kumar & Pandey, 2016). This technology affords a practical means of analysing the changes in the Landusepattern at the mine sites at inaccessible places. It has also become possible to get a synoptic coverage of a larger area, in a cost-effective and in a repetitive way.

Assessing landuse and landcover change has become a central component in the current strategies for managing natural resources and monitoring the environmental changes (Mark & Kudakwashe, 2010).

Study area

Niger State was created in 1976 and it lies between Longitude 3.38° East and 7.03° East of the Greenwich Meridian and Latitude 8.02° and 10.20° North of the Equator. Shiroro Dam is located between Longitude 9°58'N and Latitude 6°5'E while the study area (figure 1.0) is located between Longitude 5°20'E to7°10'E and Latitude 8°45'N to10°15'N. With a population of over 4 million people, Niger State has a total land area of 72,200.14km². The Niger valley terrain covers 18,007.38km² (24.94%), the plains cover 24,181.04km² (33.49%), upland is 20616.09km² (28.55%) while the remaining 9593.3km² (13.01%) are made up of highlands . ShiroroDam is situated 550 metres downstream of the confluence of Kaduna River with River Dinya as its main tributary, and is built on River Kaduna that takes its origin around the west and North-West of the Jos Plateau in North-Central Nigeria from where it flows westward and southwest-ward.



Figure 1.0: Map of the study area
Source : Author's work 2020

Data and Methods

Data

The data used in the research are shown in Table 1. This includes thematic maps of 1990, 2010 and 2016 that were extracted from Landsat imagery for the three time decade using Maximum Likelihood Supervised Classification.

Table 1: Details of Satellite Data Used

S/N	Sensor	Path / Row	Source	Year of Acquisition	Scale/resolution
1	Landsat TM	189/054	Glovis	1990	30
2	ETM+	189/054	Glovis	2010	30
3	OLI	189/054	Glovis	2016	30

Methods

In this study, two types of software were used:

a) ArcGIS was used for creating slope constraint and providing the administrative shape file.

b) IDRISI Tiga was used for change detection analysis and presenting change detection graphs and for modeling Landuse and Landcover.

A combination of image reconstruction which was carried out through sub-setting using boundary file of Area of interest (AOI) to extract the study area from the entire satellite image scene, image enhancement to improve visual quality and appearance of an image for easy interpretation by increasing apparent contrast among various features in the scene. The sensitivity of bands 4 and 3 to vegetation cover and sensitivity of Band 4 to water contents are crucial surface analysis (Robert *et al.*, 2009). The image visual interpretability was improved through` the image enhancement by increasing the various feature distinctions, After the enhancement process, band combination operations was performed to highlight brightness values associated with. A band combination of 4, 3, 2 was used for analysis of 1990 and 2010 while band 5, 3, 2 was used for 2016 Landsat 8 (OLI). Image reconstruction was carried out through sub-setting using boundary file of Area of interest (AOI) to extract the study area from the entire satellite image scene. This is because a single scene of Landsat image is larger than the study area. The major reason for this operation is to define the study area more precisely, reduce file size, less processing time and ensuring less computer storage space.

Based on prior knowledge of the area and field survey, a classification scheme on (Anderson *et al.*, 1976) level 1 classification was adopted and modified into five classes (see table 1.0), representing builtup, vegetation, farmland, Bareground/rock outcrops and water body.

Table 1.0: Classification Scheme Used for this Study

S/N	Class	Description
1	water bodies	Open water features such as rivers, streams, lakes and reservoirs, permanent open water, ponds, canals, permanent/seasonal wetlands, low-lying areas, marshy land, and swamps.
2	Bare ground/rock outcrops	Open dry sand on the body of water, excavation sites, open space, bare soils



Figure 2.0: Colour Composite of Landsat TM, ETM+ & OLI of 1990, 2010 and 2016

Analysis of Landuse and Landcover Classification of 1990 Satellite Imagery

The result of the analysis of 1990 supervised maximum likelihood classification of the study area was presented in figure 3.0. The map revealed five (5) categories of Landuse and Landcover; vegetation, agriculture, built-ups, water body and bare-grounds/rock outcrops. The areal extent of these Landuse and Landcover classes revealed that the dominant Landcover in the study area is vegetation with an aerial coverage amounted to 126,229,8ha (62.84% of the total area), located in almost all parts of the study area. The next largest is agriculture with areal coverage of 450,573ha (22.43%). Bare ground/rock outcrops also covers a significant area of 179,293ha (8.93%). Water body and builtup areas however, have the least areal coverage of 407,51ha (2.03%) and 758,15ha (3.77%) respectively, see figure 3.0.

The dominance of vegetation covering 62% of the study area in relation to water body that covers (2.03%), indicate the role of vegetation in reducing the rate of surface runoff, thereby increasing infiltration and decreasing the likelihood of flooding in the study area. This agrees with the result of Wagner *et al.* (2013). These conditions were considered as a reference point for change detection over the study period.

Analysis of Landuse and Landcover Classification of 2010 Satellite Imagery

This period as shown in figure 4.0 witnessed a considerable decrease in vegetation cover from 62.84% during the previous decade to 868,716ha (43.25%) of the total area. This in turn resulted in an increase in agricultural land and builtup areas from 407,51ha (2.03%) and 758,15ha (3.77%) to 861, 345 ha (42.88%) and 972,30ha (4.84%) respectively in 2010. This is attributed to increase in population, thereby increasing the need for food and shelter (evident from the increase in agricultural land and builtup areas) to meet the demand of the communities. While the water body and bare ground/rock outcrops amount to 374.93Km^2 (1.87%) and 1439.46 Km^2 (7.17%) respectively. The decrease in water body can be attributed to siltation of the water due to the fact that the satellite imageries used were of dry season period. This agrees with the works of (Vivekananda, *et. al.*, 2020) Multi-temporal image analysis for LULC classification and change detection at Ananthapuramu, findings shows that the area under built-up land and agriculture land increased considerably, whereas the area under vegetation land and water bodies drastically decreased.



Figure 4.1.3: 2010 Land use and landcover map of the study area

Source: Authors' Data Analysis

Analysis of Landuse and Landcover Classification of 2016 Satellite Imagery

Furthermore, the Landuse and Landcover classification for the 2016 revealed that vegetation covers have continue to reduced drastically to 5692.71 Km^2 (28.34%) by 2016, from 868,716ha (43.25%) in 2010. However, bare ground/rock outcrops to 2479.14Km^2 (12.34%) and builtups covers 1280.3 Km^2 (6.37%) and Agriculture increased greatly for the year 2016. This progressive increase in built-up areas is in agreement with the work of Ade and Afolabi

(2013). Agricultural land has the largest areal coverage of 10241.01 Km² (50.98%) of the tot area. Whereas water bodies have the least areal cover of 394.14 Km² (1.96%) of the total ar as presented in figure 5.0. The increase Agricultural area cover on the study areas can b linked to government efforts towards farmers by providing farm inputs such as fertiliz pesticide and the anchored borrowers program for soft loans which is aimed at boasting foo supply to meet the need of ever-increasing demand for food by the population. Niger state one of the state who produce agricultural produce in large amounts which is been transporte to other states of Nigeria.



Figure 5.0: Landuse and landCover of the study area 2016
Source: Authors' Data Analysis

Accuracy assessment

Table 3.0 shows summary of the results of accuracy assessment generated from the LULC maps of the study area (i.e. the producer, user and overall accuracy and kappa coefficient) which was calculated using error matrix.

Table 3.0 Comparison of Classification Accuracy (1990, 2010 & 2016) LULC Imagery

Class Name	1990		2010		2016	
	Producer's Accuracy (%)	User's Accuracy (%)	Producer's Accuracy (%)	User's Accuracy (%)	Producer's Accuracy (%)	User's Accuracy (%)
Water body	86.33	97.8	95.35	97.34	87.10	96.1
Bare - grounds/rock outcrops	80	68.29	80.1	87.09	84.5	97.1

Vegetation	85.71	89.30	83.74	95.38	96.3	65.6
Agriculture	84.29	85.65	93.20	85.67	79.5	79.5
Built -up	81	79.76	87.7	78.20	95.5	87.10
Overall Classification Accuracy (%)	81.75		84.36		85.67	
Overall **Kappa**	0.785		0.827		0.831	

The result shows higher accuracy of 81.75% in 1990, 84.36% in 2010 and 85.67 % in 2016 respectively and the corresponding Kappa statistics was 0.785, 0.827 and 0.831, respectively. In general, the overall accuracy of the classification was consistently high which indicates high level of agreement between classified image and Landcover categories on the field. These accuracies agree with other studies carried out using similar methodology such as Vivekananda, Swathi, and Sujith, (2020), Naikoo, Rihan, and Ishtiaque, M. (2020).

Conclusion

This paper explored the characteristics of LULC change. The study area has experienced a trend of rapid changes in the years under study. Reducing the disaster risk brought about by the rapid process has been a long-term goal of planning and flood plain management. Quantitative research on the runoff changes brought about by environmental degradation process is of great significance to environmentalist. This paper integrated the use of GIS and remote sensing technology, combined to assessed the impact of Landuse change on surface runoff in the study area.The research reveals the fundamental factors such as Landuse pattern, low relief, increased in built-up and human activities will continue to intensify flooding in the area. Therefore, there is a need to develop adequate understanding of structural urban dynamics in order to have absolute foundation for formulating sound, sustainable and effective urban policies.

References

Ade, M. A., & Afolabi, Y. D. (2013). Monitoring urban sprawl in the Federal Capital Territory of Nigeria using remote sensing and GIS techniques. *Ethiopian Journal of Environmental Studies and Management*.

Anderson, J. R., Hardy, E. E., Roach, J. T., & Witmer, W. E. (1976). A land-use and land-cover classification system for use with remote sensing data, U.S. Geological Survey Professional Paper 964, Reston, Virginia, *U.S. Geological Survey*, 23.

Butt, A., Shabbir, R., Ahmad, S. S., & Aziz, N. (2015). Landuse change mapping and analysis using Remote Sensing and GIS: a case study of Simly watershed, Islamabad, Pakistan. *Egypt. J. Remote Sensing Space Sci.* 18 (2), 251–259.

Congalton, R. G. (1991). A review of assessing the accuracy of classifications of remotely sensed data. *Remote Sensing of Environment*, 37(1), 35-46.

Foody, G. M. (2002). Status of landcover classification accuracy assessment. *Remote Sensing of Environment*, 80(5), 185-201

Ikusemoran, M., Kolawole, M. S., and Martins, A. K. (2014). Terrain analysis for flood disaster vulnerability assessment: A case study of Niger State, Nigeria. *American Journal of Georaphic Information System*, 3(3), 122–134. http://doi.org/10.5923/j.ajgis.20140303.02

Kumar, M. (2017). *Digital image processing image enhancement techniques*. Dehradun, India. Retrieved from www.iirs.gov.in

Kumar, A., Pandey, A.C., 2016. Geoinformatics based groundwater potential assessment in hard rock terrain of ranchi urban agglomeration, Jharkhand (India) using MCDM-AHP Techniques. *Groundwater Sustainable Development*. 2-3 (27),41

Mark, M.M. and Kudakwase C.R.M., (2010). Rate of land-use/land-cover changes in Shurugwi district, Zimbabwe: Drivers for change. *Journal of Sustainable Development in Africa* (12), (3), ISSN: 1520-5509 Clarion University of Pennsylvania, Clarion, Pennsylvania, U.S.A

Mayomi, I., Anthony, D., and Maryah, U. (2013). GIS based assessment of flood risk and vulnerability of communities in the benue floodplains, Adamawa State, Nigeria. *Journal of Geography and Geology*, *5*(4), 148–160. http://doi.org/10.5539/jgg.v5n4p148

Naikoo, M. W., Rihan, M., & Ishtiaque, M. (2020). Analyses of Landuse Landcover (LULC) change and built-up expansion in the suburb of a metropolitan city: Spatio-temporal analysis *of Delhi NCR using landsat datasets. Journal of Urban Management*, 9(3),347-359

Robert, C, Frohn Molly, R., Charles L., & Autrey. B. (2009). Satellite remote sensing of isolated wetlands using object-oriented classification of landsat-7 data. *Remote Sensing of the Environment*, 79,213-224.

Vijayalakshmi, D. P., and Babu, J. K. (2010). Floodplain modelling materials and methodology. In *Proceedings of International Conference on Advances in Civil Engineering 2010* (pp. 1–4). India. http://doi.org/DOI: 02.ACE.2010.01.17

Vivekananda, G. N., Swathi, R., & Sujith, A. V. L. N. (2020). Multi-temporal image analysis for LULC classification and change detection. European *Journal of Remote Sensing*, 1-11.

Wagner, P. D., Kumar, S., and Schneider, K. (2013). An assessment of landuse change impacts on the water resources of the mula and mutha rivers catchment upstream of Pune, India. *Hydrology and Earth System Science*, 17, 2233–2246. http://doi.org/10.5194/hess-17-2233-2013

Yusuf, S. M., Guluda, D., & Jayanegara, T. (2017). Surface runoff estimation from various Landuse in Mapili Watershed using SCS Curve Number and Geographic Information System. In IOP conference series: Earth and environmental science. (Vol. 54, No. 1, p. 012-022). IOP Publishing