i-manager's

Journal on
Pattern Recognition

Interpretation of Information Handling and Retrieval Applications

i-manager's

Journal on Pattern Recognition

About the Journal

i-manager's Journal on Pattern Recognition provides innovative ideas for the researchers, academics, professionals and high level engineering students to bring together the current developments in the applications of medicine, robotics, and remote sensing by satellites. Pattern recognition is characterized by automated searches over a large number of observations and huge combinatorial spaces and is concerned with the automatic discovery of regularities in data through the use of computer algorithms.

i-manager's Journal on Pattern Recognition is presently in its 5ᵗʰ Year. The first issue was launched in 2014.

i-manager's Journal on Pattern Recognition is published by i-manager Publications, one of India's leading Academic Journal Publisher, publishing 28 Academic Journals in diverse fields of Engineering, Education, Management and Science.

Why Publish with us

i-manager Publications currently publishes academic Journals in Education, Engineering, Scientific and Management streams. All of i-manager's Journals are supported by highly qualified Editorial Board members who help in presenting high quality content issue after issue. We follow stringent Double Blind Peer Review process to maintain the high quality of our Journals. Our Journals target both Indian as well as International researchers and serve as a medium for knowledge transfer between the developed and developing countries. The Journals have a good mix of International and Indian academic contributions, with the peer-review committee set up with International Educators.

Submission Procedure

Researchers and practitioners are invited to submit an abstract (200 words) / Full paper on or before the stipulated deadline, along with a one page proposal, including Title of the paper, author name, job title, organization/institution and biographical note.

Authors of accepted proposals will be notified about the status of their proposals before the stipulated deadline. All submitted articles in full text are expected to be submitted before the stipulated deadline, along with an acknowledgement stating that it is an original contribution.

Review Procedure

All submissions will undergo an abstract review and a double blind review on the full papers. The abstracts would be reviewed initially and the acceptance and rejection of the abstracts would be notified to the corresponding authors. Once the authors submit the full papers in accordance to the suggestions in the abstract review report, the papers would be forwarded for final review. The final selection of the papers would be based on the report of the review panel members.

Format for Citing Papers

Author surname, initials (s.) (2018). Title of paper. i-manager's Journal on Pattern Recognition, 5(3), xx-xx.

Copyright

Contact e-mails

editor_jpr@imanagerpublications.com
submissions@imanagerpublications.com

i-manager's

Journal on Pattern Recognition

Editor-in-Chief

Dr. G. R. Sinha
Professor
Myanmar Institute of Information Technology
Mandalay, Myanmar.

EDITORIAL COMMITTEE

Abstracting / Indexing

i-manager's
Journal on Pattern Recognition

OUR TEAM

Publisher
Joe Winston

Renisha Winston

Editorial Director

Dr. Joyce Georgina John

Editorial Head

J. Cibino Pearlsy Ross

Editorial Manager

T. Asha

Issue Editor

Centhil Lakshmi Priya P.G

GM - Operations

Anitha Bennet

GM - Subscriptions

M.U. Sathya

Issue Design

Manikandan V

Production Manager

OUR OFFICES

Join with us

https://www.facebook.com/imanagerJPR/

https://www.facebook.com/imanagerPublishing/

https://twitter.com/imanagerpub

CONTENTS

EDITORIAL

i-manager's Journal on Pattern Recognition was launched in 2014 and is currently in its 5th year of publication. The Journal is listed in ProQuest, EBSCO host, Ulrich's Periodicals Directory, World Cat and Google Scholar. The current issue (Volume 5, Issue 3) of i-manager's Journal on Pattern Recognition presents five interesting articles covering various aspects of Pattern Recognition.

Gabriel Babatunde Iwasokun et al. have presented a design of a fingerprint and iris-based framework for CBE invigilation. The implementation of the framework is ongoing with Python and Java providing the programming terrains while MySQL provides the platform for the creation and management of the examination and authentication databases. The implementation is expected to produce a system for guaranteeing the genuineness of the candidates for CBE and guiding against unlawful acts of looking into another candidate's screen. It will also provide solutions to human invigilation-induced problems, such as connivance, impersonation, external sourcing among others.

John Oloruntoba Awoyemi et al. have presented a comparative evaluation of four techniques on the effect of feature ranking on the detection of credit card fraud. The effect of feature selection technique, filter method, in detecting credit card fraud is investigated using two sets of credit data sourced from Taiwan and European banks. Algorithms of four classifiers are produced and used on feature and raw ranked data. The algorithms of the classifiers are run in Matlab. From the result the feature ranked and raw datasets of the European credit card fraud data recorded highest performance metrics for decision trees.

Taliha A. Folorunso et al. have investigated the effect of different normalization techniques, namely the Min-Max, Decimal Point, Unitary, and the Z-Score on the prediction of the water quality of the Tank Cultured Re-Circulatory Aquaculture System at the WAFT Laboratory, using the Artificial Neural Network (ANN).The performance of the techniques on the ANN was evaluated using the Mean Square Error (MSE), Nash-Sutcliffe Efficiency (NSE) coefficient. The metrics for evaluating the effects of the aforementioned techniques on the ANN was the mean square error and Nash-Sutcliffe Efficiency coefficient. The error measures were used to investigate the predictive capability of the ANN models on the new dataset. The result shows the Min-Max technique has a better model approximation than the other approaches based on the NSE.

Yahaya Mohammed Sani et al. have presented a framework for text-to-speech translation on Android Devices based on Natural Language Processing (NLP) and text-to-speech synthesizer (TTS) to deliver real-time agricultural update to farmers by Agricultural Extension service Workers (AEW) as speech is the most used and natural way for people to communicate with one another. This framework converts agricultural research finding from a source dialect (English) into four identified local target dialects (Hausa, Arabic, Yoruba, Ibo and Arabic) based on selected local language understood by the farmer. The framework also links the key players (agricultural expert, extension workers, and farmers) in agricultural research information generation, processing and broadcasting under one umbrella. This is accomplished by allowing the extension workers to send farmers queries to experts and receive feedback via the mobile application and the web-based system as well. Moreover, farmers take delivery of timely text-to-text and text-to-speech agricultural research communications from the extension via their Android cell phones based on requests, queries forwarded to research for them on their area of interest or preference.

Kavyashree and her co-author Rajesh have addressed the problems of text detection and extraction systems. This work is to give a comparison analysis on the various techniques and methods that were used and applied to detect and extract the text from complex background images. First, the summarized study of text detection and extraction is presented. Secondly, the major contributions and loopholes achieved in this research area are listed and finally, further research direction based on the work is also discussed. Various methods for extracting the text from the images have been analyzed vigorously and this comparison analysis work helps the researchers to ease out the time complexity they find in searching for the different combinational works.

EDITORIAL

Four papers of this issue, papers 1 to 4 were submitted from the 2nd International Conference on Information and Communication Technology and Its Applications (ICTA 2018), conducted on 5 -6th September 2018 at Federal University of Technology, Minna, Nigeria. We express our gratitude to the Conveners Dr. Shafii Abdulhamid & Dr. Oluwafemi Osho for their support in ensuring the papers were submitted on time.

We extend our sincere thanks to the authors for their contributions towards this issue and we are grateful to the reviewers for spending their quality time in reviewing these papers. Our special thanks to the Editor-in-Chief, Dr. G.R. Sinha for his continuous support and efforts in improving further the quality of the Journal.

Hope this issue imparts an enlightening reading experience. Enjoy reading!

Warm regards,

Asha T.
Associate Editor
i-manager Publications

AGRICULTURAL E-EXTENSION SERVICES: A HYBRID OF MULTILINGUAL TRANSLATION TEXT-TO-SPEECH - A FRAMEWORK

By

YAHAYA MOHAMMED SANI *   **STELLA OLUYEMI ETUK ****   **ILYASU ANDA *****

MAMMAN ADAMU ****

Assistant Lecturer, Department of Information and Media Technology, Federal University of Technology, Minna, Nigeria.
*** Lecturer, Department of Information and Media Technology, School of Information and Communication Technology,
Federal University of Technology, Minna, Nigeria.*
**** Lecturer, Department of Library and Information Technology, Federal University of Technology, Minna, Nigeria.*
***** Research Scholar, Department of Computer Science, Federal University of Technology, Minna, Nigeria.*

ABSTRACT

This paper presents a framework for a text-to-speech translation on Android Devices based on Natural Language Processing (NLP) and text-to-speech synthesizer (TTS) to deliver real-time agricultural update to farmers by agricultural extension service workers (AEW) as speech is the most used and natural way for people to communicate with one another. In order to increase the naturalness of oral communications between Agricultural Extension Service workers and farmers, speech aspects must be involved. This is because most local farmers have good understanding of their local language and have strong preferences for it over any other language. Since, majority of farmers are in rural areas, they have little or no understanding of English language, and when agriculture research output is communicated in English language, it may be of little or no use to them, if delivered in a foreign language. Text-to-Speech Enabled Hybrid Multilingual Translation framework adopts a serial integration of NLP on one hand and TTS interpretation technique using android google translate API text-to-speech synthesizer and recognizer to translate English, Hausa, Yoruba, Ibo, and Arabic texts in to speech(es), respectively in accordance with farmers registered dialect on the other hand.

Keywords: Multilingual Translation, Natural Language Processing (NLP), Text-to-Speech Synthesizer (TTS), e-Extension.

INTRODUCTION

Agricultural extension services delivery is a system that facilitates farmers access, their groups, and other market players to information, knowledge and technologies (FAO, 2010) as well as the process of bringing extension workers, researchers and farmers together in order to bring suitable technology transformation in agricultural production and thereby raise living standards of rural folks (Kameswari, Kishore, & Gupta 2011). Today's role of extension services involve facilitating technology transfer, helping farmers to establish associations, overcoming market challenge, and partnering with service providers and other relevant agencies (Mokotjo & Kalusopa, 2010). In the last few decades, agricultural information dissemination has been conquered by both print and electronic media; newspapers, television, magazines, and the like. However, social media as a form of ICT method for harmonizing sustainable agriculture and natural resources provides wider agricultural community that eliminates physical distance (Thomas & Laseinde, 2015). In the light of the foregoing, an efficient and effective agricultural extension is measured by extension messages (information) reaching farmers on one hand and farmers' challenges reaching extension agents promptly and on timely basis on the other hand with a view to proffer lasting solutions to their challenges (Sanga et al., 2014; Agbamu, 2000). Regrettably, in many sub-Saharan African countries, poverty and food insecurity have been identified as some of the underlying cause of under development (Derso & Ejiro, 2015). This is in view of

numerous challenges encountered in delivering extension and consultative services (EAS) to farmers. These ranges from inadequate funds, poor extension infrastructure, non-inclusion of rural farmers in extension framework development, inappropriate strategies for effective agricultural research and ineffective and inefficient extension practice 6. Partial reporting of extension services across rural regions and problem of embracing technology packages that are community-oriented have been described as major challenges in the effective coverage of extension services (Martin & Pound, 2014). Moreover, the traditional technique of relaying agricultural research update to farmers through physical contact has various bottlenecks due to many constraints such as geographical location of farmers to extension agents, poor communication infrastructure, poor carriage services, deplorable condition of roads, insufficient funds and language barrier, has been identified as some of the challenges to effective and timely dissemination of real-time research update to agriculturalists. This technique cannot sufficiently cater for real-time research up-to-date information that should reach the rural farming community. In view of the foregoing constraints, a dynamic ICT mediated knowledge management model should be embraced to agricultural researches carried out at any university/ research organization anywhere in the world and this research can be disseminated in a matter of seconds amongst scientists, faculty, private industry, students, extension workers, and smallholder farmers.

Text-to-speech (TTS) is the generation of synthesized speech from text. During synthesis very small segments of recorded human speech are concatenated together to produce the synthesized speech. The quality of a speech synthesizer is judged by its similarity to the human voice and by its ability to be understood. A text-to-speech synthesizer allows illiterate farmers with reading and writing disabilities to listen to real-time agricultural update on Android devices. Many computer operating systems have included speech synthesizers since the early 1990s (Isewon, Oyelade, & Oladipupo, 2014). The speech recognition and text-to-speech (TTS) is done using public Android APIs. On most devices, these make use of Google's speech recognizer and synthesizer, which are available in both online and offline versions. The offline engines tend to have a reduced choice of languages and reduced quality compared to the online engines, but do not require an internet connection (Angelov, Bringert, & Ranta, 2014). For example:

Query 1:

English: Are you a farmer?

Hausa: Shin kai manomi ne

Yoruba: Se o jẹ agbẹ

Ibo: ị bụ onye ọrụ ugbo

Arabic: هل انت مزارعة

Query 2:

English: What type of crop do you cultivate?

Hausa: wane irin amfanin gona kake noma

Yoruba: Iru irugbin wo ni ose

Ibo: kedu ụdị ihe ubi ị na-azụlite

Arabic: ما نوع المحاصيل التي تزرعها

There is yet no attempt in Nigeria in this area for a suitable approach; however, the authors hypothesize in this paper that setting a translation of text-to-speech to indigenous language of a farmer from the context of agricultural e-extension services delivery, research output as a practical use case can help achieve the main goal of agricultural extension services delivery. Therefore, it is an essential technique to translate agricultural research output and translate them into user-understandable native or indigenous languages. Therefore, the goal of this paper is to make synthesized speech as intelligible, natural and pleasant to listen, as human speech. Speech is the primary means of communication between agricultural extension workers and farmers.

1. Related Concepts

1.1 An Overview of Speech Synthesis

Speech synthesis can be termed as an artificial creation of human speech (Suendermann, Höge, & Black, 2010). A computer system used for this motive is termed a speech synthesizer, and can be executed in either software or

hardware. A text-to-speech (TTS) system translates standard language text into speech (Allen, Hunnicutt, Klatt, Armstrong, & Pisoni, 1987). Synthesized speech can be produced by concatenating bits of recorded speech that are warehoused in a databank (Figure 1). Systems vary in the size of the warehoused speech components; a system that stocks phones or diphones provides the largest range of output, with little or no clarity. For particular usage domains, the storing of whole words or sentences allows for high-quality output. On the other hand, a synthesizer can integrate a model of the vocal tract and other human voice characteristics to create a completely "synthetic" voice output (Rubin, Baer, & Mermelstein, 1981). The quality of a speech synthesizer is adjudged by its likeness to the human voice and by extension its ability to be comprehended. An intelligible text-to-speech programme enables people with visual impairments or illiterate farmers with reading disabilities to listen to written works on an Android mobile device. A text-to-speech system (or "engine") is composed of two parts: (Santen, Olive, Sproat, & Hirschberg, 1997) a front-end and a back-end. The front-end has two major tasks. First, it converts raw text comprising of symbols such as numbers and abbreviations into the corresponding of written-out words. This process is often called text normalization, pre-processing, or tokenization. The front-end then assigns phonetic transcriptions to each word, and divides and marks the text into prosodic units like phrases, clauses, and sentences. The process of assigning phonetic transcriptions to words is called text-to-phoneme or grapheme-to-phoneme conversion. Phonetic transcriptions and prosody information together make up

Figure 1. Overview of Text-to-Speech System (Davis, 2009)

the symbolic linguistic representation that is output by the front-end. The back-end often referred to as the synthesizer then converts the symbolic linguistic representation into sound. In certain systems, this part includes the computation of the target prosody (pitch contour, phoneme durations) (Santen, 1994), which is then imposed on the output speech.

1.2 Review of Existing e-Extension Services Delivery Systems

Final report : FGN-AETA (2009) reported on the readiness, usage and information pursuing conduct of a farming locality with particular emphasis to ICTs. The findings therefore show that research gap was filled by observing how farmers respond information medium when is accessible to them, instead of focusing on obstacles that envelope the use of ICTs, and digital divide matters arising as a result of varying access and capabilities.

Sharma, Murthy, and Attaluri (2016) noted the impact of ICT to extension services delivery for horticulture farmers in Uasin Gishu County in the other to ascertain the level of utilization of ICT by horticulture farmers. The challenges and opportunities to effective use of ICT were carried out. The study was however guided by correlation research design. The findings revealed that utilization of ICT by horticulture farmers is abysmally low. It further shows that majority of the farmers still rely on traditional ICTs to get agricultural information.

The role of ICT to facilitate the Ethiopian agricultural extension delivery system was examined by Arokoyo (2005). Farmers were given different sources of options in using ICT tools in collecting information on suitable technologies required to meet their particular farming needs and those that encircle their local, social, cultural, economic, and political atmosphere. The results of this study however, revealed that different infrastructure of ICT have been utilized in extension services delivery and were more in tune with the situations and desires of small scale farmers with language barrier being a major issue.

A mobile-based farmers' advisory information system (M-FAIS) aimed at improving the coverage of extension services in Tanzania was presented by Abdullahi, Shenu,

and Sani (2016). The study contributes to the approach for testing complex system in agricultural informatics. The approach integrates the conventional system testing approaches (technology-centric approach) and extends it to include consideration of system usability (user-centric testing approach) prior to system release. In view of the foregoing, the major setback of this system is that it does not take dialectical problems in to account.

Also, a multilingual translation system to enhance agricultural e-extension services delivery was designed, developed, and implemented by Text-to-speech technology (2014) (Abdullahi, Shehu, & Sani, 2016). The implemented system adopts an hybrid machine translation techniques to translate agricultural information from English (source text) into farmer's chosen registered local dialect. The system integration test shows 65% accuracy in translation capability of the research outputs from English-to-farmer's registered local dialect. However, the major limitation of the system is that it cannot translate the agricultural text messages from English to the native languages in a text-speech fashion; its capability is only text-text translation.

Arising from the above literature review on related work, there is yet no attempt in Nigeria in this area for a suitable approach; however, the authors hypothesize that setting a translation of text-to-speech to indigenous language of a farmer from the context of agricultural e-extension services delivery, research output as a practical use case can help achieve the main goal of agricultural extension services. Therefore, it is an essential technique to translate AES research output into user-understandable native or indigenous languages. This is the gap that this research is set to achieve.

2. Research Methodology

2.1 Multilingual Language Translation Text-to-Speech Framework

Text-to-speech synthesis takes place in several steps. The TTS systems get a text as input, which it first analyzes and then converts into a phonetic form. Then in subsequent step it produces the prosody. From the available information, it can generate a speech signal.

The configuration of the text-to-speech synthesizer can be fragmented into two major components:

- Natural Language Processing (NLP) Component: This module produces a phonetic transcription of the text read, together with prosody.

- Android Google Speech Synthesizer (AGSS) Component: This component transforms the symbolic information it receives from NLP into audible and intelligible speech.

The operational procedure of the NLP component is as follows:

1) Text Analysis: First the text is segmented into tokens. The token-to-word conversion creates the orthographic form of the token. For the token "Ms", the orthographic form "Miss" is formed by expansion, the token "10" gets the orthographic form "ten" and "2018" is transformed to "two thousand and eighteen".

2) Application of Pronunciation Rules: After the text analysis has been accomplished, the application of pronunciation rules takes place. Letters cannot be converted 1:1 into phonemes due to information mismatch. In certain atmospheres, a single letter can match to either no phoneme (for instance, "h" in "laugh") or several phonemes ("n" in "next"). In addition, several letters can correspond to a single phoneme ("re" in "store"). There are two approaches to define pronunciation:

- In dictionary-based solution with morphological modules, as many morphemes (words) as possible are warehoused in a dictionary. Full forms are generated by means of inflection, derivation and composition rules. On the other hand, a full form dictionary is used in which all conceivable word forms are warehoused. Pronunciation rules define the pronunciation of words not found in the dictionary of any of this particular language from Google Translate API (from English to Hausa, Yoruba, and Ibo) respectively).

- In a rule based solution, pronunciation rules are produced from the phonological information dictionaries. Only words whose pronunciation is a

complete exception are included in the dictionary of any of this particular language (English, Hausa, Yoruba and Ibo).

The two applications vary significantly in the size of their dictionaries. The dictionary-based solution is oftentimes larger than the rules-based solution's dictionary of exception. Nevertheless, dictionary-based solutions can be more thorough than rule-based solution if they have a large enough phonetic dictionary available.

3) Prosody Generation: after the pronunciation has been ascertained, the prosody is produced. The extent of naturalness of a TTS system is dependent on prosodic factors like intonation modeling (phrasing and accentuation), amplitude modeling and duration modeling (including the duration of sound and the duration of pauses, which determines the length of the syllable and the tempos of the speech) (Gilorien, 2004).

The output of the NLP component is passed to the Android Google Speech recognizer and Synthesizer (AGSS) component. This is where the actual synthesis of the speech signal occurs. In concatenative synthesis, the selection and linking of speech segments take place. For individual sounds, the best option (where several appropriate options are available) are selected from a database (Android Google text-to-speech speech analyzer and synthesizer for English, Hausa, Yoruba, and Ibo) respectively and concatenate it).

2.2 Framework Representation

In this research work, the proposed multilingual translation text-to-speech framework deploys a three tier architecture, namely: the front-end (presentation tier), the middle tier, and the back-end (data tier) as described underneath.

2.2.1 Presentation Tier

This layer is also referred to as the front end; information is made available to client (user interface) at this phase via the browsers (like Mozilla Firefox or Internet Explorer).

2.2.2 Middle Tier

Also called server side. This layer was developed with the use of the following tools: Hyper Text Markup Language (HTML), Cascading Style Sheet (CSS), Java programming language (Gilorien, 2000) Google Translate API for text-to-text component and Android Google Translates API text-to-speech recognizer and synthesizer for text-to-speech component for the following languages: English, Hausa, Yoruba, Ibo, and Arabic. Multilingual translation of text-to-text and text-to-speech equally takes place in this layer.

2.2.3 Data Tier

This layer is referred to as the back-end. This layer will provide the data warehouse for the designed framework. This framework proposed to adopt Google API for text:to-text component and Android Google API Text-to-speech recognizer and synthesizer for text-to-speech component for the following languages: English, Hausa, Yoruba, Ibo, and Arabic.

2.3 Implementation Algorithm for the Framework Design

The proposed framework for agricultural e-extension services: a hybrid multilingual language translation text-to-speech is as shown in Figure 2. The framework links three major actors together (farmer, researcher/expert, and agricultural extension workers). The implementation algorithm is explained as follows:

- Farmers initiate feeds (that is questions/queries) using their mobile phones in any of their registered/ choosing language(s) (that is Arabic, Hausa, Yoruba, and Ibo) tagged (x) language to the Multilingual Language Translation Engine (MLTE) in either text-text or text-to-speech fashion.

- Multilingual Language Translation Engine (MLTE) translates the feeds into English and forwards it to Agricultural Extension Worker (AEW) in text pattern.

- AEW then feeds the web server (Agricultural Knowledge-Based Server) in English.

- The server responds; while sending feed request back to AEW, if there is no response to the query/question from the server, the server then sends the query or question to the researcher for onward research and replies the research response back to the server-AEW-Farmers.

- AEW checks the response and forwards it to MLTE.

- MLTE then translates the feed responses into the farmers' respective registered languages using a

Figure 2. Operational Procedure of Natural Language Processing Component of TTS Synthesizer

unique id (farmers language identity) in order to forestall any possible misplacement of translated responses to farmers in either text-text or text-to-speech format.

3. Framework Evaluation

The application named the Text-to-Speech Intelligible System is a simple application with the text to speech functionality. The system was proposed to be developed and implemented using Java programming language (Figure 3). Java is used because it is robust and independent platform. The application is divided into two main components: the main application module which includes the basic GUI components that handles the basic operations of the application such as input of parameters for conversion either via file or direct keyboard input or the browser. This would make use of the open source API called Google Translate API (for English, Hausa, Yoruba Ibo, and Arabic) from Google library respectively for text-to-text module. The second module, the main conversion engine is integrated into the main module for the acceptance of data hence the conversion. This would implement the API called freeTTS for Android Google text-to-speech synthesizer (for English, Hausa, Yoruba, Ibo, and Arabic), respectively.

Conclusion

This research work proposed a framework for agricultural

Figure 3. The Proposed Framework

e-extension services: an hybrid of multilingual language translation text-to-speech ensures by the second Agricultural Research Information (ARI) is delivered to agriculturalists regardless of their geographical boundaries and dialect. The proposed framework converts agricultural research finding from a source dialect (English) into four identified local target dialects (Hausa, Arabic, Yoruba, Ibo and Arabic) based on selected local language understood by the farmer. To this end, the framework also links the key players (agricultural expert, extension workers ,and farmers) in agricultural research information generation, processing and broadcasting under one umbrella. This is accomplished by allowing the extension workers to send farmers queries to experts and receive feedback via the mobile application and the web-based system as well. Moreover, farmers take delivery of timely text-to-text and text-to-speech agricultural research communications from the extension via their Android cellphones based on requests, queries forwarded to research for them on their area of interest or preference.

References

[1]. Abdullahi, M. B., Shehu, I. S., & Sani, Y. M. (2016). A Multilingual Translation System for Enhancing Agricultural e-Extension Services Delivery. *Int Conf. on Info and Com Tech and Its Applications (ICTA)* (pp. 62-68).

[2]. Agbamu, J. U. (2000). Agricultural research-extension linkage systems: An international perspective. *Network Paper-Agricultural Research and Extension Network,* (106), 1-7.

[3]. Allen, J., Hunnicutt, M. S., Klatt, D. H., Armstrong, R. C., & Pisoni, D. B. (1987). *From Text to Speech: The MITalk System.* Cambridge University Press.

[4]. Angelov, K., Bringert, B., & Ranta, A. (2014). Speech-enabled hybrid multilingual translation for mobile devices. In *Proceedings of the Demonstrations at the 14th Conference of the European Chapter of the Association for Computational Linguistics* (pp. 41-44).

[5]. Arokoyo, T. (2005). *ICTs application in agricultural extension service delivery.* Agricultural Extension in Nigeria. Ilorin: Agricultural Extension Society of Nigeria,

245-251.

[6]. Davis, K. E. (2009). *Agriculture and climate change: An agenda for negotiation in Copenhagen,* The Important Role of Extension Systems, Version 2020 (pp.1-2). Food for Agriculture and Environment International Food Policy Research Institute, USA.

[7]. Derso, D., & Ejiro, E. (2015). The contribution of information and communication technologies to the Ethiopian agricultural extension system: A review of literature on agriculture knowledge management. *African Journal of Agricultural Science and Technology,* 3(9), 407-411.

[8]. FAO. (2010). *Agricultural Extension Services Delivery System in Nepal.* Food and Agriculture Organization of the United Nations UN Complex, Pulchowk, Nepal. Retrieved from https://reliefweb.int/sites/reliefweb.int/files/resources/AgExtServDelSysNepal.pdf

[9]. Final Report: FGN-AETA. (2009). *The Agricultural Extension Transformation Agenda.* Retrieved from http://unaab.edu.ng/wp-content/uploads/2012/10/Final%20Extension%20Report.pdf

[10]. Gilorien. (2000). *DHTML and JavaScript.* Upper Saddle River: Prentice Hall PTR.

[11]. Isewon, I., Oyelade, O. J., & Oladipupo, O. O. (2014). Design and implementation of text to speech conversion for visually impaired people. *International Journal of Applied Information Systems,* 7(2), 25-30.

[12]. Kameswari, V., Kishore, D., & Gupta, V. (2011). ICTs for Agricultural extension: A study in the Indian Himalayan region. *The Electronic Journal of Information Systems in Developing Countries,* 48, 1-12. doi:10.1002/j.1681-4835.2011.tb00339.x

[13]. Martin, A., & Pound, B. (2014). *Agricultural Extension, Advisory Services and Innovation.* Natural Resources Institute, University of Greenwich. Retrieved from https://www.nri.org/publications/thematic-papers/7-agricultural-extension-advisory-services-and-innovation/file

[14]. Mokotjo, W., & Kalusopa, T. (2010). Evaluation of the Agricultural Information Service (AIS) in Lesotho. *International Journal of Information Management,* 30(4),

350-356.

[15]. Rubin, P., Baer, T., & Mermelstein, P. (1981). An articulatory synthesizer for perceptual research. *The Journal of the Acoustical Society of America, 70*(2), 321-328.

[16]. Sanga, C., Mussa, M., Tumbo, S., Mlozi, M. R. S., Muhiche, L., & Haug, R. (2014). On the development of the mobile based agricultural extension system in tanzania: A technological perspective. *International Journal of Computing & ICT Research, 8*(1), 49-67.

[17]. Santen, J. P. H. V. (1994). Assignment of segmental duration in text-to-speech synthesis. *Computer Speech & Language, 8*(2), 95-128.

[18]. Santen, J. P. H. V., Olive, J. P., Sproat, R., W., & Hirschberg, J. (1997). *Progress in Speech Synthesis.* Springer.

[19]. Sharma, V. P., Murthy, L., & Attaluri, S. (2016). e-Extension: ICT Applications in Agricultural Extension Management. *USAID-INDIA-Afghanistan Feed The Future India Triangular Training (FTF ITT) Programme,* 2016. Retrieved from http://www.manage.gov.in/ftf-itt/prgReports/afgan.pdf

[20]. Suendermann, D. Höge, H., & Black, A. (2010). Challenges in Speech Synthesis. In Chen, F., Jokinen, K., (Eds.), *Speech Technology* (pp. 19-32). Springer Science + Business Media LLC.

[21]. Text-to-speech Technology. (2014). In Linguatec Language Technology Website. Retrieved from http://www.linguatec.net/products/tts/information/technology

[22]. Thomas, K. A., & Laseinde, A. A. (2015). Training needs assessment on the use of social media among extension agents in Oyo State, Nigeria. *Agrárinformatika/ Journal of Agricultural Informatics, 6*(1), 110-111.

ABOUT THE AUTHORS

Yahaya Mohammed Sani is currently an Assistant Lecturer in the Department of Information and Media Technology at the Federal University of Technology, Minna, Nigeria. He obtained his B.Tech Degree in Mathematics/Computer Science in 2007, MTech Degree in Computer Science in 2016 from the same University. His research interests are in Information System, Big Data Analytics and Neural Computing.

Stella Oluyemi Etuk is currently working as a Lecturer in the Department of Information and Media Technology at School of Information and Communication Technology, Federal University of Technology, Minna, Niger State, Nigeria. Her first degree (B.Tech) was in Mathematics and Computer Science in 2008 and her second degree (M.Tech) was in Applied Mathematics (Numerical Analysis) in 2014 from the same University. Her future research interests include System Modelling and Data Science. Her administrative responsibilities include student advising and membership of committee at faculty level in the University.

Ilyasu Anda is a Lecturer II in the Department of Library and Information Technology at the Federal University of Technology, Minna, Nigeria. He obtained B.Tech in Library and Information Technology from the same University in 2008, he was also awarded a Master of Science Degree in Information Technology from University of York, United Kingdom in 2015. His research interests are in Big Data Analytic. Ilyasu Anda is a Professional member of the Cyber Security Experts association of Nigeria.

Mamman Adamu holds a B.Tech in Mathematics/ Computer Science and M.Tech in Computer Science both from Federal University of Techology, Minna, Niger State of Nigeria. He is currently a Ph.D student in the Department of Computer Science, Federal University of Technology, Minna, Nigeria. His research interests include Wireless Sensor Network.