

JOURNAL 5

Page 259 - 270



ISSN: 2223-9553, ISSN: 2223-9944 Print

**ACADEMIC
RESEARCH
INTERNATIONAL**

Vol. 7, Number 1, January 2016 (Part-II)

SAVAP International

www.journals.savap.org.pk

POPOOLA, N-I


All Search

Home

Naomi

Compose

Archive Move Delete Approve Mix



0701-2175-ARInt-201511: Acceptance of Paper (3) People

Online Auto Auctions USA

bid for 250,000 USA cars inventory direct delivery to Tema and Lagos

www.auctionexport.com



Add another mailbox

Inbox (1)

Drafts (1)

Sent

Archive

Spam (3)

Trash (19)

Smart Views

Important

Unread

Starred

People

Social

Shopping

Travel

Finance

Folders (3)

Drafts (3)

Recent

The Editor, Academic Research International 12/19/15 at 7:18 AM
<editor.arint@gmail.com>
To: Naomi Popoola

Dear Author,

Thank you for submitting paper(s) to "Academic Research International (ARInt)". It is to notify you that your paper has been accepted for Vol. 07 No.01, January 2016 issue. You are requested to transfer fee up to January 05, 2016. Reference number for this submission is:

Ref-ID: 0701-2175-ARInt-201511
Title : EVALUATION OF SPATIAL GROWTH DYNAMICS IN THE PERI-URBAN RESIDENTIAL NEIGHBOURHOODS IN MINNA, NIGERIA
Author(s) : Popoola, N. I., Jinadu, A.M., Sanusi, Y. A., Adeleye, B.M., and Odumosu, J. O.
Word Count: 4104
Publication Fee: USD103
Subscription For Print @USD 50per Copy (Optional)
Country: NIGERIA

[Note: Article publication fee is US\$ 100 (or PKR 10200) per paper not more than 4000 words. Fee for each additional word is 0.03USD. For details <http://www.journals.savap.org.pk/authors.html>]

If you want to receive copy of print version, you have to pay USD50 subscription. It is optional.

OPTION 1: By PAYPAL (Please visit <https://www.paypal.com>)

Please transfer publication fee +5% charges to email paypal account:

editor.arint@savap.org.pk

You may use your Paypal Account or Debit/ Credit Card of Visa / Master / American Express / JCB / DISCOVER for transfer of payment.

OPTION 2a: PAY BY WESTERN UNION (Please visit <http://www.westernunion.com>)

Details for Payment:

Name: FAKIHA SULTANA MALIK
Address: SAVAP International, Bright Home, Lodhran City-59320, Pakistan
Location: PAKISTAN

After payment please send us MTCN (money transfer control number). We will include your paper in list of next issue page on website as confirmation.

OPTION 2b: PAY BY MONEY GRAM (Please visit <http://global.moneygram.com/>)

Details for Payment:

Name: WUSQA SULTANA MALIK
Address: SAVAP International, Bright Home, Lodhran City-59320, Pakistan
Location: PAKISTAN

After payment please send us reference number (money transfer control number). We will include your paper in list of next issue page on website as confirmation.

OPTION 3b: PAY BY BANK TRANSFER (USD Account)

Our USD bank accounts information is as follows:

Bank Name & Address	Meezan Bank Limited, Karachi, Pakistan
Bank Swift Code	MEZNPKKA (AD-150)
IBAN	PK29MEZN0060010100540545
Bank Branch Name & Code	Lodhran- (6001)
Beneficiary Account Number (USD)	6001 0100540545
Beneficiary Name	MALIK MUHAMMAD ASHRAF
Beneficiary Address	Chairman, SAVAP International, Bright Home, Lodhran City-59320, Pakistan.

OPTION 3c: PAY BY BANK TRANSFER (PKR Account) [USD01=PKR104]

Our PKR bank account information is as follows:

Dr (Mrs) N-1. Popuole

'Research for Peace and Development'

SAVAP International

Academic Research International

Vol. 7 No. 1, January 2016

Part-II

SAVAP International

Bright Home, Lodhran City - 59320, PAKISTAN.

URL: [http:// www.savap.org.pk](http://www.savap.org.pk)

ACADEMIC RESEARCH INTERNATIONAL

Vol. 7, No.1, January 2016(Part-II)

ISSN-L: 2223-9553 Online
ISSN: 2223-9944 Print

Academic Research International is open access journal. Any part of this journal may be reprinted or reproduced for academic and research purpose only.

EDITORIAL TEAM

Editor-in-Chief:

Prof. Hafiz Habib Ahmed

Editor:

Dr. Muhammad Ashraf Malik
Chairman, SAVAP International

Assistant Editors:

Dr. Saadat Majeed Ch.
Dr. Rana Muhammad Dilshad
Salman Ali Khan
Hameedullah
Khawaja Shahid Mehmood
Malik Azhar Hussain
Muhammad Akbar
Rafia Sultana
Aamir Sharif
Asim Nasar

Indexed by:

Ulrichs' Web, USA, Index Copernicus International, SCIRUS (Elsevier), EBSCOHost Research Database /Electronic Journal Services, Research Gate Germany, Open J-Gate, Directory of Research Journals Indexing (DRJI), Global Impact Factor (GIF), Australia, Die Elektronische Zeitschriftenbibliothek (ZDB), Germany, Scholar Steer (USA), ourGlocal Academic Resources Japan, SIF, CNKI Scholar China, Google Scholar, Open Access Journal Index etc.

Note: Views expressed in the articles of this journal are of authors and do not reflect the views of the "Academic Research International"

Subscription:

USD 50 Per Copy

EDITORIAL BOARD

Prof. Dr. T. F. "Tim" McLaughlin,
Gonzaga University, WA, USA.

Prof. Dr. Hong Lin,
University of Houston-Downtown,
Houston, Texas, USA.

Prof. Dr. Noraini Binti Idris,
University of Malaya, MALAYSIA.

Prof. Dr. Ghulam Shabir,
The Islamia University of Bahawalpur,
PAKISTAN.

Prof. Dr. Azman Bin Che Mat,
Universiti Teknologi Mara,
MALAYSIA.

Prof. Dr. Ata ATUN,
Near East University,
NORTH CYPRUS.

Prof. Dr. Kyung-Sung Kim,
Seoul National University of
Education, SOUTH KOREA.

Prof. Dr. Reena George,
Karmela Rani Training College,
Kerala, INDIA.

Dr. Abdullatif I. AL-Hussein,
AL-Imam Mohamed Ibn Saud Islamic
University, SAUDI ARABIA.

Dr. Huda Aldulaijan,
King Faisal University, SAUDI
ARABIA.

Dr. T. Tammy Orunaboka,
University of Port Harcourt, NIGERIA.

Dr. Sorinel CĂPUȘNEANU,
Artifex University Bucharest,
ROMANIA.

Md. Haider Ali Biswas,
Khulna University, BANGLADESH,

Dr. Arab Naz,
University of Malakand, PAKISTAN.

Prof. Dr. Muhammad Aslam Adeeb,
Pro-Rector, NCBA&E, Bhawalpur,
PAKISTAN.

Professor Dr. Ugur DEMIRAY,
Anadolu University, TURKEY.

Prof. Dr. Chris Atkin,
Liverpool Hope University, UK.

Prof. Dr. Ken Kawan Soetato,
Waseda University, Tokyo, JAPAN.

Prof. Dr. Sinan Olkun,
Ankara University, TURKEY.

Prof. Dr. Tahir Abbas,
B. Z. University, Multan, PAKISTAN.

Prof. Dr. Rosnani Hashim,
International Islamic University Kuala
Lumpur, MALAYSIA.

Prof. Dr. Alireza Jalilifar,
Shahid Chamran University of Ahvaz,
IRAN.

Prof. Dr. Osamu Aoki,
Hokkaido University Sapporo, JAPAN.

Prof. Dr. Badar Alam Iqbal
Aligarh Muslim University, INDIA.

Dr. B.K.Ravi,
Bangalore University, INDIA.

Dr. Pang I. Wah,
The Hong Kong Institute of
Education, HONG KONG.

Dr. Naoko Suzuki,
University of Tokushima, JAPAN.

Dr. Fariba Tadayon,
Islamic Azad University, IRAN.

Dr. Lutfi Oksuz,
Director, Turkish Standards Institution,
Konya, TURKEY.

Dr. Muhammad Saeed,
University of the Punjab, PAKISTAN.

Inquiries, comments, and suggestions should be addressed to the Editor Academic Research International.

Published by:

SAVAP International

Bright Home, Eidgah Colony, Lodhran City - 59320, PAKISTAN.

Email: editor.arint@savap.org.pk, mail@savap.org.pk

URLs: <http://journals.savap.org.pk/>, <http://erint.savap.org.pk/>

Telephone & Fax: +92 608 361176, Cell: +92 300 6826926

LIST OF CONTENTS

Sr. No.	Title of Paper	Page
Part-II: Social Sciences & Humanities		
8	THE EFFECT OF LEARNING STRATEGY AND WAY OF THINKING TO LEARNING OUTCOMES OF SOCIAL SCIENCE Agus Purwowododo State Islamic Institute Tulungagung, INDONESIA.	71
9	SELF-ESTEEM AND SOCIOLOGICAL FACTORS AS CORRELATES OF ALCOHOL CONSUMPTION AMONG UNIVERSITY UNDERGRADUATES Ekeke Macdonald Ibubeleye , Dr. Orluwene Goodness W., Isukwem Gideon Chidozie, Department of Educational Psychology, University of Port Harcourt Rivers State, NIGERIA.	85
10	PSYCHOMETRIC PROPERTIES OF THE TURKISH VERSION OF THE SIBLING DYADIC TRUST SCALE Sühendan Er, Müge Çelik Örücü Primary Education Department, & Guidance and Psychological Counseling Department, Faculty of Education, TED University, Ankara, TURKEY.	93
11	STUDENT ACADEMIC MOTIVATION OF SECONDARY SCHOOLS OF KHAIRPUR MIR'S Abdul Karim Suhag, Raja Sohail Ahmed Larik, Altaf Ahmed Tagar, Shafique Rahman Solangi Department of Education, Sindh Madressatul Islam University Karachi, & Shah Abdul Latif University Khairpur Mirs, PAKISTAN.	100
12	UNDERSTANDING AND APPLICATION OF BLOOM TAXONOMY BY SENIOR SECONDARY SCHOOL TEACHERS IN BOTSWANA Ernest Benny Fetogang Botswana College of Distance and Open Learning, Gaborone, BOTSWANA.	110
13	ADAPTATION OF THE SENTIMENTS, ATTITUDES, AND CONCERNS ABOUT INCLUSIVE EDUCATION REVISED (SACIE-R) SCALE ON A TURKISH POPULATION Arzu Kis Education Department, Inonu University, Malatya, TURKEY.	123
14	ACEHNESE SOCIAL INTERACTION PROCESS IN COFFEE SHOPS Cut Khairani The Faculty of Social and Political Sciences, Almuslim University Bireuen, Aceh, INDONESIA.	135
15	CLOUD COMPUTING IN HIGHER INSTITUTIONS IN NIGERIA: IMPLICATIONS FOR EDUCATIONAL EVALUATION	144

- Dorothy C. Inko-Tariah**
Department of Educational Psychology, Guidance and Counselling, Ignatius
Ajuru University of Education, Rumuolumeni, Port Harcourt, Rivers State,
NIGERIA.
- 16 THE GOVERNMENT LEGAL POLICY IN THE ERA OF REFORMATION IN 151
COMBATING CORRUPTION IN INDONESIA
Pius Bere
The Faculty of Law, Nusa Cendana University, Kupang, INDONESIA.
- 17 ARRANGEMENTS VILLAGE POST FINANCE LAW OF THE REPUBLIC OF 159
INDONESIA NUMBER 6 OF 2014 ON THE VILLAGE
Oleh; Heri Soesanto Sudarsono, Moh. Ridwan, Bambang Winarno
Brawijaya University, Malang, INDONESIA.
- 18 RESEARCH OF INTERNET FINANCE SUPPORT FOR "MASS 168
ENTREPRENEURSHIP AND INNOVATION"
Yuzhong Sun, Chuncheng Liu
College of Economics and Management, China Agricultural University, CHINA.
- 19 INFORMATION AND COMMUNICATION TECHNOLOGY (ICT) 175
CHALLENGES ENCOUNTERED IN TEACHING BUSINESS EDUCATION
IN RIVERS STATE TERTIARY INSTITUTIONS
**Wokocha, Kelechi Da-kaladokubo, Wolugbom, Kioba Rosemary, Appah,
Courage Nkem, Olorunfummi, Elizabeth**
Department of Business Education, Rivers State University of Science and
Technology, Port Harcourt, NIGERIA.
- 20 THE NEWSPAPER TIMELINE: A STUDY OF THE NEWSPAPERS PAST & 183
ITS PRESENT
Vasundara Priya M., Dr. B K Ravi
Senior Research Fellow, UGC, & Professor, Department of Communication,
Bangalore University, Bangalore, INDIA.
- 21 DEVELOPING A MODEL OF AN IDEAL EARLY CHILDHOOD 194
EDUCATION TEACHER
Dr. M. Hameed-ur-Rehman, Nuzhat Naz
Hamdard Institute of Education and Social Sciences, Hamdard University,
Karachi, PAKISTAN.
- 22 ECONOMIC EMPOWERMENT "PEASANTS" BEEF CATTLE THROUGH 207
THE INTENSIVE scale HOUSE DISTRICT TRENGGALEK
Dr. Ec. Tri Lestari, and Dr. Budi Rianto
Hang Tuah University Surabaya, East Java, INDONESIA.
- 23 THE TAXATION IN ISLAMIC LAW PERSPECTIVE 214
Mokhamad Khoirul Huda, Kamarudin & Ninis Nugraheni
Faculty of Law, Hang Tuah University, Surabaya, INDONESIA.
- 24 DIGITAL REFERENCE SERVICES (DRS) AMONG THE PUBLIC & 222
PRIVATE SECTOR UNIVERSITIES LIBRARIES IN KARACHI: A
COMPARATIVE STUDY

- Muhammad Yousuf Ali, Dr. Kamal Haider**
Hamdrad University Karachi, & Federal Urdu University Science Arts & Technology, Karachi, PAKISTAN.
- 25 PREVALENCE AND COMPARISON OF PSYCHOLOGICAL PROBLEMS 231
AMONG HOSTELITES AND DAY SCHOLARS OF UNIVERSITY
Amina Munir, Sidra Khalid, Riffat Sadiq
Department of Psychology, University of Gujrat, & Department of Applied Psychology, Govt. College Women University, Faisalabad, PAKISTAN.
- 26 DEMOCRACY AND AUTONOMY TRANSFORMATION IN THE 241
GOVERNANCE OF MENGWI VILLAGE, PROVINCE BALI INDONESIA IN
THE TRANSITION ERA
I Wayan Gede Suacana, Diah Rukmawati, I Nyoman Wiratmaja
Faculty of Social and Political Sciences, Warmadewa University, Denpasar-Bali, Department of Cultural Studies, Udayana University, Denpasar-Bali, INDONESIA.
- 27 EVALUATION OF SPATIAL GROWTH DYNAMICS IN THE PERI-URBAN 259
RESIDENTIAL NEIGHBOURHOODS IN MINNA, NIGERIA
Popoola, N. I., Jinadu, A.M., Sanusi, Y. A., Adeleye, B.M., Odumosu, J. O.
Department of Estate Management and Valuation, Department of Urban and Regional Planning, Department of Survey and Geo-informatics. F. U. T. Minna, NIGERIA.
- 28 GREEN ACCOUNTING: BUSINESS STRATEGY TECHNIQUES: A 271
COMPARATIVE STUDY OF JUST IN TIME AND ECONOMIC ORDER
QUANTITY APPROACH
Mahsina
University of Bhayangkara Surabaya, East Java, INDONESIA.
- 29 DISPUTE SETTLEMENT BORDER REGIONAL FOR KEDIRI REGENCY 281
WITH BLITAR REGENCY OF EAST JAVA
Suprianto, Sudarsono, Abd Rachmad Budiono, Moh. Ridwan
Universitas Brawijaya Malang, INDONESIA.
- 30 PROFILING DISASTERS IN KENYA AND THEIR CAUSES 290
Julius M. Huho, Janet N. Mashara and Peter K. Musyimi
Department of Tourism and Hospitality Management, Department of Humanities, Karatina University, Nyeri, KENYA.
- 31 COMMUNICATION TRAINING SKILL FOR IMPROVEMENT OF 306
ORAL/AURAL COMMUNICATION AMONG LEARNERS WITH HEARING
IMPAIRMENTS IN PRIMARY SCHOOLS FOR THE DEAF IN WESTERN
REGION OF KENYA
Nyakado John Abuor, Peter Oracha, Aloys Odeck
Department of Special Needs Education and Rehabilitation, School of Education, Maseno University, KENYA.

GUIDELINES FOR AUTHORS

I-V

EVALUATION OF SPATIAL GROWTH DYNAMICS IN THE PERI-URBAN RESIDENTIAL NEIGHBOURHOODS IN MINNA, NIGERIA.

Popoola, N. I.,¹ Jinadu, A.M.², Sanusi, Y. A.,³ Adeleye, B.M.,⁴ Odumosu, J. O.⁵

¹Department of Estate Management and Valuation, F. U. T. Minna, ²⁻⁴Department of Urban and Regional Planning, F. U. T. Minna, ⁵Department of Survey and Geo-informatics, F. U. T. Minna, NIGERIA.

ABSTRACT

Spatial development of the peri-urban had been attributed to the challenges confronting the cities in the areas of housing, infrastructure provision and unemployment. This study examined the rate of spatial development at the peripheral residential neighbourhoods of Minna, Niger State. Cluster sampling technique was employed for selection of suitable Peri-urban residential neighbourhood sites within Minna metropolis. Four sets of satellite imageries obtained were used; that is, the Thematic Mapper for 1986, the Enhance Thematic Mapper plus for 1996, the Enhance Thematic Mapper plus for 2006 and the Enhance Thematic Mapper plus for 2012, five (5) spatial growth dynamics (Bare-Land, Built-up, Disturbed Vegetation, Undisturbed Vegetation and Water body) were evaluated within the study area between 1986 – 2012. Results obtained revealed vividly the emerging role of peri-urban in city expansion. Proper planning and management of bare surfaces, investment in mass housing projects and preservation of agricultural land were recommended for easy integration of the peri-urban into the city fabrics and for the achievement of the desired sustainable development.

Keywords: Peri-Urban, Spatial-Growth, Image Classification, Clustering Technique and Geospatial Techniques.

INTRODUCTION

In consonance with predicted acceleration in growth rate of cities which is mainly characterized by increased built-up areas in urban cities and a reduction in open spaces/forest areas (United Nations, 2004; Haub, 2007; Hardoy, Mitlin, and Satterthwaite, 2001) as a result of natural increase in urban population, net rural-urban migration (Firoz, 2004) and global economic integration (Cohen 2004); the socio-physical menace of such inorganic expansions (Pacione, 2005; Oladapo and Olotuah, 2007) continue to increase to worrisome level.

The Nigerian urban centres are faced with rapid growth and development, which contribute to land use change (Fabiya, 2006). These cities are witnessing high rate of environmental deterioration and are rated among urban areas with the lowest livability index in the world; with only about 20% - 30% of the Nigerian urban population enjoying decent urban life (Adedeji and Eziyi, 2010) and between 52% and 70% living in poverty using nationally defined poverty lines; while a staggering 70% live in slum conditions (UNDB Report, 2009).

Minna and virtually all other urban areas of Niger State are currently experiencing uncontrolled and unplanned growth; most especially at the urban fringe. The most visible evidence of this development is the large and rapidly growing informal and squatter settlements at the peripheral areas. Research has shown that over 70% of the population of Minna lives in slums and squatter settlements (Niger State Government, 2009a).

This study seeks to observe the rate of spatial growth in the peripheral residential neighbourhoods of Minna.

JUSTIFICATION OF STUDY

Much attention has been drawn to the concepts of peri-urban interface in recent times due to the rapid growth being experienced by the city which has in turn create increase in demand for land in the urban fringe. This development has drawn the attentions of researchers to the impact of urban growth on the peri-urban region.

Some earlier research efforts on peri-urban area include: Peri-urban agriculture, Livelihood and poverty (Mandere, Ness and Anderberg, 2010 and Olayiwola, 2013), spatial growth and land use dynamics of peri-urban areas (Fabiye, 2006), Spatial growth of Minna (Adamu, 2012; Morenikeji, 2013), impact of city growth on vegetation and livelihoods of peri-urban dwellers (Musa, Usman and Isaiah, 2013). However, not much has been done on assessment of spatial growth at the Minna peripheral residential areas. It is based on these identified gaps that this study sets to examine the rate of spatial development in the peri-urban residential areas of Minna.

AIM AND OBJECTIVES

The aim of this study is to assess the rate of spatial development in the peripheral residential neighbourhoods of Minna, Niger State. To achieve this aim, the specific objective is to:

1. Examine the rate of spatial growth of peripheral residential neighbourhoods in Minna, between 1986 and 2012.

STUDY AREA

Minna is located on Latitude 9°37' North and Longitude 6°33' East and occupies a land area of about 884 hectares (Maxlock, 1979). Minna is encapsulated by the Bosso Local Government Area. It is about 145 kms by road from Abuja, the Federal capital of Nigeria. The Minna metropolis has grown to engulf suburb settlements such as Bosso, Maitumbi, Dutsen Kura, Kpakungu Shango and Chanchaga. Maxlock (1979) opined that, Minna is underlain by homogeneous basement complex of mainly gneiss and magnetite. The north eastern part of the city is characterized by a more or less continuous steep outcrop of granite which limit any urban expansion in that direction.

METHODOLOGY

Geospatial techniques were employed in determining the spatial growth of the slums areas under study. Four different years were considered for the study (1986, 1996, 2006 and 2012) and four sets of satellite imageries were obtained for the years in question that is, Thematic Mapper for 1986, Enhance Thematic Mapper plus for 1996, Enhance Thematic Mapper plus for 2006 and Enhance Thematic Mapper plus for 2012. All the imageries were gotten from the National Centre for Remote Sensing; Jos. Table 1 shows the properties of the imageries acquired.

Table 1: Summary of Satellite Images Used

S/No	Image year	Date Captured	UTM Zone	WRS Path and Row	Data set	Spatial Resolution (m)
1	Minna 1986	27-12-1986	31N	P189 R53	TM	30 meters
2	Minna 1996	16-11-1996	31N	P189 R53	ETM ⁺	30 meters
3	Minna 2006	31-09-2006	31N	P189 R53	ETM ⁺	30 meters
4	Minna 2012	22-09-2012	31N	P189 R53	ETM ⁺	30 meters

Source: Author, 2014

Employing the ArcGIS 10.0 software all relevant image pre-classification tasks such as image geo-referencing, shape file creation (for each zone) and vector to raster clipping of the created shape files on the image were performed.

The image bands being in TIFF Format were then imported into the ILWIS 3.3 Academic software where the bands (4, 3 and 2) of the imageries were combined therein creating false colour composites that will enhance easy discrimination of built-up area and other feature classes of interest prior to definition of the training sets regions to be used in the classification process.

"Training sets" were created on all the imageries imported on ILWIS 3.3 Academic software; and they include: Built-up area, Water body, Disturbed Vegetation, Undisturbed Vegetation and Bare surface (Table 2). The training sets were subjected to a supervised (full Gaussian) Maximum Likelihood Classification.

Table 2. Feature Classes considered during image classification

<i>S/N</i>	<i>Classification</i>	<i>Description</i>
1	Bare Surface	Includes vacant unimproved lands.
2	Built-up area	Comprises of all residential, commercial and industrial areas, village settlement and transportation infrastructure which reveals evidence of development.
3	Disturbed Vegetation	Vegetation distorted by human activities and comprises of all agricultural activities and semi nature vegetation such as trees, shrub land deciduous, coniferous and mixed forests, palms, orchids, herbs, gardens and grasslands.
4	Undisturbed Vegetation	Comprises of land affected by minimal human activities of which the forest canopy is still maintained.
5	Water body	River, permanent open water, lakes, ponds, streams, canals and reservoirs.

Source: Adapted from ILWIS 3.3 Academic software, 2014.

Sampling Procedure

Cluster sampling technique was adopted in the selection of sample areas for the study. The study interest being the peripheral residential neighbourhoods surrounding Minna Town were zoned into three clusters namely; South-West peripheral, North-West peripheral and North-East peripheral zones with each zone representing a cluster.

Two neighbourhoods were randomly selected within each cluster (zone) to ensure equal representation from each zone. The selected neighbourhoods formed the sample areas for this study. Barkin-Sale and Shango were selected from the South West while Fadikpe and Dutsen-kura (Gwari) were selected in the North-Western zone and the North-Eastern zone has Bosso and Maitumbi (Table 3.0 and Figure 1). Two neighbourhoods (Bosso Estate and Army Barracks) were exempted from the random sampling exercise because these neighbourhoods are pre-planned before development.




Figure 1: Sampled Peripheral Residential Neighbourhoods in Minna.

Source: Author, 2014.

Table 3. Sampled Peripheral Residential Zones

S/N	ZONES	NEIGHBOURHOODS
1	South-West	Barkin-Sale and Shango.
2	North-West	Dutsen-Kura (gwari) and Fadikpe.
3	North-East	Bosso and Maitumbi.

Source: Field Work, 2014.

RESULTS

Presented in this section in graphical and tabular view is the result obtained from the classification for each of the features under study. Each feature presented individually in subsections 6.1 – 6.4 (Tables 4 – 13 respectively).

Analysis of Changes in Bare Surface Area in Minna Peri-Urban

The image analysis reveals that bare surfaces in the selected neighborhoods under study increases and decreases in area coverage over the study period. A leap-frog pattern of change in the bare surface was discovered in Dutsen Kura, Barkin Sale, Maitumbi and Shango neighborhoods. This pattern was characterized mainly by a mixture of both increases and decreases in bare surface within the study areas. Table 4 shows the area covered by the Bosso neighborhoods (Table 4).

Bare surface area decreased in three neighborhoods (Fadikpe, Barkin-sale and Bosso) and increased in the other three selected neighborhood (Dutsen-kura, Shango and Maitumbi). Shango gained the highest land coverage in bare surface area with a percentage increase of 561.5%; while the highest loss in bare surface area was experienced in Barkin-sale with a percentage decrease of 98.1% (Table 4).

Table 4: Bare Surface Areas in Minna Peri-urban Neighborhoods (1986-2012)

SN	Neighbourhood	Area in Km ² 1986	Area in Km ² 1996	Area in Km ² 2006	Area in Km ² 2012	Percentage Change (1986-2012)	Remark
1	Dutsen-kura	0.40	0.85	0.36	0.59	47.5	Increase
2	Fadikpe	0.76	0.22	0.31	0.37	51.3	Decrease
3	Barkin-sale	1.59	0.17	0.43	0.03	98.1	Decrease
4	Shango	1.69	1.19	1.69	11.18	561.5	Increase
5	Bosso	3.12	2.07	1.92	1.40	55.1	Decrease
6	Maitumbi	1.96	1.68	0.29	7.67	291.3	Increase
	TOTAL	9.52	6.18	5.00	21.24	123.11%	

Source: Author, 2014.

Four neighbourhoods lost bare surface areas to other uses between the years 1986 and 1996. Amongst all the selected neighbourhoods, Bosso suffered a continuous loss in bare surface area throughout the study period. The highest increase in bare surface area in Minna peri-urban was noticed in Shango within the study period with an area increase of 9.49km² (Table 5)

Table 5.0: Magnitude of Change in Bare Surface Areas of Minna Peri -urban Neighbourhoods

SN	Neighborhood	Magnitude of Change (km ²) 1986 – 1996	Magnitude of Change (km ²) 1996 – 2006	Magnitude of Change (km ²) 2006 – 2012	Magnitude of Change (km ²) 1986 – 2012
1	Dutsen-kura	0.45	-0.49	0.23	0.19
2	Fadikpe	-0.54	0.09	0.06	-0.39
3	Barkin-sale	-1.42	0.26	-0.40	-1.56
4	Shango	-0.50	0.50	9.49	9.49
5	Bosso	-1.05	-0.15	-0.52	-1.72
6	Maitumbi	-0.28	-1.39	7.38	5.71

Source: Author, 2014.

Analysis of Changes in Built-Up Area in Minna Peri-Urban

Built-up area comprises of all residential, commercial and industrial areas, village settlement and transportation infrastructure which reveals evidence of development. Analysis of land use changes in Minna peri-urban reveals significant increase in land coverage of built-up areas in all selected peri-urban neighborhoods.

Barkin-sale experienced the highest percentage increase of 708.5% in built-up area over the study period. Built-up area increased consistently in Barkin-sale from a land area of 1.99km² in 1986 to an area of 16.09km² in 2012; while Maitumbi experienced the least growth rate (90.8%) in built-up areas over the study period (Table 6.0).

Table 6. Built-up Areas in Minna Peri -urban Neighborhoods (1986-2012)

S N	Neighborhood	Area in Km ² 1986	Area in Km ² 1996	Area in Km ² 2006	Area in Km ² 2012	Percentage Change (1986-2012)	Remark
1	Dutsen-kura	3.81	5.85	11.04	14.69	285.6	Increase
2	Fadikpe	3.87	4.52	5.65	12.36	219.4	Increase
3	Barkin-sale	1.99	4.06	12.24	16.09	708.5	increase
4	Shango	7.92	15.61	35.03	36.59	362	Increase
5	Bosso	20.07	28.65	49.24	53.63	167.2	Increase
6	Maitumbi	10.22	11.77	18.40	19.50	90.8	increase
	TOTAL	47.88	70.46	131.60	152.86	219.26%	increase

Source: Author, 2014.

This implies that development activities increased in the neighborhoods with the specified period. Significant development activities within Fadikpe neighborhood were noticeable with the year 2006 and 2012. However, all sampled neighborhoods experienced consistent increase in built-up area throughout the study period (table 7.0).

The highest magnitude of change in built-up area in five neighbourhoods (Dutsen-kura, Barkin-sale, Shango, Bosso and Maitumbi) under study occurred between the year 1996 and 2006. This implied that development activities increased in the neighbourhoods within the specified period. Significant development activities within Fadikpe neighbourhood were noticeable within the year 2006 and 2012. However, all sampled neighbourhoods experienced continuous increase in built-up area throughout the study period (Table 7).

Table 7. Magnitude of Change in Built-up Areas of Minna Peri -urban Neighbourhoods

SN	Neighbourhood	Magnitude of Change (km ²) 1986 – 1996	Magnitude of Change (km ²) 1996 – 2006	Magnitude of Change (km ²) 2006 – 2012	Magnitude of Change(km ²) 1986 – 2012
1	Dutsen-kura	2.04	5.19	3.65	10.88
2	Fadikpe	0.65	1.13	6.71	8.49
3	Barkin-sale	2.07	8.18	3.85	14.10
4	Shango	7.69	19.42	1.56	28.67
5	Bosso	8.58	20.59	4.39	33.56
6	Maitumbi	1.55	6.63	1.10	9.28

Source: Author, 2014.

Analysis of Changes in Disturbed Vegetation Area in Minna Peri-Urban

Disturbed Vegetation implies vegetation that has been distorted by human activities. This comprises all agricultural activities and semi nature vegetation such as trees, shrub land, orchids, herbs, gardens and grasslands. This class of land use increases and decreases in area coverage throughout the study period within all the sampled neighbourhoods (Table 8.0).

Barkin-sale neighbourhood experienced the highest decrease in disturbed vegetation during the study period. It increased from land area of 16.59km² in 1986 to an area of 17.16km² in 1996 and later decreased to land area of 11.82km² and 8.04km in years 2006 and 2012 respectively; representing 51.54% decrease in area coverage within the study period. Disturbed Vegetations increased in Fadikpe and Shango neighbourhoods; a percentage increase of 33.78% and 30.88% respectively (Table 8.0).

Table 8. Disturbed Vegetation Areas in Minna Peri -urban Neighborhoods (1986-2012)

SN	Neighbourhood	Area in Km ² 1986	Area in Km ² 1996	Area in Km ² 2006	Area in Km ² 2012	Percentage Change (1986-2012)	Remark
1	Dutsen-kura	22.80	20.77	16.20	14.28	37.37	Decrease
2	Fadikpe	21.61	31.09	30.78	28.91	33.78	Increase
3	Barkin-sale	16.59	17.16	11.82	8.04	51.54	Decrease
4	Shango	101.89	118.60	146.37	133.35	30.88	Increase
5	Bosso	102.34	79.83	68.98	74.24	27.46	Decrease
6	Maitumbi	62.90	63.23	64.31	57.61	8.41	Decrease
	TOTAL	328.13	330.68	338.46	316.43	3.57%	Decrease

Source: Author, 2014.

Dutsen-kura, Barkin-sale, Bosso and Maitumbi experienced decrease in disturbed vegetation land within the study period; loss of total land area of 8.52km², 8.55km, 28.10km² and 5.29km² respectively. The highest loss in disturbed vegetation land was experienced in Bosso neighbourhood while Shango neighbourhood experienced the highest gain (31.46km²) in disturbed vegetation land area within the study period. Generally, land coverage for disturbed vegetation in Minna peri-urban increased between the year 1986 and 2006 and decreased sharply between the year 2006 and 2012. This indicates reduction in agricultural activities in Minna peri-urban due to increasing demand for agricultural land by other land uses. This has great implication on food security in the neighbourhoods and in the state as a whole (Table 9.0).

Table 9.0: Magnitude of Change in Disturbed Vegetation Areas of Minna Peri-urban Neighbourhoods

SN	Neighbourhood	Magnitude of Change (km ²) 1986 - 1996	Magnitude of Change (km ²) 1996 - 2006	Magnitude of Change (km ²) 2006 - 2012	Magnitude of Change (km ²) 1986 - 2012	Remark
1	Dutsen-kura	-2.03	-4.57	- 1.92	-8.52	Decrease
2	Fadikpe	9.48	-0.31	- 2.07	7.30	Increase
3	Barkin-sale	0.57	-5.34	- 3.78	-8.55	Decrease
4	Shango	16.71	27.77	- 13.02	31.46	Increase
5	Bosso	-22.51	-10.85	5.26	-28.10	Decrease
6	Maitumbi	0.33	1.08	- 6.70	-5.29	Decrease

Source: Author, 2014.

Analysis of Changes in Undisturbed Vegetation Area in Minna Peri-Urban

Undisturbed vegetation comprises of those portions of land with evidence of minimal human activities, of which the forest canopy is still maintained. Forest cover in Minna peri-urban is on continuous decrease in all selected neighbourhoods within the study period. Undisturbed vegetation which occupied an area of 3.44km² in 1986 decreased to an area of 2.98km² in the year 1996 in Dutsen-kura neighbourhood. It further decreased in land coverage within the neighbourhood to an area of 2.80km² and 0.89km² in the years 2006 and 2012 respectively. Fadikpe neighbourhood witnessed forest cover decreasing from an area of 19.59km² in 1986 to a land area of 10.00km² in 1996. It further reduced in 2006 and 2012 to an area of 8.89km² and 4.19km² respectively.

Similarly, Barkin-sale experienced a loss of about 1.90km² in forest land within the study period; representing a total loss of 67.74% in forest land area, while, Shango's forest land area reduced to an area of 34.29km² in 2012 from an area of 103.91km² it occupied in 1986; a percentage loss of 67% in forest land area within the neighbourhood. Bosso neighbourhood also experienced a loss in forest cover; from area coverage of 11.71km² in 1986 to 6.77km² in 2012 (42.19% loss in forest land), while Maitumbi neighbourhood recorded a reduction in forest land area from land area of 12.93km² in 1986 to 3.23km² in 2012; representing 75.02% loss in forest land in the neighbourhood within the study period (Table 10).

Table 10: Undisturbed Vegetation Areas in Minna Peri -urban Neighborhoods (1986-2012)

SN	Neighbourhood	Area in Km ² 1986	Area in Km ² 1996	Area in Km ² 2006	Area in Km ² 2012	Percentage Change (1986-2012)	Remark
1	Dutsen-kura	3.44	2.98	2.85	0.89	74.13	Decrease
2	Fadikpe	19.59	10.00	8.89	4.19	78.61	Decrease
3	Barkin-sale	5.89	4.67	1.57	1.90	67.74	Decrease
4	Shango	103.91	80.01	32.32	34.29	67.00	Decrease
5	Bosso	11.71	23.44	16.96	6.77	42.19	Decrease
6	Maitumbi	12.93	11.33	5.01	3.23	75.02	Decrease
	TOTAL	157.47	132.43	67.60	51.27	67.44%	Decrease

Source: Author, 2014.

Within the study period, Dutsen-kura lost a total forest land area of 0.46km² between 1986 and 1996. Further losses in forest area were experienced between the years 1996 and 2012. Fadikpe lost a total forest land area of 15.40km² while Barkin-sale lost forest area of 3.99km² within the study period. Shango neighbourhood lost an area of 69.62km² of its forest land between 1986 and 2012, while Bosso and Maitumbi lost forest land areas of 4.94km² and 9.70km² within the specified period (Table 11).

Table 11: Magnitude of Change in Undisturbed Vegetation of Minna Peri -urban Neighborhoods

SN	Neighbourhood	Magnitude of Change (km ²) 1986 – 1996	Magnitude of Change (km ²) 1996 – 2006	Magnitude of Change (km ²) 2006 – 2012	Magnitude of Change (km ²) 1986 – 2012	Remark
1	Dutsen-kura	-0.46	-0.13	- 1.96	-2.55	Decrease
2	Fadikpe	- 9.59	-1.11	- 4.70	-15.40	Decrease
3	Barkin-sale	- 1.22	-3.10	0.33	-3.99	Decrease
4	Shango	- 23.90	-47.69	1.97	-69.62	Decrease
5	Bosso	11.73	-6.48	- 10.19	-4.94	Decrease
6	Maitumbi	-1.60	-6.32	- 1.78	-9.70	Decrease

Source: Author, 2014

DISCUSSION OF RESULTS:

1. Bare surface changes in Minna peri-urban were on a downward trend between the year 1996 and 2006 increase greatly in the year 2012. It reduces from a total land area of 9.52km² in 1986 to 6.18km² and 5.00km² in 1996 and 2006 respectively. It however increase to an area of 21.24km²; representing a percentage changes of 123.11% within the study period (Figure 2). This indicates increasing supply of developable land within the neighbourhood.




Figure 2: Changes in Bare surface Area in Minna Peri-urban from 1986 – 2012.

2. Land use/ land cover changes in built-up areas of Minna peri-urban were on the upward trend. Built-up areas increase significantly in all sampled neighbourhoods. This is an indication of increase in development activities-majorly residential in Minna peri-urban. This also implies that with continuous increase in demand for developable land in the peri-urban, other land uses like agricultural and forest land will be taken over to meet up with increasing demand (Figure 3).




Figure 3: Changes in Built-up Area in Minna Peri-urban from 1986 – 2012.

3. Shango neighbourhood has the largest land area occupied by disturbed vegetation amongst the selected neighbourhoods as it occupied a total land area of 133.35km^2 in the year 2012. This probably is due to the fact that Shango neighbourhood is the largest amongst the selected neighbourhood in term of total land coverage while Barkin-sale neighbourhood has the least total land coverage and also the least area of 8.04km^2 for disturbed vegetation land area in the year 2012. This implies that agricultural activities thrives where there is an abundant of land for cultivation purposes (Figure 4).




Figure 4: Changes in Disturbed Vegetation Area in Minna Peri-urban from 1986 – 2012.

4. Trend in forest land changes in Minna peri-urban is on an increasing and continuous decline; most especially between the year 1996 and 2006 and further decline in 2006 and 2012 respectively (Figure 5).




Figure 5: Changes in Undisturbed Vegetation Area in Minna Peri-urban from 1986 – 2012.

Source: Author, 2015.

CONCLUSION

The rate of spatial development across the selected neighbourhoods reveals vividly the emerging role of peri-urban in city expansion. This role should therefore be appreciated and harnessed positively by all stakeholders in ensuring prior planning, plan implementations, continuous monitoring and refurbishment of the existing facilities in order to enhance environmental quality and to prevent proliferation of slums in these areas. Controlled development will promote good living environment and also enhance real property value. This will further ensure easy integration of the peri-urban into the city fabrics for the achievement of the desired sustainable development. In the light of this study, the following are obvious:

1. The bare surface land area needs to be well planned and manage to ensure sustainable living and working environment.
2. The consistent increase in the built-up area over the years call for an urgent attention by government in terms of legislations and mass housing projects in-order to ensure the proper management and preservation of Land for future generations.
3. The downward trend in changes in disturbed vegetation in Minna peri-urban neighborhoods indicates a reduction in agricultural activities in Minna peri-urban due to increasing demand of what was supposed to be agricultural land by other land uses. This has great implication on food security in the neighborhoods and in the state as a whole.
4. Destruction and depletion of forest resources in Minna peri-urban has great implication on desertification and climatic change.

REFERENCES

- [1]. Adamu, A. (2012). *An Analysis of Spatial Growth of Minna. Unpublished thesis submitted to Urban and Regional Planning Department for the award of B.Tech Degree, F.U.T. Minna.*
- [2]. Adedeji, D., & Ibe, E. O. (2010). Urban Environmental Problems In Nigeria: Implications For Sustainable Development. *Journal of Sustainable Development in Africa, 12(1), 124-145.*

- [3]. Cohen, B. (2006). Urbanization in developing countries: Current trends, future projections, and key challenges for sustainability. *Technology in Society* 28. 63–80.
- [4]. Fabiyi, O.O.(2006). Urban Land Use Change Analysis of a Traditional City from Remote Sensing Data: The Case of Ibadan Metropolitan Area, Nigeria. *Humanity & Social Sciences Journal*, 1(1), 42-64.
- [5]. Firoz, A. B. M. (2004). 'Urban Growth Dynamics of Khulna City: (A study on Ward No. 09, 20 and 24)', Unpublished BURP Thesis, Urban and Rural Planning Discipline, Khulna University, Khulna.
- [6]. Hardoy, J. E., Mitlin, D., & Satterthwaite, D. (2001). *Environmental problems in an urbanizing world: finding solutions for cities in Africa, Asia, and Latin America*. London: Earthscan Publications Ltd.
- [7]. Haub, C. (2007). World population data sheet. Population Reference Bureau, Washington. http://www.prb.org/07/07WPDS_Eng.pdf
- [8]. Mandere, N.M., Ness B., & Anderberg, S. (2010). Peri-urban development, livelihood change and household income: A case study of peri-urban Nyahururu, Kenya. *Journal of Agricultural Extension and Rural Development*, 2(5), 73-83.
- [9]. Maxlock (1979). Minna Master plan.
- [10]. Morenikeji, G. (2013). *Application of Remote Sensing and Geographic Information System in Monitoring the Dynamics of Land-use in Minna, Niger State, Nigeria*. Unpublished M. Tech Thesis submitted to the Postgraduate School, Federal University of Technology, Minna.
- [11]. Musa, D., Usman, M. Y., & Isaiah O.(2013). The Impact of Urban Development on Food Security in Peri-Urban Areas of Minna, Niger State, Nigeria. *International Journal of Humanities and Social Science Invention*.2(4),26-31.
- [12]. Niger State Government (2009). Report of Niger State Stakeholders Development Committee on Vision 3:2020. Retrieved from www.nigerstateonline.com on 11/10/12
- [13]. Oladapo, R. A., & Olotuah A. O (2007). Appropriate Real Estate Laws and Policies for Sustainable Development in Nigeria. *Structural Survey*, 25 (3/4), 330 –338.
- [14]. Olayiwola, O.O. (2013). Poverty Cycle Disparity among Peri-Urban Farming Households In Uyo, Nigeria. *Journal of Research in Management & Technology*, II, 1-8
- [15]. Pacione, M. (2005). *Urban Geography: A Global Perspective*, Second Edition. New York: Routledge
- [16]. UN-Habitat, (2004). United nations human settlements programme: The state of the world's cities 2004/2005: globalization and urban culture. Nairobi/London: UN-HABITAT/Earthscan.
- [17]. United Nations Development Programme (UNDP,2009). Summary Report. Retrieved from http://web.ng.undp.org/documents/NHDR2009/NHDR_SUMMARY_2008-2009.pdf on 28/5/2015